

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

## **Purple Punch**

Sample ID: HR20250290688

Strain: FRITTER (RB) Matrix:

Plant

Type: Hemp Sample Size: ; Batch: Produced:

Collected:

Received: 02/18/2025

Completed: 02/21/2025 Batch#: RB25AFFHTMB021825 Client

PrimePoint Logistics LLC

Lic.#

744 Noland Avenue

**Grand Junction CO** 



## Summary

Test **Date Tested** Result Batch Complete 02/19/2025 Cannabinoids

Complete Moisture 02/19/2025 10.56%

Cannabinoids Complete

0.21%		ND			17.83%
Total THC		Total CBD			Total Cannabinoids
Analyte	LOD	LOQ	Result	Result	
	mg/g	mg/g	%	mg/g	
THCa	0.20000	0.61000	19.42	194.19	
Δ9-THC	0.15000	0.45000	0.24	2.37	
Δ8-THC	0.14000	0.42000	ND	ND	
THCV	0.15000	0.44000	ND	ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND _	
CBGa	0.29000	0.88000	0.64	6.43	
CBG	0.13000	0.39000	ND	ND	
CBC	0.14000	0.42000	ND	ND	
Total THC			17.27	172.67	
Total CBD			ND	ND	
Total			17.83	178.31	
Sum of Cannabinoids			20.30	202.99	

Determination of Cannabinoids by HPLC, HL223

Total THC =  $\Delta 9$ -THC3 \*  $0.877 + \Delta 9$ -THC

Total CBD = CBDa \*  $0.877 + \Delta 9$ -THC

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323; SOP HL 324; Water Activity; Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.