





Plain Letterplate Specification

FRONT



BACK



DIMENSIONS

A Overall size of letterplate	B Size of external aperture	C Size of required door aperture	D Distance between bolt fixing centres
8 x 2 ³ / ₄ inches (203mm x 70mm)	6 x 1 ¹ / ₂ inches (153mm x 38mm)	6.29 x 2.16 inches (160mm x 55mm)	7.28 inches (185mm)
10 x 3 inches (254mm x 76mm)	7 ¹ / ₂ inches x 1.57 inches (190mm x 40mm)	7.87 x 2.36 inches (200mm x 60mm)	9.05 inches (230mm)
10 x 4 inches (250mm x 100mm)	7.32 x 1.85 inches (186mm x 47mm)	7.67 x 2.63 inches (195mm x 67mm)	8.66 inches (220mm)
12 x 3 inches (305mm x 76mm)	8 ¹ / ₂ x 1.77 inches (215mm x 45mm)	8.85 x 2.36 inches (225mm x 60mm)	10.31 inches (262mm)
12 x 4 inches (305mm x 106mm)	9.25 x 2.04 inches (235mm x 52mm)	9.64 x 2.95 inches (245mm x 75mm)	10.51 inches (267mm)
14 x 4 ¹ / ₂ inches (356mm x 111mm)	10.62 x 1.96 inches (270mm x 50mm)	10.82 x 2.87 inches (275mm x 73mm)	12.40 inches (315 mm) This letterplate has four fixings x1 in each corner

Please Note: Each letterplate is hand made using traditional sand-casting techniques, therefore sizes can vary by a few millimetres. Please only make alterations to your door once you have received and measured your letterplate.