Contents lists available at ScienceDirect

ELSEVIER



journal homepage: www.sciencedirect.com/journal/metabolism-open

Metabolism Open

Energetic homeostasis achieved through biophoton energy and accompanying medication treatment resulted in sustained levels of Thyroiditis-Hashimoto's, iron, vitamin D & vitamin B12



Mariola A. Smotrys^{a,*}, James Z. Liu^b, Suzanne Street^a, Seth Robinson^a

^a First Institute of All Medicine, Milford, DE, USA

^b Tesla Biohealing, Milford, DE, USA

ARTICLE INFO ABSTRACT Keywords: We present the case of a 37-year-old premenopausal woman, who presented with fatigue, weakness, pallor, and Biophotons myalgias. She was on treatment for Hashimoto's Thyroiditis, iron deficiency anemia, deficiency of vitamin D and Biophoton energy B12. Further diagnostic workup revealed her anemia was attributed to a long history of menorrhagia, deficiency Biophoton generator of vitamin D and B12 which was attributed to Celiac disease. Her overall health improved with daily medication Biophoton therapy and by being around the biophoton generators, a device-generated biophoton field. Supplemental exposure to Life force energy biophoton energy stabilized her blood component levels and improved the functional and energetic conditions of Energetic conditions all her organs and systems.

1. Background

Hashimoto's thyroiditis is an autoimmune illness in which the thyroid gland is attacked by cell and antibody mediated responses. It is often associated with arthralgia, and myalgia, and can lead to myopathy [1]. Anemia is a condition characterized by a shortage of red blood cells or hemoglobin, which leads to reduced oxygen-carrying capacity in the blood. The most common cause of anemia is iron deficiency, but it can also be caused by other factors such as vitamin deficiencies, chronic diseases, and genetic disorders [2]. Vitamin D is a fat-soluble vitamin, and it is essential to the immune system's defense against many pathogens. It protects against osteoporosis and is also crucial to muscular movements and neurological signal transmission [3]. Vitamin B12 is a water-soluble vitamin. It is important in the synthesis of Deoxyribonucleic Acid (DNA) and thus cell division, cellular metabolism, and maintenance of the integrity of the nervous system [2]. The woman had all above disorders, and she was treated with medicine alone. She needed to improve the energy of all her organs with biophotons.

2. Case presentation

A 37-year-old premenopausal woman presented to the clinic with fatigue, weakness, pallor, and myalgias. She reported a history of

Hashimoto's thyroiditis, iron deficiency anemia, vitamin D deficiency, and vitamin B12 deficiency. Her anemia was attributed to a long history of menorrhagia, and she was being treated with iron supplementation. Her vitamin D and B12 deficiencies were attributed to celiac disease, and she was being treated with daily supplements. Despite treatment, she continued to experience fatigue and weakness.

On physical examination, the patient appeared pale and fatigued. She had diffuse myalgias but no significant joint swelling or tenderness. Laboratory tests revealed a hemoglobin level of 8.1 g/dL, which was consistent with her previously diagnosed anemia. Her vitamin D level was low at 14.2 ng/mL, and her vitamin B12 level was 413 pg/mL. Her thyroid-stimulating hormone level was within normal limits (Table 1).

The patient was started on an increased dose of iron supplementation orally and by infusion, and advised to continue her daily vitamin D and B12 supplements. However, despite these interventions, her symptoms persisted.

3. Diagnostic workup

Given the persistence of the patient's symptoms, further diagnostic workup was initiated. The patient underwent an upper endoscopy with small bowel biopsy, which revealed findings consistent with celiac disease. She was advised to follow a strict gluten-free diet and referred to a

* Corresponding author. *E-mail address:* mariola.smotrys@firstallmed.org (M.A. Smotrys).

https://doi.org/10.1016/j.metop.2023.100248

Received 10 April 2023; Received in revised form 18 May 2023; Accepted 28 May 2023 Available online 29 May 2023

^{2589-9368/© 2023} The Authors. Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Table 1

Lab test and results.

	9/14/22	8/24/22	7/18/22	7/1/22	6/16/22	5/17/22	4/19/22	3/14/22	1/05/22	Normal Range
RBC	3.39 x10E3/uL	3.33 x10E3/uL	3.49 x10E3/uL	3.59 x10E3/uL	3.08 x10E3/uL	3.58 x10E3/uL	3.43 x10E3/uL	3.26 x10E3/uL	3.02 x10E3/uL	3.77–5.28 x10E3/uL
HGB	9.4 g/dL	8.2 g/dL	9.3 g/dL	9.2 g/dL	6.9 g/dL	9.6 g/dL	9.3 g/dL	8.9 g/dL	8.1 g/dL	11.1–15.9 g/dL
Hematocrit	29.4%	27.6%	30.0%	30.8%	24.3%	29.6%	28.7%	28.2%	26.9%	34-46.6%
Iron	49 µg/dL	17 μg/dL	42.0 μg/dL	50 μg/dL	16 µg/dL	27 μg/dL	30 µg∕dL	39 µg/dL	34 µg/dL	27–159 μg/dL
Iron, % saturation	17.0%	5.0%	20.0	24.0%	5.0%	8.0%	10.0%	17.0%	13.0%	15 55%
Ferritin	582 ng/mL	33 ng/mL	220 ng/mL	637 ng/mL	25 ng/mL	123 ng/mL	372 ng/mL	491 ng/mL	293 ng/mL	15.0–150 ng/ mL
TIBC	287 μg/dL	353 μg/dL	211 µg/dL	212 µg/dL	348.0 μg/ dL	335 μg/dL	286 µg/dL	235 µg/dL	258 µg/dL	250 - 450 μg/dL
Unbound iron capacity	238 µg/dL	336 µg/dL	169 µg/dL	162 µg/dL	332 µg/dL	308 µg/dL	256 µg/dL	196 µg/dL	224 µg/dL	131- 425 μg/dL
Vitamin D, 25- hydroxy	20.6 ng/mL				19.1 ng/mL			14.2 ng/mL		30–100 ng/mL
Vitamin B12	361 pg/mL	377 pg/mL	449 pg/mL		395 pg/mL	403 pg/mL	391 pg/mL	356 pg/mL	413 pg/mL	232–1245 pg/ mL
TSH, mIU/L							3.05 uIU/ mL			0.45–4.5 uIU/ mL
T4, free							1.02 ng/dL			0.82–1.77 ng/ dL

registered dietitian for further counseling.

The patient's laboratory test revealed an increased level of factor VIII activity, which was above the normal range, while the von Willebrand factor antigen assay and activity were normal. These results were not in line with the diagnosis of von Willebrand disease based on the current National Heart, Lung, and Blood Institute guideline.

In addition, the patient was introduced to biophoton therapy using a biophoton generator. The biophoton generator was a non-biological device that emits a biophoton field that is believed to stabilize the energy levels of cells and tissues. The patient was advised to spend at least 8 h per day in the biophoton field generated by the device.

4. Treatment and outcome

The patient adhered to a gluten-free diet and continued her medications and iron supplementation. She also spent at least 8 h per day in the biophoton field generated by the device.

After several weeks of treatment, the patient reported significant improvement in her symptoms of fatigue and weakness. She also reported a reduction in her myalgias. Repeat laboratory tests revealed an improvement in her hemoglobin level to 9.4 g/dL, an increase of her vitamin D level to 20.6 ng/mL, and a change in her vitamin B12 level to 361 pg/mL. Her thyroid-stimulating hormone level remained within normal limits.

Her follow up Bio-Well scan showed improvements in functional and energetic condition of organs and systems, correction and increased energy levels from very low to low and normal energy levels in several systems and organs as compared to an initial scan (Table 2). The scan also showed an energy and balance increase of 20% and is considered a treatment success.

To the best of our knowledge, this is the first reported case of Hashimoto's Thyroiditis involving stabilization of thyroid, iron, vitamin D and B12 levels, and improvements in the functional and energetic conditions of all the organs and systems just by supplementing and following the daily use of biophoton energy in addition to her medication treatment.

5. Discussion

This case highlights the potential benefit of biophoton therapy in the management of a patient with multiple medical conditions, including celiac disease, Hashimoto's thyroiditis, and anemia. While the use of biophoton therapy is not yet supported by a large body of scientific evidence, there is some evidence to suggest that light therapy may have a beneficial effect on anemia by stimulating the production of red blood cells.

Biophotons are produced by all biological bodies such as plants, animals, and humans. Biophoton has been identified as an essential factor for cell growth. In 1927, the Russian embryologist Alexander Gurwitch discovered the emission of light from cells in a living organism. He called them mitogenic rays [4,5]. Then, in 1974, Fritz Albert Popp, a German researcher and Nobel Prize nominee in physics, re-confirmed the existence of these mitogenic rays and renamed them biophotons. He confirmed that all biological systems transmit light and information, and that these subatomic light particles emanate from every living system, including cells and the DNA in our bodies [6].

The photons are the smallest unit of electromagnetic energy. It is through biophotons that cells communicate with each other and coordinate hundreds of thousands of chemical reactions that occur every second in each cell. Mitochondria have specific properties regarding the absorption of biophotons, which are affecting their function. One of the most important sources of biophoton emission is DNA. These emissions, which are weak compared to the radiation known to us, are nevertheless sufficient to direct the behavior of cells, and biophotons coherence ultimately determines the state of the whole organism. In other words, the disease is acting beyond the scope of the coherence of the light, light that cells need. For example, people with multiple sclerosis consumed too much light, and people with cancer give too much light [7,8].

One study published in the Photomedicine and Laser Surgery Journal found that red light therapy increased the production of red blood cells in rats with anemia. The researchers attributed this effect to the stimulation of erythropoietin, a hormone promoting red blood cells [9]. Another study published in the Lasers in Medical Science Journal found that low-level laser therapy improved the symptoms of anemia in patients with chronic kidney disease. The researchers suggested that the therapy may have stimulated the production of red blood cells and improved their function [10].

Brain activity affects the amount of biophotons emitted by the body. Moreover, biophotons are similar in structure to photons emitted by the sun, but the biophotons of the human body are much less intense [11-13].

While these studies suggest that light therapy may have potential as a treatment for anemia, more research is needed to confirm these findings and determine the optimal parameters for treatment. In the meantime, anemia should be treated with appropriate medical interventions, such as iron supplementation, blood transfusions, or other therapies as

Table 2

Functional and energetic condition of organs and systems from May 27, 2022, and September 22, 2022..

	-			
	Energy	Energy		Energy
	Levels @	Levels	Energy	Balance
	Baseline	after use	Balanc	After
Organ	05/27/22	09/22/22	e	use
	Energy,	Energy,	Baselin	9/22/22
	joules	joules	e	(%)
	$(x10^{-2})$	$(x10^{-2})$		
	()	()	5/27/22	
			(%)	
1. Head	3.37	4.34	78.50	77.97
Eyes	2.94	4.26	76.33	81.34
Ears, Nose, Maxillary	2.44	3.49	67.70	74.86
Sinus				
Jaw, Teeth	2.81	4.23	49.55	75.00
Cerebral zone (cortex)	5.28	5.37	99.92	79.64
2. Cardiovascular	3.47	4.69	97.83	99.15
System				
Heart	3.16	4.38	68.76	99.59
Cerebral zone	6.00	5.72	83.88	95.77
(vessels)	0.00	0.72	05.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Coronary vessels	5.61	6.28	98.79	95.52
	4.21		70.81	83.37
3. Respiratory	4.21	6.00	/0.81	83.37
system	0.00	6.42		(= 0.5
Throat, larynx, trachea	3.30	6.42	12.20	67.85
Mammary glands	5.63	6.73	93.68	92.36
Thorax zone	3.72	4.84	88.23	91.47
4. Endocrine system	4.02	5.13	95.69	94.38
Hypothalamus	3.93	4.59	87.15	94.36
Epiphysis	5.10	6.26	91.31	91.47
Pituitary Gland	4.07	4.95	98.78	86.45
Thyroid gland	3.46	5.20	52.12	85.04
Pancreas, Spleen	3.55	4.55	87.84	62.65
Adrenals	4.48	5.36	92.58	95.79
Spleen, Pancreas	3.52	4.97	94.04	98.48
5.Musculoskeletal	4.22	5.55	94.17	96.64
system				
Spine - cervical	3.29	4.52	94.50	94.69
Spine – thorax	3.21	3.72	82.62	93.41
Spine – lumbar	3.02	4.41	99.26	97.88
Sacrum	4.76	6.46	90.62	94.66
Coccyx, Pelvis minor	6.81	8.61	82.64	97.72
zone	0.01	0.01	02.0-	51.12
	4.01	5.04	08 77	95.12
Digestive system Colon - descending	1.92	3.59	98.77 100	<u>95.12</u> 100
Colon - descending Colon - sigmoid			100	100
	3.45	5.68		
Rectum Plind gut	6.29	7.21	100	100
Blind gut	6.11	6.52	100	100
Colon - ascending	3.04	3.77	100	100
Colon - transverse	4.81	5.67	85.59	98.58
Duodenum	3.70	4.14	100	100
Ilium	3.85	4.21	100	100
Jejunum	3.53	4.14	100	100
Liver	4.73	6.62	72.79	91.04
Pancreas, Spleen	3.55	4.55	87.84	62.65
Gallbladder	3.09	4.30	100	100
Appendix	3.45	3.85	100	100
Abdominal zone	3.61	4.41	100	100
6. Urogenital system	4.80	6.70	84.60	93.17
Kidney	4.28	6.09	86.11	91.42
		1 07	07.00	02.00
7. Nervous system 8. Immune system	3.12 2.73	4.07 4.25	97.29 85.28	93.02 91.17

High

Increased

Normal

Very low

Low

recommended by a healthcare provider.

Biophoton therapy using a biophoton generator is believed to stabilize the energy levels of cells and tissues, leading to improved cellular function and overall health. While more research is needed to confirm these findings, the observed efficacy of using biophoton generators by many patients with a variety of unmet medical conditions was higher than 90%.

It is important to note that the patient in this case also adhered to a gluten-free diet and continued her medications and iron supplementation, which may have contributed to improvements.

6. Conclusion

The concept of biophotons has been studied for several decades, and while it is still an emerging field, there is growing evidence to suggest that biophotons play a significant role in biological systems. Biophotons are produced by a wide range of living organisms, and they are thought to be involved in various biological processes, including cell communication, DNA replication, and cellular metabolism.

One of the most intriguing aspects of biophotons is their potential use in medical applications. Recent research has shown that biophotons can be used to detect cancer cells in the body, and there is growing interest in the use of biophotons as a tool for cancer treatment. Additionally, biophotons have been shown to be involved in the regulation of the immune system, which could have implications for the treatment of autoimmune diseases.

The potential use of biophotons in medicine is an exciting area of research, but there is still much to be learned about these elusive particles. One of the challenges in studying biophotons is their low intensity, which makes them difficult to detect and study. However, advances in technology are making it possible to measure biophotons more accurately and study their properties in more detail. Overall, the potential use of biophoton therapy in the treatment of disease is an exciting area of research, and it will be interesting to see how this field develops in the coming years.

CRediT authorship contribution statement

Mariola A. Smotrys: Conceptualization, Writing - original draft, Writing - review & editing. Suzanne Street: Conceptualization. Seth Robinson: Conceptualization.

Declaration of competing interest

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests: James Liu reports a relationship with Tesla Biohealing, Inc. That includes: employment.

References

- Mincer DL, Jialal I. Hashimoto thyroiditis. In: StatPearls. Treasure Island. (FL: StatPearls Publishing; June 21, 2022. Reference to a website: https://pubmed.ncbi. nlm.nih.gov/29083758/.
- [2] Chaparro CM, Suchdev PS. Anemia epidemiology, pathophysiology, and etiology in low- and middle-income countries. Ann N Y Acad Sci 2019;1450(1):15–31. https:// doi.org/10.1111/nyas.14092.Reference. to a website: https://www.ncbi.nlm.nih. gov/pmc/articles/PMC6697587/.
- [3] Sizar O, Khare S, Goyal A, et al. Vitamin D deficiency. [Updated 2022 Jul 27]. In: StatPearls [Internet]. Treasure Island (FL). StatPearls Publishing; 2022 Jan. Reference to a website: https://www.ncbi.nlm.nih.gov/books/NBK532266/.
- [4] Sanders CL. Speculations about bystander and biophotons. Published 2014 May 19 Dose Response 2014;12(4):515–7. https://doi.org/10.2203/dose-response.14-002. Sanders. Reference to a website: https://www.ncbi.nlm.nih.gov/pmc/articles/PM C4267444/.
- [5] Beloussov L. Our standpoint different from common... (Scientific heritage of Alexander Gurwitsch). Russ J Dev Biol September 2008;39(5):307–15. https://doi. org/10.1134/S1062360408050081. Reference to a website, https://www.rese archgate.net/publication/225680805_Our_standpoint_different_from_common_Scie ntific_heritage_of_Alexander_Gurwitsch.
- [6] Popp FA, Nagl W, Li KH, Scholz W, Weingärtner O, Wolf R. Biophoton emission. New evidence for coherence and DNA as source. Cell Biophys 1984;6(1):33–52. https://doi.org/10.1007/BF02788579. Reference to a website: https://pubmed. ncbi.nlm.nih.gov/6204761/.
- [7] Popp FA, Li KH, Mei WP, Galle M, Neurohr R. Physical aspects of biophotons. Experientia 1988;44(7):576–85. https://doi.org/10.1007/BF01953305. Reference to a website: https://pubmed.ncbi.nlm.nih.gov/3294033/.
- [8] Volodyaev I, Beloussov LV. Revisiting the mitogenetic effect of ultra-weak photon emission. Published 2015 Sep. 7 Front Physiol 2015;6:241. https://doi.org/ 10.3389/fphys.2015.00241. Reference to a website: https://www.ncbi.nlm.nih. gov/pmc/articles/PMC4561347/.
- [9] Oliveira Sampaio SC, de C Monteiro JS, Cangussú MC, et al. Effect of laser and LED phototherapies on the healing of cutaneous wound on healthy and iron-deficient Wistar rats and their impact on fibroblastic activity during wound healing. Laser Med Sci 2013;28(3):799–806. https://doi.org/10.1007/s10103-012-1161-9. Reference to a website: https://pubmed.ncbi.nlm.nih.gov/22814898/.
- [10] Ahrabi B, Bahrami M, Moghadasali R, et al. The effect of low-power laser therapy on the TGF/β signaling pathway in chronic kidney disease: a review. J Laser Med Sci 2020;11(2):220–5. https://doi.org/10.34172/jlms.2020.36. Reference to a website, https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7118498/.
- [11] Cifra M, Pospíšil P. Ultra-weak photon emission from biological samples: definition, mechanisms, properties, detection, and applications. J Photochem Photobiol B Biol 2014, October 5;139:2–10. https://doi.org/10.1016/j. jphotobiol.2014.02.009. Reference to a webste: [PubMed] [CrossRef] [Google Scholar], https://pubmed.ncbi.nlm.nih.gov/24726298/.
- [12] Grasso F, Grillo C, Musumeci F, Triglia A, Rodolico G, Cammisuli F, Rinzivillo C, Fragati G, Santuccio A, Rodolico M. Photon emission from normal and tumor human tissues. Experientia 1992, January;48:10–3. https://doi.org/10.1007/ BF01923595. Reference to a website: [PubMed] [CrossRef] [Google Scholar].
- [13] Kumar S, Boone K, Tuszynski J, Barclay P, Simon C. Possible existence of optical communication channels in the brain. Sci Rep 2016, November 7;6:36508. https:// doi.org/10.1038/srep36508. Reference to a website: [PMC free article] [PubMed] [CrossRef] [Google Scholar].