

Ring Size Guide

Please make sure that you print this guide at 100% scale on an A4 paper. You can place a credit card or bank card over the rectangle to the left to verify the accuracy of the printed dimensions.

Please note that this guide is not as accurate as being measured in person.

However, if the size is not quite right once you receive your ring, our Customer Services will be happy to assist with an exchange or one complimentary re-size. Note, not all styles can be re-sized, and our team is on hand to support.


Place credit card
for scale here

Contact Customer Services

If you're having issues printing this guide in its correct size, are in need of further assistance measuring your ring or wish to book an appointment please contact Customer Services at customer.services@asprey.com

Match an Existing Ring

Select a ring you already own that fits the finger you intend to wear your new ring on. Place the ring over the nearest matching circle from the selection below. Try to match the inside of the ring as precisely as you can to the white circle nearest in size. If the ring seems to fall between two sizes, we recommend selecting the larger size.



Diameter	Inside Circumference	UK	Europe	United States & Canada	Japan	Switzerland	Hong Kong
14.1 mm	44.3 mm	F 1/2	44	3	4	4	6
14.3 mm	44.9 mm	G	45		5	5 1/4	
14.5 mm	45.6 mm	G 1/2		3.5			7
14.7 mm	46.2 mm	H	46		6	6 1/2	
14.9 mm	46.8 mm	H 1/2	47	4	7		8
15.1 mm	47.4 mm	I				7 3/4	
15.3 mm	48.1 mm	I 1/2	48	4.5	8		9
15.5 mm	48.7 mm	J				9	10
15.7 mm	49.3 mm	J 1/2	49	5	9		
15.9 mm	50.0 mm	K	50			10	11
16.1 mm	50.6 mm	K 1/2		5.5	10		
16.3 mm	51.2 mm	L	51			11 3/4	12
16.5 mm	51.8 mm	L 1/2	52	6	11	12 3/4	13
16.7 mm	52.5 mm	M			12		
16.9 mm	53.1 mm	M 1/2	53	6.5	13	14	14
17.1 mm	53.7 mm	N					
17.3 mm	54.3 mm	N 1/2	54	7	14	15 1/4	15
17.5 mm	55.0 mm	O	55				16
17.7 mm	55.6 mm	O 1/2		7.5	15	16 1/2	
17.9 mm	56.2 mm	P	56				17
18.1 mm	56.9 mm	P 1/2	57	8	16	17 3/4	
18.2 mm	57.2 mm						18
18.3 mm	57.5 mm	Q					
18.5 mm	58.1 mm	Q 1/2	58	8.5	17		
18.8 mm	59.1 mm	R	59			19	19
19.0 mm	59.7 mm	R 1/2		9	18		20
19.2 mm	60.3 mm	S	60			20 1/4	
19.4 mm	60.9 mm	S 1/2	61	9.5	19		21
19.6 mm	61.6 mm	T				21 1/2	
19.8 mm	62.2 mm	T 1/2	62	10	20		22
20.0 mm	62.8 mm	U			21		
20.2 mm	63.5 mm	U 1/2	63	10.5	22	22 3/4	23
20.4 mm	64.1 mm	V	64				24
20.6 mm	64.7 mm	V 1/2		11	23		
20.8 mm	65.3 mm	W	65			25	25
21.0 mm	66.0 mm	W 1/2	66	11.5	24		
21.2 mm	66.6 mm	X					26
21.4 mm	67.2 mm	X 1/2	67	12	25	27 1/2	27
21.6 mm	67.9 mm	Y					
21.8 mm	68.5 mm	Z	68	12.5	26	28 3/4	
22.0 mm	69.1 mm	Z 1/2	69				
22.2 mm	69.7 mm		70	13	27		
22.4 mm	70.4 mm	Z+1					
22.6 mm	71.0 mm	Z+2		13.5			