

Safety Data Sheets (SDS) Updated: January 1, 2023

This file contains Safety Data Sheets for the Blade Pro family of products. This is a two-component system. It is imperative that you know whether you need information on the Resin or the Hardener.

Resin: Pages 2-9 Hardener: Pages 10-17

If this is a medical emergency, call 911 or your local poison control center. Seek medical attention.

For technical assistance, call System Three Technical Support at 253-333-8118 option 2.

These SDS are provided pursuant to 29 CFR 1910.1200(g).



SAFETY DATA SHEET

1. Product Identification

| Product name | Blade Pro Resin, Part A | |
|--|---|---------------------------|
| SDS Number | 1260A00 | |
| Product type | Epoxy polymer mixture | |
| Recommended use of the chemical and restrictions on use | Directed at, but not limited to, the adhesion of similar and substrates. | l dissimilar |
| Restrictions | None known. | |
| Manufacturer/Supplier information | | |
| Company name | SYSTEM THREE RESINS, INC. | |
| Address | 8517 Commerce Place Dr NE. Suite 105 Lacey, WA 98516 United States | |
| Telephone | 1-253-333-8118 | |
| Website | www.systemthree.com | |
| Email | support@systemthree.com | |
| Emergency Contact | | 0-704-9215 60-256-7365 |

2. Hazard(s) Identification

| Classification of substance or mixture/Signal Word | WARNING Skin Corrosion/Irritation - Category 2 Serious Eye Damage/Eye Irritation - Category 2 Skin Sensitization - Category 1 Specific Target Organ Toxicity (Single Exposure) [Respiratory tract irritation] – Category 3 |
|---|--|
| GHS Label Elements Hazard Pictograms | |
| Hazard Statements/Classification of substance or mixture | H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. |
| Precautionary statements | |
| <u>Precautionary Statements</u> Prevention Response | P280 Wear protective gloves. Wear eye or face protection. P201 Obtain special instructions before use. P271 Use only outdoors or in a well-ventilated area. P264 Wash hands thoroughly after handling. P304 + 340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |

| | P313 Call a POISON CENTER or doctor/physician if you feel unwell. P302+352+363 IF ON SKIN: Wash with soap and water. Take off |
|----------|--|
| | contaminated clothing and wash before reuse. |
| | P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. |
| | Remove contact lenses if present and easy to do. Continue rinsing. |
| Storage | P401 Store at room temperature in a well-ventilated area. |
| Disposal | P501 Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| | |

Hazards not otherwise classified (HNOC)

None Available.

3. Composition/Information On Ingredients

| Chemical Name | CAS Number | Content (%) |
|---------------------------------|------------|-------------|
| Diglycidyl Ether of Bisphenol A | 25068-38-6 | 90-100% |
| Diglycidyl Ether of Bisphenol F | 28064-14-4 | 1-10% |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

| Skin contact | Remove contaminated clothing and shoes and wipe excess off skin. Flush skin with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather articles (shoes) cannot be decontaminated and should be destroyed. |
|--|---|
| Eye contact | Flush with water for 15 minutes holding eye lids open. Seek medical attention. |
| Ingestion | Do not give liquids if victim is unconscious of very drowsy. Otherwise, give no more than 2 glasses of water and induce vomiting by giving 2 tablespoons syrup of ipecac (1 tablespoon and 1 glass of water for child). If ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of throat. Keep head below hips while vomiting. Get medical attention. |
| Inhalation | Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. |
| Indication of immediate medical attent | ion and special treatment needed, if necessary |
| Notes to physician | Treat symptoms as they appear. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | No specific treatment. |
| 5. Fire-Fighting Measures | |
| Suitable extinguishing media | Alcohol-resistant foam. |

| Suitable extinguishing media | Alcohol-resistant foam. |
|--|---|
| | Carbon dioxide (CO ₂). |
| | Dry chemical |
| | Water Fog |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Potential skin irritation. Epoxy in mass can create exotherm. |
| Hazardous decomposition products | Decomposition products may include the following materials: |
| | Carbon dioxide |
| | Carbon monoxide |

| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|--|---|
| Special protective equipment for fire- fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| Further information | Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

6. Accidental Release Measures

| Personal precautions | Wear proper personal protective equipment (PPE). Avoid direct contact with material. Proper PPE includes: disposable gloves, eye protection and skin protection. |
|--|--|
| Emergency procedures | If materials is spilled, avoid contact with material. Persons not wearing appropriate protective equipment should leave the area of the spill until cleanup is complete. |
| Methods and materials for containment/cleanup | Stop spill at source, dike area to prevent spreading, pump liquid to salvage tank or drum. Remaining liquid may be taken up on clay, diatomaceous earth, sawdust or other absorbent, and shoveled into disposal container. |
| Environmental precautions | Avoid dispersal of spilled material, contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air). |

7. Handling and Storage

| Precautions for safe handling | Put on appropriate personal protective equipment. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid contact with skin and eyes. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. When using, do not eat, drink or smoke. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|---|--|
| Precautions/Recommendations for safe/proper storage | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

8. Exposure Controls/Personal Protection

| Occupational Exposure Limits | None established. |
|----------------------------------|--|
| Appropriate engineering controls | Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |

| Environmental exposure controls | Use appropriate containment to avoid environmental contamination. Do not allow spill to enter sewers or waterways. |
|--|---|
| Individual protection measures/Personal protective equipment Eye/face protection | Splash-proof goggles or safety spectacles with side shields are recommended. Always wear eye protection when sanding cured epoxy resins to avoid dust in eyes. |
| Hand protection | Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC disposable gloves, |
| Skin protection | Wear clean, body-covering clothing to avoid skin contact. |
| Respiratory protection | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Special instructions for protection and hygiene | Wear gloves at all times when handling product, avoid direct contact with skin. When finished using product, dispose of gloves properly and wash hands with warm, soapy water. |

9. Physical and Chemical Properties

| Chemical family | Epoxy Resin |
|--|-----------------------------------|
| Appearance | Clear viscous liquid |
| Physical State | Epoxy polymer mixture |
| Form | Liquid |
| Color | Water clear |
| Odor | Little or no odor |
| Density (Specific Gravity) | 9.5-9.7 lb/gal (1.1-1.2) |
| Viscosity | 8,000-10,000 cps @ 25°C |
| рН | Data not available |
| Melting point/freezing point | Data not available |
| Initial boiling point and boiling range | Data not available |
| Flash point | >300°F, Pensky-Martens Closed Cup |
| Evaporation rate | Slower than ether |
| Flammability (solid, gas) | Data not available |
| Upper/lower flammability limit (by volume) | |
| Upper flammability limit (by volume) | N/A |
| Lower flammability limit (by volume) | N/A |
| Material VOC | None |
| Vapor density | Heavier than air |
| Relative density | Not determined |
| Solubility in water | Negligible, in water |
| Partition coefficient: n-octanol/water | 3 |
| Auto-ignition temperature | 300°C (572.00°F) |
| | |

10.Stability and Reactivity

| Reactivity | None |
|------------------------------------|--|
| Chemical Stability | Stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization will not occur. |
| Conditions to avoid | Epoxy resins and epoxy resin hardeners react with each other producing heat. They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in hazardous decomposition products. |
| Incompatible materials | Strong oxidizing agents, Lewis and mineral acids. |
| Hazardous decomposition products | Oxides of carbon, aldehydes, acids. |
| Other hazards | None known. |

11. Toxicological Information

Acute Health Hazard (components)

No comprehensive data (ingestion, inhalation, dermal) on mixture (product).

| Component | Result | Species | Dose | Exposure |
|---------------------------------|-------------|---------|--------------|----------|
| Diglycidyl Ether of Bisphenol A | LD50 Oral | Rat | 11,400 mg/kg | - |
| | LD50 Dermal | Rat | 2,000 mg/kg | - |

Irritation/Corrosion (components) No information on product itself.

Component Result **Species** Test Exposure Diglycidyl Ether of Bisphenol A Skin – Erythema/Eschar 404 Rabbit 1.5 - 2Acute Dermal Irritation/Corrosion Skin – Edema 404 Acute Rabbit 1.0 - 1.5_ Dermal Irritation/Corrosion Eyes – 405 Acute Eye 0 Rabbit _ Irritation/Corrosion Eyes – Redness of the Rabbit 0.7 _ conjunctivae Skin – Moderate irritant Rabbit 24 hrs Eyes – Mild irritant Rabbit -No information on product itself. **Sensitization**

Mutagenicity

Carcinogenicity

Reproductive Toxicity

Teratogenicity

No information on product itself.

No information on product itself. No information on product itself.

No information on product itself.

No information on product itself.

<u>Specific target organ toxicity (single</u> exposure)

| Component | Category | Route of exposure | Target organs |
|---------------------------------|------------|-------------------|------------------------------|
| Diglycidyl Ether of Bisphenol A | Category 3 | | Respiratory tract irritation |
| Diglycidyl Ether of Bisphenol F | Category 3 | | Respiratory tract irritation |

| <u>Specific target organ toxicity (repeated</u> <u>exposure)</u> | Not available. |
|--|---|
| Aspiration hazard | Not available. |
| Potential acute health effects | |
| Eye Contact | Causes serious eye irritation. |
| Inhalation | May cause respiratory irritation. |
| Skin Contact | Causes skin irritation. May cause an allergic skin reaction. |
| Ingestion | Irritating to mouth, throat and stomach. |
| Symptoms related to the physical, chemical and toxicological characteristics | |
| Eye Contact | Adverse symptoms may include the following: Pain or irritation Watering Redness |
| Inhalation | Adverse symptoms may include the following: Respiratory tract irritation Coughing |
| Skin Contact | Adverse symptoms may include the following: Irritation Redness |
| Ingestion | No specific data. |
| <u>Delayed and immediate effects and also</u> <u>chronic effects from short and long term</u> <u>exposure</u> <u>Potential chronic health effects</u> | Not available. |
| General | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |

12. Ecological Information

Ecotoxicity

No information on product itself.

| Component | Result | Species | Exposure |
|---------------------------------|---|--------------------------------------|----------|
| Diglycidyl Ether of Bisphenol A | Acute LC50 1.3 mg/l – 203 Fish, Acute Toxicity Test | Fish – Fish | 96 h |
| | Acute EC50 2.1 mg/I – 202 Daphnia sp. Acute Immobilization Test and Reproduction Test | Aquatic invertebrates. Water flea | 48 h |
| | Acute NOEC 0.3 mg/l – 211 Daphnia Magna Reproduction Test | Aquatic invertebrates. Water flea | 21 d |
| | Acute LC50 > 11 mg/l | Aquatic plants – Algae | 72 h |

Persistence and degradability

No information on product itself.

Bioaccumulative Potential

No information on product itself.

| Component | LogPow | BCF | Potential |
|---------------------------------|-------------|--------------|-----------|
| Diglycidyl Ether of Bisphenol A | 2.64 – 3.78 | 3 - 31 31.00 | low |
| Diglycidyl Ether of Bisphenol F | 3 | - | low |

Mobility in Soil

| Soil/water partition coefficient (KOC) | No information on product itself. |
|--|---|
| Other adverse effects | No known significant effects or critical hazards. |

13. Disposal Considerations

| Waste from residues/ unused products | The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is required. |
|--------------------------------------|---|
| Contaminated packaging | Dispose of container and unused contents in accordance with federal, state and local requirements. |

14.Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

| international fra | insport Regulations | | | |
|------------------------|---------------------|---|-------------|---------------------------|
| Regulatory information | UN/NA number | Proper Shipping Name | Classes/*PG | Additional Information |
| DOT | | Non-regulated | | |
| TDG | | Non-regulated | | |
| IMO/IMDG | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPICHLOROHYDRIN RESIN) | Class 9 III | |
| ΙΑΤΑ | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPICHLOROHYDRIN RESIN) | Class 9 III | |
| *PG: Packing gro | up | | | |
| Special precautio | ons for user: | Transport within user's premises: always transport in closed containers upright and secure. Ensure that persons transporting the product know do in the event of an accident or spillage. | | |

International Transport Regulations

15. Regulatory Information

UNITED STATES

| U.S. Federal Regulations | United States – TSCA 12(b) – Chemical export notification: None Required. |
|--------------------------|--|
| | United States – TSCA 5(a)2 – Final significant new use rules: Not Listed. |
| | United States – TSCA 5(a)2 – Proposed significant new use rules: Not Listed. |
| | United States – TSCA 5(e) – Substance consent order: Not listed. |

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

| Ingredient Name | Cancer | | Reproductive | No significant risk level | Maximum acceptable dosage level | |
|---|-------------|---|---|--|------------------------------------|--|
| Oxirane, 2-(phenoxymethyl)- | Yes | | No | 5 μg/day | No | |
| Oxirane, 2-(chloromethyl)- | Yes | | Yes | 9 μg/day | No | |
| EPA SARA 302 Extremely H Substances EPA SARA 302/304/311/31 Chemicals United States inventory (TS | 2 Hazardous | Acute | required. Health Hazard. nponents are listed | or exempted. | | |
| CANADA | | | | | | |
| WHMIS (Canada) | (| | Class D-2B: Material causing other toxic effects (Toxic). | | | |
| Canadian NPRI CEPA Toxic substances | | | None Required None Required | | | |
| INTERNATIONAL REGULATIONS | 5 | | | | | |
| International Lists | | Australia inventory (AICS): All components are listed or exempted. Canada inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. Japan inventory: All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. New Zealand inventory (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempt Taiwan inventory (CSNN): All components are listed or exempted. | | mpted. pted. pted. or exempted. e listed or exempted. sted or exempted. | | |

16. Other Information, Including Date of Preparation or Last Revision

| HMIS Rating | | |
|-----------------------|---|--------------------------|
| | Health 2 Flammability 1 Physical Hazard 0 | |
| Date of Preparation | | March 9, 2020 |
| Date of Last Revision | | December 4, 2019 |
| Revision # | | 2.0 |
| More Information | | 1-253-333-8118 |
| Prepared by | | System Three Resins Inc. |

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.



SAFETY DATA SHEET

1. Product Identification

| Product name | Blade Pro Hardener, Part B | |
|-----------------------------------|---|-----------------------------------|
| SDS Number | 1260B00 | |
| Product type | Amine/Butadiene mixture | |
| Manufacturer/Supplier information | Directed at, but not limited to, the adhesive of similar and dissimilar substrates. | |
| Company name | SYSTEM THREE RESINS, INC. | |
| Address | 8517 Commerce Place Dr. NE Lacey, WA 98516 United States | |
| Telephone | 1-253-333-8118 | |
| Website | www.systemthree.com | |
| Email | support@systemthree.com | |
| Emergency Contact | CHEMTEL (U.S. and CANADA) CHEMTEL (Outside the U.S.) – Call Collect accepted | 1-800-704-9215 +1-360-256-7365 |

2. Hazard(s) Identification

| Classification of substance or mixture/Signal Word | SKIN IF SERIOU SKIN S REPRO | ER TOXICITY (ORAL) – Category 4 RITATION/CORROSION – Category 1 JS EYE DAMAGE/EYE IRRITATION – 1 ENSITIZATION – Category 1 DUCTIVE TOXICITY – Category 2 IC TARGET ORGAN TOXICITY [Repeated Exposure] – Category 1 |
|---|--------------------------------------|--|
| GHS Label Elements Hazard Pictograms | | |
| Hazard Statements/Classification of | H302 | Harmful if swallowed. |
| substance or mixture | H314 | Causes severe skin burns and eye damage. |
| | H317 | May cause an allergic skin reaction. |
| | H318 | Causes serious eye damage. |
| | H361 | Suspected of damaging fertility or the unborn child. |
| | H372 | Causes damage to organs through prolonged or repeated exposure. |
| Precautionary statements | | |
| Precautionary Statements | | |
| Prevention | P201 | Obtain special instructions before use. |
| | P202 | Do not handle until all safety precautions have been read and |
| | unders | stood. |
| | P260 | Do not breathe vapours. |
| | P261 | Avoid breathing fume/vapours. |
| | P264 | Wash hands thoroughly after handling. |
| | | |

P270 Do not eat, drink or smoke when using this product.

3. Composition/Information On Ingredients

| Chemical Name | CAS Number | Content (%) |
|---------------------|--------------|-------------|
| ATBN Polymer | 68683-29-4 | 60 – 65% |
| Modified Polyamines | Trade Secret | 35 – 40% |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

| Skin contact | Remove contaminated clothing and shoes and wipe excess off skin. Flush skin with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather articles (shoes) cannot be decontaminated and should be destroyed. | |
|--|---|--|
| Eye contact | Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. | |
| Ingestion | Do not induce vomiting unless directed to do so by medical personnel. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. | |
| Inhalation | Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. | |
| Indication of immediate medical attention and special treatment needed, if necessary | | |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance | |

for 48 hours.

5. Fire-Fighting Measures

| Suitable extinguishing media | Alcohol-resistant foam. Carbon dioxide (CO ₂). Dry chemical Water Fog |
|--|--|
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Product is not considered a fire hazard but will burn if ignited. Hot vapor or mists may be susceptible to spontaneous combustion when mixed with air. Ignition temperatures decrease with increasing vapor volume and vapor/air contact time and are influenced by pressure changes. Therefore, ignition may occur below published ignition temperatures. Use of this product in processes involving elevated-temperatures, vacuum if subject to sudden ingress of air, sudden escape of vapor or mist, etc., must be thoroughly evaluated to assure safe operation. Closed container may rupture (due to build up in pressure) when exposed to extreme heat. |
| Hazardous decomposition products | Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Nitrogen oxides |
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire- fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| Further information | Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

6. Accidental Release Measures

| Personal precautions | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear proper protective clothing, gloves and eye/face protection. Use self-contained breathing apparatus and chemically protective clothing. |
|--|--|
| Emergency procedures | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. |
| Methods and materials for containment/cleanup | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage. |

7. Handling and Storage

| Precautions for safe handling | Avoid contact with skin and eyes. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do not eat, drink or smoke. |
|--|--|
| Precautions/Recommendations for safe/proper storage | Store epoxy products in temperature stable environment, out of the reach of pets or children. Securely fasten container lids and tops, and prevent products from sitting and below freezing temperatures. |

8. Exposure Controls/Personal Protection

| Permissible exposure limit (OSHA) | None established. |
|---|---|
| Threshold limit value (ACGIH) | None established. |
| Appropriate engineering controls | Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Environmental exposure controls | Use appropriate containment to avoid environmental contamination. Do not allow spill to enter sewers or waterways. |
| Individual protection measures/Personal protective equipment | |
| Eye/face protection | Splash-proof goggles or safety spectacles with side shields are recommended. Always wear eye protection when sanding cured epoxy resins to avoid dust in eyes. |
| Hand protection | Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC disposable gloves, |
| Skin protection | Wear clean, body-covering clothing to avoid skin contact. |
| Respiratory protection | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Special instructions for protection and hygiene | Wear gloves at all times when handling product, avoid direct contact with skin. When finished using product, dispose of gloves properly and wash hands with warm, soapy water. |

9. Physical and Chemical Properties

| Chemical family | Polyamine |
|----------------------------|----------------------------|
| Appearance | Amber colored liquid |
| Physical State | Amine/Butadiene mixture |
| Form | Liquid |
| Color | Amber |
| Odor | Mild |
| Density (Specific Gravity) | 8.07 lb/gal (0.97) |
| Viscosity | 8,360 cps at 77 °F (25 °C) |
| рН | N/A |

| Melting point/freezing point | N/A |
|--|--------------------|
| Initial boiling point and boiling range | N/A |
| Flash point | N/A |
| Evaporation rate | Slower than ether |
| Flammability (solid, gas) | Data not available |
| Upper/lower flammability limit (by volume) | N/A |
| Material VOC | None |
| Vapor density | Heavier than air |
| Relative density | Not determined |
| Solubility in water | Negligible |
| Partition coefficient: n-octanol/water | N/A |
| Auto-ignition temperature | N/A |
| Decomposition temperature | N/A |

10.Stability and Reactivity

| Reactivity | No specific test data related to reactivity available for this product. |
|------------------------------------|--|
| Chemical Stability | Stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization will not occur. |
| Conditions to avoid | Epoxy resins and epoxy resin hardeners react with each other producing heat. They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in hazardous decomposition products. |
| Incompatible materials | Strong oxidizing and reducing agents. Lewis and mineral acids. |
| Hazardous decomposition products | Oxides of carbon and nitrogen. |

11. Toxicological Information

| Acute Toxicity | No information on product itself. | | | |
|--|---|-------------------|--|--|
| Irritation/Corrosion | Classifies as Skin Corrosion Category 1 and Serious Eye Damage Category 1 based on GHS cut-off values and concentration limits. | | | |
| Sensitization | No information on product itself. | | | |
| Component | Species | Result | | |
| ATBN Polymer | Guinea Pig | Strong Sensitizer | | |
| Mutagenicity | No information on product itself. | | | |
| Carcinogenicity | No information on product itself. | | | |
| Reproductive Toxicity | No information on product itself. | | | |
| <u>Teratogenicity</u> | No information on product itself. | | | |
| Specific target organ toxicity (single exposure) | No information on product itself. | | | |
| <u>Specific target organ toxicity (repeated</u> exposure) | No information on product itself. | | | |
| Aspiration hazard | No information on product itself. | | | |

| Potential acute health effects | |
|---|--|
| Eye Contact | Causes serious eye damage. |
| Inhalation | Not available. |
| Skin Contact | Causes severe skin burns. May cause an allergic skin reaction. |
| Ingestion | Harmful if swallowed. |
| Symptoms related to the physical, chemical and toxicological characteristics | |
| Eye Contact | Adverse symptoms may include the following: Pain |

| | Pain Watering Redness |
|--|---|
| Inhalation | Adverse symptoms may include the following: No data available |
| Skin Contact | Adverse symptoms may include the following: Pain or irritation |
| Ingestion | Adverse symptoms may include the following: No data available |
| <u>Delayed and immediate effects and also</u> <u>chronic effects from short and long term</u> <u>exposure</u> <u>Potential chronic health effects</u> | Not available. |
| General | Causes damage to organs through prolonged or repeated exposure: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates (ATEmix)

| Route | ATE value |
|---------------------|--------------|
| Oral | 1496.2 mg/kg |
| Dermal | 2479.1 mg/kg |
| Inhalation (vapors) | 404.16 mg/l |

12. Ecological Information

Ecotoxicity

No information on product itself.

| Component | Test | Endpoint | Exposure | Species | Result |
|--------------|---------------------------|------------|----------|---------------|------------|
| ATBN Polymer | OECD 202 Invertebrates | Acute EC50 | 48 hrs | Invertebrates | >1000 mg/l |
| | OECD 201 Algae, | Acute EC50 | 72 hrs | Algae | >1000 mg/l |
| | Growth Inhibition Test | | | | |

| Persistence and degradability | No information on product itself. |
|--|---|
| Bioaccumulative Potential | No information on product itself. |
| Mobility in Soil | |
| Soil/water partition coefficient (KOC) | No information on product itself. |
| Other adverse effects | No known significant effects or critical hazards. |
| | |

13. Disposal Considerations

| Waste from residues/ unused products | The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is required. |
|--------------------------------------|---|
| Contaminated packaging | Dispose of container and unused contents in accordance with federal, state and local requirements. |

14.Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International Transport Regulations

| Regulatory information | UN/NA number | Proper Shipping Name | Classes/*PG | Additional Information |
|------------------------|---------------|---|---------------------|---------------------------|
| DOT | UN 2735 | Amines, liquid, corrosive, n.o.s. (n- aminoethylpiperazine) | Class 8 III | |
| TDG | UN 2735 | Amines, liquid, corrosive, n.o.s. (n- aminoethylpiperazine) | Class 8 III | |
| IMO/IMDG | UN 2735 | Amines, liquid, corrosive, n.o.s. (n- aminoethylpiperazine) | Class 8 III | |
| ΙΑΤΑ | UN 2735 | Amines, liquid, corrosive, n.o.s. (n- aminoethylpiperazine) | Class 8 III | |
| *PG: Packing grou | up | | | |
| Special precautio | ons for user: | Transport within user's premises: alw are upright and secure. Ensure that p what to do in the event of an accider | ersons transporting | |

15. Regulatory Information

| UNITED STATES | |
|---|--|
| U.S. Federal Regulations | United States – TSCA 12(b) – Chemical export notification: None Required. United States – TSCA 5(a)2 – Final significant new use rules: Not Listed. United States – TSCA 12(b) – Proposed significant new use rules: None Required. United States – TSCA 5(e) – Substance consent order: Not listed. |
| Clean Air Act – Ozone Depleting Substances (ODS) | This product does not contain nor is it manufactured with ozone depleting substances. |

| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | None. | | | | | | |
|---|--|------------------|---------------------------|-------|--------------|--|--|
| Pennsylvania – RTK | Methanol | | | | | | |
| California Prop. 65 | WARNING: This product contains less than 0.1% of a chemical known to State of California to cause birth defects or other reproductive harm. | | | | | | |
| | Ingredient Name Cancer | | er | | Reproductive | | |
| | Methanol | Methanol No | | 0 | | Yes | |
| EPA SARA 302/304/311/312 Substances | Acute Health H | azard, Chronic F | lealth Ha | azard | | 1 | |
| EPA SARA 313 | Product Name | e | | Conce | entratior | n % | |
| Form R – Reporting requirements | Methanol | | | | | | |
| CERCLA Hazardous Substances | Component | % | CERCLA Re Hazardous Qu | | | eportable Reportable uantity Quantity | |
| | Methanol | | 5,000 | | 5,000 | | |
| United States inventory (TSCA 8b) | All components are listed or exempted. | | | | | | |
| CANADA | | | | | | | |
| WHMIS (Canada) | Class D-1B: Material causing immediate and serious toxic effects (Toxic). Class D-2B: Material causing other toxic effects (Toxic). Class E: Corrosive material. | | | | | | |
| Canadian NPRI CEPA Toxic substances | None Required None Required | | | | | | |
| INTERNATIONAL REGULATIONS | | | | | | | |
| International Lists | Australia inventory (AICS): All components are listed or exempted. Korea inventory: All components are listed or exempted. Japan inventory (ENCS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. | | | | | | |

16. Other Information, Including Date of Preparation or Last Revision

HMIS RatingHealth 3
Flammability 1
Physical Hazard 0Date of PreparationMarch 9, 2020Date of Last RevisionJanuary 13, 2020Revision #3.0More Information1-253-333-8118Prepared bySystem Three Resins Inc.

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.