



LIFTMODE
47 W. Polk St. STE 100-241
Chicago, IL 60605

liftmode@liftmode.com
www.liftmode.com

CERTIFICATE OF ANALYSIS

Icariin

(Epimedium P.E. 98%)

Material Lot #:	160520	Manufacture Date:	05/20/2016
Country of Origin:	China	Expiration Date:	05/19/2018

Analysis	Claim	Result
Icariin	≥98%	98.56%

Test	Specification	Result
Appearance	Pale Yellow Powder	Complies
Loss on Drying	<5.0%	0.45%
Total Plate Count	<1000 cfu/g	< 100 cfu/g
Mould and Yeast	<100 cfu/g	< 15 cfu/g
Salmonella	Negative Result	Complies
E. Coli	Negative Result	Complies
Staphylococcus	Negative Result	Complies

Conforms to Standard

Icariin should be stored at or below room temperature in a tightly sealed durable container.
Icariin should be protected from excess heat, direct sunlight, excess humidity and moisture.
Icariin has a stable shelf life of 3 years from the date of manufacture when properly stored.

LIFTMODE

LIFTMODE
47 W. Polk St. STE 100-241
Chicago, IL 60605

liftmode@liftmode.com
www.liftmode.com


CERTIFICATE OF ANALYSIS


Icariin

(Epimedium P.E. 98%)

Product Name	Icariin 98%	Client Lot Number	160520
Report Date	07/04/16	Laboratory #	7345

Test	Method	Result
Assay	HPLC	100.7%
Heavy Metals	ICP-MS	ppm
Arsenic	ICP-MS	<0.001
Cadmium	ICP-MS	0.011
Lead	ICP-MS	0.732
Mercury	ICP-MS	0.044

Collin Thomas 
Laboratory Manager

07/04/2016 
Date