

LIFTMODE 47 W. Polk St. STE 100-241 Chicago, IL 60605 liftmode@liftmode.com www.liftmode.com

CERTIFICATE OF ANALYSIS

GABA

(γ-Aminobutyric acid)

 Material Lot #:
 10600120171251
 Manufacture Date:
 12/20/2017

 Country of Origin:
 China
 Expiration Date:
 06/04/2022

Analysis Claim Result

GABA ≥98.0% 99.46%

Test	Specification	Result	
Appearance	Off-white crysta ll ine powder	Conforms	
Identification	1.2 (+)	Conforms	
рН	6.0-8.0	7.24	
Loss of Drying	≤0.5%	0.34%	
Melting Point	197.0-203.0°C	190.0-199.5°C	
Residue on Ignition	≤0.07%	0.03%	
Clarity of Solution	Clear	Conforms	
Heavy Metals	≤10 ppm	Conforms	
Arsenic	≤1 ppm	Conforms	
Chloride	≤40 ppm	Conforms	
Sulfate	≤50 ppm	Conforms	
Lead	≤3 ppm	Conforms	
Mercury	≤0.1 ppm	Conforms	
Cadmium	≤1 ppm	Conforms	

GABA should be stored at or below room temperature in a tightly sealed durable container. GABA should be protected from excess heat, direct sunlight, excess humidity and moisture. GABA has a retesting period of 3 years from the date of testing when properly stored.



812 Meadowlark Lane, Goodlettsville, TN 37072 Telephone: 615-239-8604

Certificate of Analysis

Synaptent LLC 47 W Polk Street, 100-241 Chicago, IL 60654

Product Name	GABA	Product Lot Number	10600120171251
Report Date	06/05/2019	Laboratory Number	12079

Description	Method	Result
Identification	H NMR	Conforms
Assay	HPLC	99.7 %
Lead	ICP-MS	0.007 ppm
Arsenic	ICP-MS	0.071 ppm
Cadmium	ICP-MS	0.011 ppm
Mercury	ICP-MS	0.002 ppm
Total Aerobic Count	Biolumix	<100 CFU/g
Yeast and Mold	Biolumix	<100 CFU/g
E. Coli	Biolumix	Absent
Coliform	Biolumix	<10 CFU/g
Salmonella	Biolumix	Absent

Michael Robil
QA Auditor

06/05/19 06/05/2019

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.



