LIFTMODE

LIFTMODE 47 W. Polk St. STE 100-241 Chicago, IL 60605 liftmode@liftmode.com liftmode.com

CERTIFICATE OF ANALYSIS

Kanna Extract (MT55)

(Sceletium tsuortuom)

Material Lot #: 01062017990520 Analysis Date: 12/10/2020 Country of Origin: South Africa Retesting Date: 12/10/2023

Analysis	Claim	Result	
Total Alkaloids	≥5%	6.24%	
Mesembrine	≥3%	4.81%	

Test	Specification	Result
HPLC Assay:		
Total Alkaloids	≥5%	6.24%
Mesembrine	≥3%	4.81%
ICP-MS		
Arsenic	≤1.5 ppm	<0.010 ppm
Lead	≤0.5 ppm	0.015 ppm
Cadmium	≤0.5 ppm	<0.010 ppm
Mercury	≤0.5 ppm	<0.001 ppm
Total Aerobic Count	<1000 cfu/g	Conforms
Yeast & Mold	<100 cfu/g	Conforms
Coliform	<10 cfu/g	Conforms
E.coli	Negative	Conforms
Salmonella	Negative	Conforms

Kanna Extract should be stored at or below room temperature in a tightly sealed durable container. Kanna Extract should be protected from excess heat, direct sunlight, excess humidity, and moisture. Kanna Extract has a retesting period of 3 years from the date of analysis when properly stored.




Requested: Synaptent LLC Report No: Synaptent _200706b


Instrument: Waters Synapt G2, ESI probe, ESI Pos, Cone Voltage 15 V

Sample preparation: 0.5 g accurately weighed out and extracted with 10ml methanol. After centrifugation, two dilutions were performed- 10x and 100x in glass vials ready for analysis by lcms.

Total ion chromatogram:



Quantify Compound Summary Report



MS Unit

JC Smuts building., Private Bag X1, Matieland, 7602, South Africa

Tel: +27 21 808 5825 Fax: +27 21 808 5863 lcms@sun.ac.za www.sun.ac.za/caf



Certificate of Analysis

Client:

Synaptent LLC 47 W Polk Street, 100-241 Chicago, IL 60654

Sample Collected By: Client

Product Name	Kanna Extract	Product Lot Number	01062017990520
Report Date	07/09/20	Laboratory Number	20060475

Description	Method	Result
Mesembrine	HPLC	3.6%
Lead	ICP-MS	0.032 ppm
Arsenic	ICP-MS	1.765 ppm
Cadmium	ICP-MS	<0.001 ppm
Mercury	ICP-MS	<0.001 ppm
Total Aerobic Count	Biolumix	<1, 000 cfu/g
Yeast and Mold	Biolumix	<100 cfu/g
E. Coli	Biolumix	Absent
Coliform	Biolumix	<10 cfu/g
Salmonella	Biolumix	Absent

Collin Thomas Me Laboratory Manager

07/09/2020 7/9/20

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.

812 Meadow Lark Lane, Goodlettsville, TN 37072 Tel: 615-239-8604



Order # Sample ID: 2020-011020-01 Synaptent LLC Company: Customer Sample ID: 01062017990520 Kanna MT55 extract 01062017990520

Sample Description: **Analytical Testing**

Test Date: Metals (DMA) <0.167 ppb 09-Dec-2020 Mercury Metals (ICP-MS) <10 ppb 10-Dec-2020 Metals (ICP-MS) <10 ppb 10-Dec-2020 Cadmium Metals (ICP-MS) Lead 15.5 ppb 10-Dec-2020

Results Approved By: Joan SchroederDale (Authorized Reviewer)

Medallion Labs maintains A2LA accreditation to ISO/IEC 17025 for the specific tests listed in certificates # 2769.01 and 2769.02.
Medallion Labs' services, including this report, are provided subject to all provisions of Medallion's Standard Terms and Conditions, a copy of which appears at https://www.nedallionlabs.com/ (Inless otherwise noted above, samples were received in exceptible condition and analyzed as received.

Date Issued: December 10, 2020 Medallion Labs 9000 Plymouth Ave. N., Minneapolis, MN 55427 Report #: 36299

Page 2 of 3

- This supplement is not intended to treat, diagnose, prevent, or cure any diseases. Consult your healthcare provider before use if you have a medical condition or if you are taking any prescription medications.
- It is safe to stack Kanna Extract with other supplements, so long as the amount consumed does not exceed the suggested serving size.
- The benefits of Kanna Extract are most effective when they are supported by a healthy diet and plenty of exercise.

 Use of capsules, or mixing with tea, yogurt, apple sauce, or oatmeal may help make the powder easier to tolerate. The negative effects of Kanna Extract are dependent on the amount taken. Use of a scale with 10mg/0.01g accuracy or better is highly recommended.

