Safety Data Sheet	
	Chemours [™]
Krytox [™] 283 Series (Greases
Version 3.0	
Revision Date 10/13/2015	Ref. 15000003225
This SDS adheres to the stand requirements in other countries	lards and regulatory requirements of the United States and may not meet the regulatory s.
SECTION 1. PRODUCT AND	
Product name Product Grade/Type	 Krytox[™] 283 Series Greases 283: AA, AB, AC, AD, AZ
Product Use	: Lubricant, For industrial use only.
Restrictions on use Manufacturer/Supplier	 Do not use product for anything outside of the above specified uses The Chemours Company FC, LLC 1007 Market Street Wilmington, DE 19899 United States of America
Product Information Medical Emergency Transport Emergency	 1-844-773-CHEM (outside the U.S. 1-302-773-1000) 1-866-595-1473 (outside the U.S. 1-302-773-2000) CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)
Other information	: professional use
SECTION 2. HAZARDS IDEN Not classified as a hazard (OSHA) Hazard Commun	lous substance or mixture according to the Occupational Safety and Health Administration

Other hazards

The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco., Repeated episodes of polymer fume fever may result in persistent lung effects.



Krytox[™] 283 Series Greases

Version 3.0

Revision Date 10/13/2015

Ref. 15000003225

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

General advice	: When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Oxygen or artificial respiration if needed.
Skin contact	: Wash with water and soap as a precaution.
Eye contact	: Rinse with plenty of water. If eye irritation persists, consult a specialist.
Ingestion	: Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms/effects, acute and delayed	: No applicable data available.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
SECTION 5. FIREFIGHTING MEASURES	
Suitable extinguishing med	ia : The product itself does not burn.



rsion 3.0	
vision Date 10/13/2015	Ref. 15000003225
	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: No applicable data available.
Specific hazards	: In fire conditions, toxic decomposition products may be formed. (see also section 10)
Special protective equipment for firefighters	: Wear self-contained breathing apparatus (SCBA). Wear suitable protective equipment.
Further information	: Standard procedure for chemical fires.
CTION 6. ACCIDENTAL RELE	ASE MEASURES
CTION 6. ACCIDENTAL RELEA	ASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean- ROTECTIVE EQUIPMENT during clean-up. : Avoid contact with the skin and the eyes. Refer to protective measures listed
CTION 6. ACCIDENTAL RELEA NOTE: Review FIRE FIGHTING Use appropriate PERSONAL P Safeguards (Personnel)	ASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean- ROTECTIVE EQUIPMENT during clean-up. : Avoid contact with the skin and the eyes. Refer to protective measures listed in sections 7 and 8.
CTION 6. ACCIDENTAL RELEA NOTE: Review FIRE FIGHTING Use appropriate PERSONAL P Safeguards (Personnel) Environmental precautions	ASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean- ROTECTIVE EQUIPMENT during clean-up. : Avoid contact with the skin and the eyes. Refer to protective measures listed in sections 7 and 8. : Prevent material from entering sewers, waterways, or low areas.
CTION 6. ACCIDENTAL RELEA NOTE: Review FIRE FIGHTING Use appropriate PERSONAL P Safeguards (Personnel) Environmental precautions Spill Cleanup	ASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean- ROTECTIVE EQUIPMENT during clean-up. : Avoid contact with the skin and the eyes. Refer to protective measures listed in sections 7 and 8. : Prevent material from entering sewers, waterways, or low areas. : Shovel into suitable container for disposal.
CTION 6. ACCIDENTAL RELEA NOTE: Review FIRE FIGHTING Use appropriate PERSONAL P Safeguards (Personnel) Environmental precautions Spill Cleanup	 ASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-ROTECTIVE EQUIPMENT during clean-up. Avoid contact with the skin and the eyes. Refer to protective measures listed in sections 7 and 8. Prevent material from entering sewers, waterways, or low areas. Shovel into suitable container for disposal. No applicable data available.
CTION 6. ACCIDENTAL RELEA NOTE: Review FIRE FIGHTING Use appropriate PERSONAL P Safeguards (Personnel) Environmental precautions Spill Cleanup Accidental Release Measures	 ASE MEASURES G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-ROTECTIVE EQUIPMENT during clean-up. Avoid contact with the skin and the eyes. Refer to protective measures listed in sections 7 and 8. Prevent material from entering sewers, waterways, or low areas. Shovel into suitable container for disposal. No applicable data available.



rsion 3.0	
vision Date 10/13/2015	Ref. 15000003225
	hands and face before breaks and immediately after handling the product.
Handling (Physical Aspects) Dust explosion class Storage	 No applicable data available. No applicable data available. No special storage conditions required. Keep container closed to prevent contamination. No decomposition if stored and applied as directed.
Storage period	: No applicable data available.
Storage temperature	: No applicable data available.
ECTION 8. EXPOSURE CONTR	OLS/PERSONAL PROTECTION
Engineering controls	: In the event that the polymer is heated above 300°C (572 F) local ventilation should be used to avoid exposure to fumes.
Personal protective equipment	No personal respiratory protective equipment normally required. In the case
Respiratory protection	of hazardous fumes caused by overheating, wear self-contained breathing apparatus.
Hand protection	of hazardous fumes caused by overheating, wear self-contained breathing
	of hazardous fumes caused by overheating, wear self-contained breathing apparatus.Additional protection: No particular glove type is recommended, but nitrile
Hand protection	of hazardous fumes caused by overheating, wear self-contained breathing apparatus.Additional protection: No particular glove type is recommended, but nitrile may be used.
Hand protection Eye protection	 of hazardous fumes caused by overheating, wear self-contained breathing apparatus. Additional protection: No particular glove type is recommended, but nitrile may be used. Safety glasses No PPE is specified however, avoid contact with skin, eyes, and clothing.
Hand protection Eye protection Skin and body protection Exposure Guidelines Exposure Limit Values	 of hazardous fumes caused by overheating, wear self-contained breathing apparatus. Additional protection: No particular glove type is recommended, but nitrile may be used. Safety glasses No PPE is specified however, avoid contact with skin, eyes, and clothing. Preventive skin protection



Krytox[™] 283 Series Greases

Version 3.0

Revision Date 10/13/2015

Ref. 15000003225

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical state Form Color	: solid : grease : white
Odor	: none
Odor threshold	: No applicable data available.
рН	: neutral
Melting point/freezing point	: Melting point 320 °C (608 °F)
Boiling point/boiling range	: No applicable data available.
Flash point	: does not flash
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: No applicable data available.
Upper explosion limit	: No applicable data available.
Lower explosion limit	: No applicable data available.
Vapour Pressure	: No applicable data available.
Vapour density	: No applicable data available.
Specific gravity (Relative density)	: 1.89 - 1.93 at 24 °C (75 °F)
Water solubility	: No applicable data available.
Solubility(ies)	: No applicable data available.



Krytox[™] 283 Series Greases

Version 3.0

Revision Date 10/13/2015	Ref. 15000003225
Partition coefficient: n- octanol/water	: No applicable data available.
Auto-ignition temperature	: No applicable data available.
Decomposition temperature	: 320 °C
Viscosity, kinematic	: No applicable data available.

Viscosity, dynamic : No applicable data available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No applicable data available.
Conditions to avoid	:	Decomposition temperature 320 °C (608 °F)
Incompatible materials	:	No applicable data available.
Hazardous decomposition products	:	Hazardous thermal decomposition products:: Fluorinated compounds

SECTION 11. TOXICOLOGICAL INFORMATION

Krytox [™] 283 Series Greases Oral ALD - Approximate Lethal Dose	: > 11,000 mg/kg , Rat
Oral LD50	: > 5,000 mg/kg , Rat
Skin irritation	: slight irritation, Rabbit
Eye irritation	: slight irritation, Rabbit
Sensitisation	: Animal test did not cause sensitization by skin contact., Guinea pig
	6/8

Safety Data Sheet	
	Chemours ^{**}
Krytox [™] 283 Series Greas	es
Version 3.0	
Revision Date 10/13/2015	Ref. 15000003225
Mutagenicity	: Animal testing did not show any mutagenic effects.
Further information	: The product contains no substances classified as hazardous to health in concentrations which should be taken into account.
to HazCom 2012, Appendix Appendix Program (NTP) Report on Ca International Agency for Res	ations for this product and/or its ingredients have been determined according A.6. The classifications may differ from those listed in the National Toxicology arcinogens (latest edition) or those found to be a potential carcinogen in the earch on Cancer (IARC) Monographs (latest edition). sent in this material at concentrations equal to or greater than 0.1% are listed a carcinogen.
SECTION 12. ECOLOGICAL INFORM Environmental Fate Krytox [™] 283 Series Greases Biodegradability	ATION : Not readily biodegradable.
Additional ecological information	: The product contains no substances classified as hazardous to the environment in concentrations which should be taken into account.
SECTION 13. DISPOSAL CONSIDER	ATIONS
Waste disposal methods - : Product	In accordance with local and national regulations.
Contaminated packaging :	Dispose of container properly. If recycling is not practicable, dispose of in compliance with local regulations.
SECTION 14. TRANSPORT INFORM	ATION
	7/8
	.,.

Safety Data Sheet		
	Chemours [™]	
Krytox [™] 283 Series Greas	ses	
Version 3.0		
Revision Date 10/13/2015	Ref. 15000003225	
Not classified as dangerous in th	e meaning of transport regulations.	
SECTION 15. REGULATORY INFOR	RMATION	
	On the inventory, or in compliance with the inventory Sodium nitrite	
CERCLA Reportable : Quantity	2000 lbs Based on the percentage composition of this chemical in the product.: Sodium nitrite	
SECTION 16. OTHER INFORMATIO	N	
Restrictions for use :	Do not use for medical-clinical purposes.	
Chemours [™] and the Chemours L Krytox [™] and any associated logo	ogo are trademarks of The Chemours Company. Is are trademarks or copyrights of The Chemours Company FC, LLC.	
Revision Date :	10/13/2015	
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.		
Significant change from previous	s version is denoted with a double bar.	
	8 / 8	