





Description

These locks have various latching functions which can be operated by key or handle outside and by turnknob, key or handle inside. For ease of selection specify primary lock. This lock can then be easily adapted to suit function required. These locks have various latching functions which can be operated by key or by a handle inside.

Product Details			
Backset	Available in 60, 89 and 127mm backsets.		
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Daintree, Aquileart, Artefact Series II and Ovation Series. Refer to lockweb.com.au for further details.		
Latch	Deadlatch only.		
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB) Other finishes on application.		







Synergy	35721	/estihul	le Lock
Jynciey	3312	Collogi	IC LOCK

Part Number	3572	4572	5572
Dimension A	60	89	127
Dimension B	84	113	151

Storeroom Locking Latch

Part Number	Description
3572X-R	Right hand
3572X-L	Left hand



Storeroom Locking Latch


Description

Cylinder Outside. Reversible.

Outside: Opened by key. Handle is always rigid. **Inside:** Opened by handle at all times.

Single Action Escape Latch

Part Number	Description
3572X-R	Right hand
3572X-L	Left hand



Single Action Escape Latch


Description

Cylinder Outside. Reversible. **Outside:** Opened by key.

Inside: Opened by handle at all times.

Classroom and Office Locking Latch

Part Number	Description
3572Z-R	Right hand
3572Z-L	Left hand



Classroom and Office Locking Latch

Description

Cylinder Outside. Reversible.

 $\begin{tabular}{ll} \textbf{Outside:} Opened by handle except when handle is made in operative \\ \end{tabular}$

by key from outside. Key locks or unlocks outside handle.

Inside: Opened by handle at all times.

Anti-lockout Privacy Escape Latch


Part Number	Description
3572EAR	Right hand
3572EAL	Left hand



Cylinder and Escape Lever.

Outside: Opened by handle except when handle is made inoperative by turnknob from inside. Handle may be unlocked from outside by coin or screwdriver by operating the slotted emergency button. **Inside:** Opened by handle at all times. Turnknob locks or unlocks outside handle.

Antilockout: Closing the door or operation of inside handle will 'kick-off' the locking feature, allowing the outside handle to become operative.



Anti-lockout Privacy Escape Latch

Anti-lockout Entry Door Lock

Part Number	Description
3572XAR	Right hand
3572XAL	Left hand


Description

Cylinder and Turnknob. Handed.

Outside: Opened by key at all times. Opened by handle except when handle is made inoperative by key from outside or turnknob from inside.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Anti-lockout: Latching the bolt by key, closing the door or operation of inside handle will 'kick-off' the locking feature, allowing the outside handle to become operative.



Anti-lockout Entry Door Lock

Notes: a) Latchbolt can be retracted by key if handle has been rendered inoperative.

b) Specially machined lock case, cannot be made up from 3572 primary lock.

Classroom and Office Locking/Latching Latch


Part Number	Description
3572M-R	Right hand
3572M-L	Left hand

Description

Locking/Latching Cylinder Outside. Handed.

Outside: Opened by key at all times. Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle.

Inside: Open by handle at all times.



Classroom and Office Locking/ Latching Latch

Note: Lock contains special adaptor to enable latch bolt to be retracted by key if handle has been rendered inoperative.

Anti-lockout Vestibule Set

Part Number	Description
3572WAR	Right hand
3572WAL	Left hand


Description

Cylinder and Turnknob. Handed.

Outside: Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle. **Inside:** Open by handle at all times. Turnknob locks or unlocks

outside handle


Anti-lockout: Closing the door or operation of inside handle will 'kick-off' the locking feature, allowing the outside handle to become operative.



Anti-lockout Vestibule Set

Vestibule Set

Part Number	Description
3572XTR	Right hand
3572XTL	Left hand



Vestibule Set

Description

Cylinder and Turnknob. Reversible.

Outside: Opened by key at all times. Opened by handle except when

 $handle\ is\ made\ in operative\ by\ turnknob\ inside.$


Inside: Opened by handle at all times. Turn knob locks or unlocks

outside handle.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 45722-R, or if 127mm lock is required, substitute 3 for 5 i.e. 5572Z-R

Fxi	7						
- VI	6 600	- 7			ialli i		n
			w.	wa	_	ra I	

Part Number	Description	
3572R	Right hand	
35721	Left hand	



Exit Door Lock

Description

Exit Function Only. Reversible. **Outside:** Handle is always rigid. **Inside:** Opened by handle at all times.

Exterior and Exit Door Lock

Part Number	Description
3572XZR	Right hand
3572XZL	Left hand



Description

Exit Function Only. Reversible.

 ${\bf Outside:}$ Opened by key at all times. Opened by handle except when

handle is made inoperative by key from inside.

Inside: Opened by handle at all times. Key locks or unlocks outside handle.

Exterior and Exit Door Lock

Part Number	Description
3572-ZR	Right hand
3572-ZL	Left hand




Cylinder Inside. Reversible.

Outside: Opened by handle except when handle is made inoperative by key from inside.

Inside: Opened by handle at all times. Key locks or unlocks outside


handle.



Single Cylinder Exit Door Lock

Exterior and Exit Door Lock

Part Number	Description
3572-TR	Right hand
3572-TL	Left hand



Exit Door Lock

Description

Cylinder and Escape Lever.

Outside: Opened by handle except when handle is made inoperative by turnknob from inside.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4572Z-R, or if 127mm lock is required, substitute 3 for 5 i.e. 5572Z-R