




PLYDOLEX

PR-AC-420x135-28 Plydolex Acrylic 72 Holes Wall-mounted Paint Organizer
Compatible with Vallejo®

Assembly instruction




Video assembly
guide



PDF assembly
guide 


Set contains:




This set contains 21 "F" details. You will need 18 of them to assemble the organizer. 3 others are extra details.

Wall screws are not included

Vallejo® is a registered trademark of Vallejo Company. Any mention of Vallejo® is for reference purposes only. ALL RIGHTS RESERVED by their respective trademark holders. No challenge to any intellectual property rights is intended or implied by representations of compatibility and no endorsements of any of our products by any other company is implied or represented.




During the assembly process, you will need to use element F to fasten the parts. All steps that require using this element will be indicated by "FASTEN" sign.



Also this set includes special **key K** that will help you insert fixing element F more conveniently.

Assembly:


1



Attention! Before installing please make sure to remove protective film from both sides of all the details.

2

Parts required: C, B x 5pcs, E




Insert parts C, B x 5pcs into slots of part E as shown on the picture.

3

Parts required: F x 6pcs

FASTEN




Fasten inserted parts using elements F.


4

Parts required: A, F


FASTEN




Turn the organizer backwards and insert parts A into slot of part E as shown on the picture. Fasten inserted part using element F (as in step 2).



Install parts A and D as shown on the picture. Fasten using elements F (as in step 2).



Install the second E part as shown on the scheme. You can flip the organizer vertically for more convenience. Fasten the installed part using elements F (as in step 2).



Part G is optional.
The organizer shelves sag a little, when fully loaded with paints. This detail is designed to prevent sagging. It has an exclusively aesthetic role – the organizer is fully functional and can easily withstand a full load without this part.

Turn the organizer backwards again and Install part G as shown on the picture. Make sure the detail is centered before loading the organizer with paints.

Your organizer is ready to use!

Contact us by email with any questions or suggestions - info@plydolex.com
We value your feedback and are here to assist you!