

- LIFE TIME GUARANTEE**
- Suits wooden floors
- Suits screeded floors
- 635kg**
LOAD CAPACITY (100 STONE)
Falcon 30 Load capacity
- Choice of gravity wastes available
- Pumped waste available
- Cut to length - up to 300mm

FALCON 30

Slim, 30mm high, gravity waste standard or bespoke shower trays for sustainable accessibility.

- Lowest entry, high performance tray range, just **30mm** high - **'BEST IN CLASS'**.
- Independently tested **'BEST IN CLASS'** anti-slip surface to DIN 51097:1992 **CLASS 'C'**. The highest achievable classification that tests slip resistance, with easy clean finish, *see right*.
- Addresses problematic spaces with the cut to size ability to suit any area where access may be restricted. Can be cut down by up to 300mm.
- **FREE** 'Cut to Length' service available on request.*
- Reinforced SMC construction tested to withstand **100 Stone / 635Kg**.
- Exceptionally strong & self supporting, rests unsupported on the existing bathroom floor without being bedded down onto a sand and cement mix.
- Circular ribbed underside designed for setting into a concrete or screed base & eliminates slippage when installing.
- Waste positions situated to allow trap to avoid floor joists.
- Unique end cap easily seals & screws in place to conceal the cut end of the tray.**
- Can be recessed into the floor if required by 30mm for level access.
- Lifetime guarantee.
- Trays not handed.

FALCON 40 As the Falcon 30 range with the exception of:

- Low entry point for easy step-in access, **40mm** high.***
- Tested to withstand **46 Stone / 270Kg**.
- Ramp R01, 800mm, or R02, 1850mm available as an optional accessory to assist wheelchair access, *see page 53*.
- Incorporating **Biomaster** antibacterial product protection.

*If you require a tray cutting to size, this can be cut prior to despatch, longer lead-time may apply.
**No end cap available for 900x900 or 1000x1000mm.
***Falcon 40 does not have a ribbed underside.



Circular ribbed underside eliminates slippage when installing.



'Best in class' anti-slip surface to DIN 51097:1992 class 'C'. Highest achievable classification.



300mm

3 'screw ports' allow the tray to be cut down by up to 300mm & an end cap to be attached.



Low profile at only 30mm high, the Falcon 30 is the most versatile shower tray available.

WASTE OPTIONS

Falcon 30 supplied with 50mm water seal, 1½" outlet ST90CPB-P-70 gravity waste. Flow rate in excess of 35 l/m.
Falcon 40 supplied with STW8B-95, 22 l/m.



For more waste options please see pages 46 - 47.



FALCON 30 TRAY RANGE

INDEPENDENTLY TESTED & AWARDED THE HIGHEST ACHIEVABLE ANTI-SLIP CLASSIFICATION.

It is important to have a slip resistant shower tray to safeguard against fall prevention & to also ensure that the user has confidence using their newly adapted shower.



INDEPENDENTLY TESTED

In accordance with DIN 51097:1992 testing of floor coverings
 - Determination of Anti-slip properties - Wet loaded barefoot areas
 - Walking method - Ramp test.

The angle of inclination is determined on a floor covering which is subjected to a continuous stream of water containing a wetting agent. The angle of inclination is used to assess the anti-slip properties under barefoot conditions.

Mean angle of inclination	Quality group
> 12°	A
> 18°	B
> 24°	C

RESULTS

The Mean angle of inclination was > 24° before the test was stopped. The Non Slip Pattern test concluded that the Falcon shower tray surface is classed as a **Quality Group 'C'**, the highest achievable classification available, and is the only easy access shower tray available classed in Group 'C'.



FREE
 CUT TO LENGTH
 SERVICE
 AVAILABLE
 Please ask


Unique end cap can be used to make bespoke tray lengths.

The table below indicates how a standard size tray can be cut to length to make other common size shower trays or bespoke sizes.


Tray	Standard Length (mm)	Standard Width (mm)	Cut Down To Lengths (mm)		
FALC30-900x900	900	900	-	-	-
FALC30-1000x1000	1000	1000	-	-	-
FALC30-1300x700	1300	700	1200x700	-	-
FALC30-1400x800	1400	800	1300x800	1200x800	1100x800
FALC30-1500x700	1500	700	1400x700	-	-
FALC30-1800x700	1800	700	1700x700	-	-
FALC30-1800x800	1800	800	1500x800	-	-

FALCON 30


30mm high Falcon shower trays illustrated below. Use the matrix opposite to identify door options which can be used with each tray.



SIZE: 900x900mm
REF: FALC30-900x900




SIZE: 1000x1000mm
REF: FALC30-1000x1000




SIZE: 1300x700mm
REF: FALC30-1300x700

Cut to length minimum: 1000mm




SIZE: 1400x800mm
REF: FALC30-1400x800

Cut to length minimum: 1100mm




SIZE: 1500x700mm
REF: FALC30-1500x700

Cut to length minimum: 1200mm



SIZE: 1800x700mm
REF: FALC30-1800x700

Cut to length minimum: 1500mm




SIZE: 1800x800mm
REF: FALC30-1800x800


Cut to length minimum: 1500mm

FALCON 40


40mm high Falcon shower trays illustrated below. Use the matrix opposite to identify door options which can be used with each tray.




SIZE: 1000x700mm
REF: FALC1000x700




SIZE: 1100x800mm
REF: FALC1100x800




SIZE: 1200x700mm
REF: FALC1200x700




SIZE: 1200x800mm
REF: FALC1200x800



SIZE: 1300x800mm
REF: FALC1300x800



SIZE: 1400x700mm
REF: FALC1400x700



SIZE: 1700x700mm
REF: FALC1700x700

FALCON TRAY RANGE & DOOR OPTIONS

The matrix, below, indicates door options that can be used with each Falcon shower tray.

OPTIONS	HANDED	FALCON 30 900x900	FALCON 30 1000x1000	FALCON 30 1300x700	FALCON 30 1400x800	FALCON 30 1500x700	FALCON 30 1800x700	FALCON 30 1800x800	FALCON 40 1000x700	FALCON 40 1100x800	FALCON 40 1200x700	FALCON 40 1200x800	FALCON 40 1300x800	FALCON 40 1400x700	FALCON 40 1700x700
WF1	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF2	N**	✓							✓						
WF3	N**	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF4	Y		✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF5	N	✓	✓												
WF6	Y	✓	✓	✓	✓				✓	✓	✓	✓	✓	✓	
WF7	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF8	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF9	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF10	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF11	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF12	Y		✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓
WF13	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF14	Y	✓	✓						✓	✓					
WF15	N	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	
WF16	Y	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	
WF17	Y		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
WF18	Y		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	
WF19	N		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WF20	Y		✓	✓					✓	✓	✓	✓	✓	✓	
WF21	Y		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
WF22	Y			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WF23	Y		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
WF24	Y			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WF25	Y			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WF26	N					✓	✓	✓							✓
WF27	Y					✓	✓	✓							✓
WF28	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF29	Y	✓							✓						
WF30	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF31	Y	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
WF32	Y		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WF33	Y			✓	✓	✓	✓	✓			✓	✓	✓	✓	✓
WF34	Y			✓	✓	✓	✓	✓				✓	✓	✓	✓
WF35	Y					✓	✓	✓							✓
WFX	Y	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WFY	Y	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

**WF2 & WF3 are not handed unless doors are unequal widths

ORDER TOGETHER FOR NEXT WORKING DAY DELIVERY...

<p>22 Shower doors & glass screens</p> 	<p>42 Antibacterial curtains & rails</p> 	<p>32 Shower seats</p> 
---	--	---