

Product: Mold Cleaner (d-Limonene)

SDS v1 GHS / OSHA

Type:

Revised Date: 2023-10-14

Page 1 of 10

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929 Web: www.beelitecandles.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Mold Cleaner (d-Limonene)

1.2 Relevant identified product use

Intended use: Solvent. Cleaner. Degreaser.

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Beelite Inc,

1156 Beelite Ln. Morganton, NC Ph# 1-833-468-2929

Web: www.beelitecandles.com

2. Hazards Identification

GHS Classification

Flammable liquids : Category 3

Skin Irritation : Category 2

Eye Irritation : Category 2B

Skin Sensitisation : Category 1

Aspiration Hazard : Category 1

GHS label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways. H315 + H320 Causes skin and eye irritation.

H317 May cause an allergic skin reation



1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929 Web: www.beelitecandles.com

Safety Data Sheet

Product: Mold Cleaner (d-Limonene)

SDS v1 GHS / OSHA

Type:

Revised Date: 2023-10-14

Page 2 of 10

Precautionary Statements : Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace. P280

Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P303

+ P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved was disposal plant.

Other Hazards

None known.

3. Composition/Information on Ingredients

Substance / Mixture : Substance

Hazardous Components

CAS-No. Chemical Name d-Limonene Weight percent 5989-27-5 90 - 100

Any concentration shown as a range is due to batch variation.



SDS v1 GHS / OSHA

Revised Date: 2023-10-14

Product: Mold Cleaner (d-Limonene)

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929

Web: www.beelitecandles.com

4. First Aid Measures

General Advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If Inhaled : If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.
Protect unharmed eye.

If swallowed : Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

5. Firefighting Measures

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting

Hazardous combustion products

: Do not allow run-off from fire fighting to enter drains or water courses.

: Carbon oxides

Acrid smoke and fumes.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged

into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

For safety reasons in case of fire, cans should be stored separately in close

containments.

Use a water spray to cool fully closed containers.

Special protective equipment for

firefighters

: Wear self-contained breathing apparatus for firefighting if necessary.

Use personal protective equipment.

Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

: Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can

accumulate in low areas.

Environmental precautions. : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

Page 3 of 10

Mold Cleaner (d-Limonene)

SDS v1 GHS / OSHA

Type:

Revised Date: 2023-10-14

Page 4 of 10

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929

Web: www.beelitecandles.com

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent materials, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. Handling and Storage

Advice on protection against fire and explosion

: Do not spray on a naked flame or any incandescent material.

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

: Avoid formation of aerosol.

Product:

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in

which this mixture is being used.

Conditions for safe storage

: No smoking.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to

prevent leakage.

Observe label precautions.

Electrical installations / working materials must comply with the

technological safety standards

8. Exposure Controls/Personal Protection

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.

Hand protection

Remarks

In the case of vapor formation use a respirator with an approved filter.

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of

the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of

workday.



1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929

Web: www.beelitecandles.com

Safety Data Sheet

Product: Mold Cleaner (d-Limonene)

SDS v1 GHS / OSHA

Type:

Revised Date: 2023-10-14

Page 5 of 10

11. Toxicological information

Appearance : liquid

Color : clear, light yellow

Odor : Citrus

Odor Threshold : No data available pH : No data available

Freezing Point (Melting point/range)

Boiling Point (Boiling point/boiling range) : 176°C (349°F) Flash Point : 46°C (115°F)

Evaporation rate : No data available Flammability (solid, gas) : No data available

Upper explosion limit : 6.1 %(V)

Lower explosion limit : 0.7 %(V)

Vapor pressure : 2 mmHg @ 20°C (68°F)

Relative vapor density : No data available

Relative density : 0.84 @ 20 - 25°C (68 - 77°F)

Reference substance: (water = 1)

Density : 0.84 g/cm3 @ 20 - 25°C (68 - 77°F)

Water solubility : No data available
Solubility in other solvents : No data available
Partition coefficient noctanol/water Auto- : No data available

ignition temperature : 237°C

Thermal decomposition : No data available

10. Stability and Reactivity

Reactivity : No dangerous reaction known under conditions of

normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Vapors may form explosive mixture with air

Conditions to avoid : Keep away from heat, flame, sparks, and other ignition

sources.

Incompatible materials Hazardous : Strong acids. Strong oxidizing agents.

decomposition products : Carbon oxides

11. Toxicological Information

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 4,444 mg/kg



Mold Cleaner (d-Limonene)

: LD50 (Rat): 4,400 mg/kg

: Remarks: No data available

: LD50 (Rabbit): > 5,000 mg/kg

after single ingestion

dermal toxicity

Product:

SDS v1 GHS / OSHA

Type:

Assessment: The component/mixture is minimally toxic

Assessment: The substance or mixture has no acute

Revised Date: 2023-10-14

Page 6 of 10

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929 Web: www.beelitecandles.com

Components: 5989-27-5:

Acute oral toxicity

Acute inhalation toxicity

Acute dermal toxicity

Skin corrosion/irritation

Components: 5989-27-5:

Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

5989-27-5:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitization

Components:

5989-27-5:

Test Type: lymph node assay

Species: Mouse

Result: May cause sensitization by skin contact.

Germ cell mutagenicity

Components:

5989-27-5:

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay

Species: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: DNA damage and/or repair

Species: Rat

Cell type: Kidney cells Application Route: Oral

Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not

show mutagenic effects.



Product: Mold Cleaner (d-Limonene)

SDS v1 GHS / OSHA

Type:

Revised Date: 2023-10-14

Page 7 of 10

Carcinogenicity

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929

Components:

5989-27-5:

Carcinogenicity - Assessment

Web: www.beelitecandles.com

IARC

: Not classifiable as a human carcinogen

No component of this product present at levels greater than

or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC

OSHA

No component of this product present at levels greater than

or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than

or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

ACGIH No component of this product present at levels greater than

or equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Reproductive toxicity

Components:

5989-27-5:

Reproductive toxicity - Assessment Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

Aspiration toxicity

Components:

5989-27-5:

May be fatal if swallowed and enters airways

Further information

Product:

Remarks: Solvents may degrease the skin.

12. Ecological Information

Ecotoxicity

Components:

5989-27-5:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.702 mg/l

Exposure time: 96 h
Test Type: flow-through

test

oxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.36 mg/l

Exposure time: 48h Test Type: static test

Toxicity to daphnia and other aquatic invertebrates



1156 Beelite Ln

Safety Data Sheet

Product: **Mold Cleaner (d-Limonene)** SDS v1 GHS / OSHA

Type:

Revised Date: 2023-10-14

Page 8 of 10

Morganton, NC 28655 Ph# 833-468-2929 Web: www.beelitecandles.com

: EC50 (Desmodesmus subspicatus (green algae)): 150 mg/l Toxicity to algae

> Exposure time: 72 h Test Type: static test

: 1 M-Factor (Acute aquatic toxicity)

: NOEC: 0.19 mg/l Toxicity to fish (Chronic toxicity)

Exposure time: 8 d

Toxicity to daphnia and other aquatic

invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.08 mg/l

Exposure time: 21 d Acute aquatic toxicity - Assessment

Chronic aquatic toxicity - Assessment : Very toxic to aquatic life.

Persistence and degradability

No data available

: Very toxic to aquatic life with long lasting effects

Bioaccumulative potential

Components:

5989-27-5:

Bioaccumulation

: Bioconcentration factor (BCF): 908.5

Partition coefficient: noctanol/water

: log Pow: 4.57

Mobility in soil No data available

log Pow: 4.38 (37°C)

pH: 7.2

Other adverse effects

Product:

: Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class Ozone-Depletion Potential

I Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40CFR 82, Subpt. A,

App.A + B).

: An environmental hazard cannot be excluded in the event

of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. **Disposal Considerations**

Disposal methods

Contaminated packaging

Additional ecological information

: Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.



SDS v1 GHS / OSHA

Type:

Revised Date: 2022-10-10

Product: Mold Cleaner (d-Limonene)

Page 9 of 10

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929 Web: www.beelitecandles.com

14. Transport Information

DOT (Department of Transportation):

UN1197, Extracts, flavoring, liquid, 3, III

IATA (International Air Transport Association):

UN1197, Extracts, flavoring, liquid, 3, III

IMDG (International Maritime Dangerous Goods):

UN1197, Extracts, flavoring, liquid, 3, III, Marine Pollutant (D-LIMONENE), Flash Point: 46°C (115°F)

Special Notes:

:The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173. 150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as hazardous substance.

15. Regulatory Information

WHMIS Classification : B3: Combustible Liquid

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity This

material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68. 130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CRF 60.489)



Type:

Revised Date: 2022-10-14

SDS v1 GHS / OSHA

Page 10 of 10

Product: Mold Cleaner (d-Limonene)

1156 Beelite Ln Morganton, NC 28655 Ph# 833-468-2929 Web: www.beelitecandles.com

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. Clean Water Act, Section 311, Table 116.4A

This product does not contain any Hazardous Chemicals listed under the U.S. Clean Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act, Section 307.

US State Regulations

Massachusetts Right to Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know

5989-27-5 d-Limonene 90 - 100%

New Jersey Right to Know

5989-27-5 d-Limonene 90 - 100%

California Prop 65 : This product does not contain any chemicals known to State of California to

cause cancer, birth defects, or any other reproductive harm.


The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL
AICS
: On the inventory, or in compliance with the inventory
NZIOC
: On the inventory, or in compliance with the inventory
ENCS
: On the inventory, or in compliance with the inventory
ENCS
: On the inventory, or in compliance with the inventory
KECI
: On the inventory, or in compliance with the inventory
PHIL
: On the inventory, or in compliance with the inventory
IECSC
: On the inventory, or in compliance with the inventory

16. Other Information

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Beelite Inc.