



Certificate of Analysis
Compliance Test

Client Information:

calexo
3638 kinney cir
los angeles, California 90065

Batch # 355-5T5C-01T-001
Batch Date: 2023-07-18
Extracted From: Hemp

Test Reg State: Louisiana
Production Facility: Geary Brewing

Order # CAL230919-030001
Order Date: 2023-09-19
Sample # AAEW393
Density: 1.052 g/ml

Sampling Date: 2023-09-19
Lab Batch Date: 2023-09-19
Completion Date: 2023-09-25

Density: 1.052 g/ml
Volume: 355 ml
Net Weight per Serving: 355 mg
Serving Number: 1.00000



Product Image

Potency Tested **Heavy Metals Passed** **Pesticides Passed** **Residual Solvents Passed** **Microbiology (qPCR) Passed** **Pathogenic Microbiology Passed**

Delta 8/Delta 10 Potency 13 - (LCMS)

Specimen Weight: 360000.000 mg

Tested
SOP13.052 (LCMS)

Analyte	LOD (%)	LOQ (%)	Result (µg/ml)	Value	Pass/Fail
Delta-9 THC	1.30E-5	0.1	13.270	0.001261	Pass
CBD	5.40E-5	0.0015	10.460	0.000994	Pass
CBC	1.80E-5	0.0015	<LOQ	<LOQ	Pass
CBDA	1.00E-5	0.0015	<LOQ	<LOQ	Pass
CBDV	6.50E-5	0.0015	<LOQ	<LOQ	Pass
CBG	2.48E-4	0.0015	<LOQ	<LOQ	Pass
CBGA	8.00E-5	0.0015	<LOQ	<LOQ	Pass
CBN	1.40E-5	0.0015	<LOQ	<LOQ	Pass
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ	Pass
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ	Pass
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ	Pass
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ	Pass
THCV	7.00E-6	0.0015	<LOQ	<LOQ	Pass
Total Active CBD			0.013	0.001261	Pass
Total Active THC			0.013	0.001261	Pass

Potency Summary

Delta 9 THC per Serving 0.001261% 4.4766 per ml	Total Active CBD per Serving 0.000994% 3.5287 per ml
Total CBG per Serving - ND	Total CBN per Serving - ND
Other Cannabinoids per Serving - ND	Total Cannabinoids per Serving 0.002255% 8.00525 per ml
Total Active CBD Per Package 0.000994% 3.5287 per ml	Total Active THC per Serving 0.001261% 4.4766 per ml
Total Active THC Per Package 0.001261% 4.4766 per ml	Delta 9 THC per Package 0.001261% 4.4766 per ml

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.877), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta6a10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THCV + (THCVA * 0.877), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.



Certificate of Analysis
Compliance Test

Client Information:

calexo 3638 kinney cir los angeles, California 90065	Batch # 355-5T5C-01T-001 Batch Date: 2023-07-18 Extracted From: Hemp	Test Reg State: Louisiana	Production Facility: Geary Brewing
Order # CAL230919-030001 Order Date: 2023-09-19 Sample # AAEW393 Density: 1.052 g/ml	Sampling Date: 2023-09-19 Lab Batch Date: 2023-09-19 Completion Date: 2023-09-25	Density: 1.052 g/ml Volume: 355 ml Net Weight per Serving: 355 mg	Serving Number: 1.00000

Total Yeast and Mold
Specimen Weight: 490.800 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology - SE (MicroArray)

Specimen Weight: 1030.300 mg

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Salmonella	Absence in 1g	STEC E. Coli	Absence in 1g

Passed
SOP13.019 (Micro Array)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.





Certificate of Analysis
Compliance Test

Client Information:

calexo Batch # 355-5T5C-01T-001 Test Reg State: Louisiana Production Facility: Geary Brewing
3638 kinney cir Batch Date: 2023-07-18
los angeles, California 90065 Extracted From: Hemp

Order # CAL230919-030001 Sampling Date: 2023-09-19 Density: 1.052 g/ml
Order Date: 2023-09-19 Lab Batch Date: 2023-09-19 Volume: 355 ml
Sample # AAEW393 Completion Date: 2023-09-25 Net Weight per Serving: 355 mg Serving Number: 1.00000
Density: 1.052 g/ml

Heavy Metals - LA **Passed**
Specimen Weight: 252.000 mg SOP13.048 (ICP-MS)

Dilution Factor: 198.413

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Arsenic (As)	.00483	0.1	10	<LOQ	Lead (Pb)	0.0058	0.1	10	<LOQ
Cadmium (Cd)	.00064	0.1	4.1	<LOQ	Mercury (Hg)	.01176	0.1	2	<LOQ

Residual Solvents - LA (CBD) **Passed**
Specimen Weight: 317.300 mg SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	500	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	10	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	1	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	800	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	NA	377.741	Toluene	0.0009	2.92	1	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	1	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.





Certificate of Analysis
Compliance Test

Client Information:

calexo Batch # 355-5T5C-01T-001 Test Reg State: Louisiana Production Facility: Geary Brewing
3638 kinney cir Batch Date: 2023-07-18
los angeles, California 90065 Extracted From: Hemp
Order # CAL230919-030001 Sampling Date: 2023-09-19 Density: 1.052 g/ml
Order Date: 2023-09-19 Lab Batch Date: 2023-09-19 Volume: 355 ml
Sample # AAEW393 Completion Date: 2023-09-25 Net Weight per Serving: 355 mg Serving Number: 1.00000
Density: 1.052 g/ml

Pesticides - LA

Specimen Weight: 617.500 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.430

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Abamectin	4.3500E-4	0.009	0.3	<LOQ	Hexythiazox	4.5000E-5	0.0096	2	<LOQ
Acephate	4.6700E-4	0.0096	5	<LOQ	Imazalil	6.3900E-4	0.0096	0	<LOQ
Acequinocyl	8.0100E-4	0.0096	4	<LOQ	Imidacloprid	1.5900E-4	0.0096	3	<LOQ
Acetamiprid	8.0000E-5	0.0096	5	<LOQ	Kresoxim Methyl	2.6800E-4	0.0096	1	<LOQ
Aldicarb	1.2400E-4	0.0096	0	<LOQ	Malathion	4.1000E-4	0.0096	5	<LOQ
Azoxystrobin	6.8300E-4	0.0096	40	<LOQ	Metaxyl	7.4900E-4	0.0096	15	<LOQ
Bifenazate	8.2000E-5	0.0096	5	<LOQ	Methiocarb	9.9000E-5	0.0096	0	<LOQ
Bifenthrin	1.2100E-4	0.0096	0.5	<LOQ	Methomyl	1.2100E-4	0.0096	0.1	<LOQ
Boscalid	1.5300E-4	0.0096	10	<LOQ	methy-Parathion	3.0650E-3	0.0096	0	<LOQ
Captan	8.9660E-3	0.048	5	<LOQ	Mevinphos	1.3700E-3	0.0096	0	<LOQ
Carbaryl	1.1800E-4	0.0096	0.5	<LOQ	Myclobutanil	5.7100E-4	0.0096	9	<LOQ
Carbofuran	1.7800E-4	0.0096	0	<LOQ	Naled	8.3000E-5	0.0096	0.5	<LOQ
Chlorantraniliprole	5.2000E-5	0.0096	40	<LOQ	Oxamyl	1.2300E-4	0.0096	0.2	<LOQ
Chlorfenapyr	3.1210E-3	0.0096	0.1	<LOQ	Paclobutrazol	1.2300E-4	0.0096	0	<LOQ
Chlorpyrifos	2.7100E-4	0.0096	0	<LOQ	Pentachloronitrobenzen(Quintozene)	5.1400E-3	0.0096	0.2	<LOQ
Clofentezine	1.1900E-4	0.0096	0.5	<LOQ	Permethrin	7.1800E-4	0.0096	20	<LOQ
Coumaphos	1.2900E-4	0.0096	0	<LOQ	Phosmet	3.0100E-4	0.0096	0.2	<LOQ
Cyfluthrin	7.7300E-3	0.048	1	<LOQ	Piperonylbutoxide	2.1700E-4	0.0096	8	<LOQ
Cypermethrin	8.8700E-4	0.0096	1	<LOQ	Prallethrin	1.3650E-3	0.0096	0.4	<LOQ
Daminozide	1.7970E-3	0.0096	0	<LOQ	Propiconazole	2.5900E-4	0.0096	20	<LOQ
Diazinon	1.3280E-3	0.0096	0.2	<LOQ	Propoxur	1.4700E-4	0.0096	0	<LOQ
Dichlorvos	4.6500E-4	0.0096	0	<LOQ	Pyrethrins	2.5600E-4	0.0014	1	<LOQ
Dimethoate	3.6600E-4	0.0096	0	<LOQ	Pyridaben	5.9000E-5	0.0096	3	<LOQ
Dimethomorph	2.7200E-4	0.0096	20	<LOQ	Spinetoram	3.4600E-4	0.0096	3	<LOQ
Ethoprophos	1.9200E-4	0.0096	0	<LOQ	Spinosad	2.8000E-5	0.00239	3	<LOQ
Etofenprox	1.1600E-4	0.0096	0	<LOQ	Spiromesifen	2.9100E-4	0.0096	12	<LOQ
Ettoxazole	5.7000E-4	0.0096	1.5	<LOQ	Spirotetramat	1.4100E-4	0.0096	13	<LOQ
Fenhexamid	1.0110E-3	0.0096	10	<LOQ	Spiroxamine	1.1900E-4	0.0096	0	<LOQ
Fenoxycarb	1.6900E-4	0.0096	0	<LOQ	Tebuconazole	1.3400E-4	0.0096	2	<LOQ
Fenpyroximate	1.3900E-4	0.0096	2	<LOQ	Thiacloprid	3.9700E-4	0.0096	0	<LOQ
Fipronil	6.0500E-4	0.0096	0.1	<LOQ	Thiamethoxam	1.0400E-4	0.0096	4.5	<LOQ
Fonicamid	1.2800E-4	0.0096	2	<LOQ	Trifloxystrobin	8.8000E-5	0.0096	30	<LOQ
Fludioxonil	5.2100E-4	0.0096	30	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

