

ViewSonic  PROJECTOR
X2000L-4K


Key Features

- True 4K HDR immersive visual experience
- 0.22 ultra short throw ratio capable of 100" screen from 23cm away
- 2nd generation Laser Phosphor technology with 20,000 hours lifespan
- Theater-level audio by Harman Kardon with Dolby/DTS support
- Smart connectivity via Wi-Fi and Bluetooth



Product Description

The X2000L-4K is ViewSonic's first ultra short throw smart laser projector. Combining true 4K UHD resolution, HDR/HLG support, 100% Rec.709 cinematic colors, and custom-built Harman Kardon speakers with Dolby/DTS soundtrack support, the X2000L-4K delivers an audiovisual feast right out of the box. Capable of projecting a 100" image from just 23cm away, the 0.22 ultra short throw ratio offers an immersive experience along with 4 corner and warping adjustment capabilities to turn virtually any surface into a cinema, live concert, or a wonderland beyond your imagination. Built with 2nd generation laser phosphor technology, the X2000L-4K is geared for instant entertainment and ready to accompany you for 20,000 hours of quality visuals. Smart capabilities such as built-in Wi-Fi for wireless content sharing from your mobile devices and Bluetooth for flexible audio options make content streaming easier than it has ever been before.



01. IR
 02. Lens

03. Power
 04. USB-C
 05. USB-A
 06. Ethernet
 07. Optical Out
 08. HDMI 2.0/ HDCP 2.2
 09. HDMI 2.0/ HDCP 2.2 (ARC)
 10. DisplayPort
 11. Audio In
 12. Audio Out

- | | |
|--------------------------|---------------|
| 3. Eye Protection Sensor | 10. Audio Out |
| 4. Power Button | 11. AV In |
| 5. Adjustment Foot | 12. LAN |
| 6. USB Reader | |
| 7. AC In | |

Visit Us

www.viewsonic.com

SPECIFICATION

Native Resolution:	3840x2160
Brightness:	2000 (ANSI Lumens)
Contrast Ratio:	3000000:1
Display Color:	1.07 Billion Colors
Light Source Type:	Laser Phosphor system
Light Source Life (hours) with Normal Mode:	20000
Lamp Watt:	Nichia 74W x1
Lens:	F=3.2, f=2.335mm
Projection Offset:	140%+/-5%
Throw Ratio:	0.22
Optical Zoom:	Fixed
Image Size:	65"-150"
Throw Distance:	0.082m-0.520m (100"@0.234m)
Audible Noise (Normal):	32dB
Audible Noise (Eco):	30dB
Local Storage:	Total 32GB (26GB available storage)
Input Lag:	40ms
Resolution Support:	VGA(640 x 480) to 4K(3840 x 2160)
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Horizontal Frequency:	15K-135KHz
Vertical Scan Rate:	23-120Hz

INPUT

AV in (3.5mm):	1
HDMI:	2 (HDMI 2.0, HDCP 1.4/2.2)
Audio-in (Bluetooth):	1 (BT4.2)
USB Type A:	2 (USB2.0 Reader x2)
RJ45 Input (Internet):	1
Wifi Input:	1 (5Gn)

OUTPUT

Audio-out (3.5mm):	1
Audio-out (Bluetooth):	1 (BT4.2)
Audio-out (HDMI ARC):	1 (Share with HDMI Input)
Speaker:	25W Cube x2 (10W tweeter + 15W woofer) x2
USB Type A (Power):	2 (USB2.0 - 5V/1.5A x2, share with USB A Input)

CONTROL

USB Type A (Services):	1 (share with USB A Input)
------------------------	-------------------------------

OTHERS

Power Supply Voltage:	100-240V+/- 10%, 50/60Hz (AC in)
Power Consumption:	Normal: 250W Standby: <0.5W
Operating Temperature:	0~40°C
Carton:	Brown
Net Weight:	6.80kg
Gross Weight:	9.90kg
Dimensions (WxDxH) with Adjustment Foot:	451x332x100mm
Packing Dimensions:	577x488x187mm
OSD Language:	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S- Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese, Greek, Hungarian Total 24 languages
User Guide Language:	English, S-Chinese, T- Chinese, Indonesian, Finish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, Vietnamese, total 20 languages

STANDARD ACCESSORY

Power Cord:	1
Remote Control:	1 (w/ backlit)
QSG:	Yes
Warranty Card:	Yes (CN Only)

OPTIONAL ACCESSORY

Wall/Ceiling Mount:	PJ-WMK-304 PJ-WMK-007
---------------------	--------------------------

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.