



## Key Features

- True 4K HDR visual experience
- Ultra Short Throw gives you a 100" screen from 38cm away
- Cinema SuperColor+™ Technology with 125% Rec.709
- 2nd generation LED Technology with 30,000 hours lifespan
- 40W Integrated Harman Kardon soundbar



## Product Description

The ViewSonic X1000-4K Ultra Short Throw Smart LED Soundbar Projector delivers a completely immersive audiovisual experience right out of the box by fusing performance with elegance while melding into your modern lifestyle. Equipped with true 4K UHD resolution and 0.25 ultra-short throw ratio, the X1000-4K provides an impressive 100" image from a distance of only 38cm. Further features include 2nd generation LED technology with enhanced brightness, superior color display (125% Rec. 709), and a lifespan of 30,000 hours. An integrated 40W Harman Kardon customized soundbar delivers room-filling crystal clear audio perfect for music and movies. The X1000-4K may be utilized as a Bluetooth soundbar or connected to a subwoofer to create a 2.1 audio system. Embedded Wi-Fi connectivity and built-in app center make streaming content easier than it's ever been before.



- |                                |                               |                  |
|--------------------------------|-------------------------------|------------------|
| 1. IR                          | 8. Eye Protection Sensor      | 15. Wi-Fi Dongle |
| 2. Adjustment Foot             | 9. Lens                       | 16. AC In        |
| 3. IHSR Reader (5V/2A 5W/1.5A) | 10. Subwoofer Out / Audio Out | 17. Power Button |

- |                                 |                               |                  |
|---------------------------------|-------------------------------|------------------|
| 3. Sub Header (5V/2A), 5W (USB) | 10. Subheader Out / Audio Out | 17. Power Button |
| 4. USB Type-C (5V/2A)           | 11. HDMI 2.0 / HDCP 2.2       |                  |
| 5. HDMI 2.0 / HDCP 2.2          | 12. LAN Control               |                  |
| 6. Audio Out                    | 13. S/PDIF                    |                  |
| 7. Audio In                     | 14. Service                   |                  |

---

**Visit Us**  [www.viewsonic.com](http://www.viewsonic.com)

**SPECIFICATION**

|   |   |
|---|---|
| Native Resolution:                          | 3840x2160   |
| Brightness:                                 | 2400 (LED Lumens)                                 |
| Contrast Ratio:                             | 3000000:1   |
| Display Color:                              | 1.07 Billion Colors                               |
| Light Source Type:                          | LED   |
| Light Source Life (hours) with Normal Mode: | up to 30000                                       |
| Lamp Watt:                                  | RGBB LED  |
| Lens:                                       | F=1.91, f=2.51mm                                  |
| Projection Offset:                          | 120%+/-5%   |
| Throw Ratio:                                | 0.25  |
| Optical Zoom:                               | Fixed   |
| Image Size:                                 | 60"-150"  |
| Throw Distance:                             | 0.159m-0.657m<br>(100"@0.379m)                    |
| Keystone:                                   | +/- 14° (V)                                       |
| Audible Noise (Normal):                     | 25dB  |
| Audible Noise (Eco):                        | 23dB  |
| Local Storage:                              | Total 16GB (12GB available storage)               |
| Input Lag:                                  | 66ms  |
| Resolution Support:                         | VGA(640 x 480) to 4K(3840 x 2160)                 |
| HDTV Compatibility:                         | 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160P |
| Horizontal Frequency:                       | 15K-135KHz  |
| Vertical Scan Rate:                         | 23-120Hz  |

**INPUT**

|                        |   |
|------------------------|---|
| HDMI:                  | 3(HDMI 2.0, HDCP 1.4/2.2)                           |
| USB Type C:            | 1 (5V/ 2A)  |
| Audio-in (3.5mm):      | 1   |
| Audio-in (Bluetooth):  | 1 (BT4.0)   |
| USB Type A:            | 3(USB3.0 Reader x1,USB2.0 Reader x1,Wifi dongle x1) |
| RJ45 Input (Internet): | 1   |
| Wifi Input:            | 1( 5Gn)   |

**OUTPUT**

|                        |  |
|------------------------|--|
| Audio-out (3.5mm):     | 2 (headphone x1,subwoofer x1)  |
| Audio-out (Bluetooth): | 1 (BT4.0)  |
| S/PDIF:                | 1  |
| Speaker:               | 20W Cube x2  |
| USB Type A (Power):    | 3(USB3.0 - 5V/2A x1,USB2.0 - 5V/900mA x1,USB2.0 - 5V/900mA x1, share with USB A Input) |

**CONTROL**

|                             |   |
|-----------------------------|---|
| USB Micro B-2.0 (Services): | 1 |
|-----------------------------|---|

**OTHERS**

|  |                                 |
|--|---------------------------------|
| Power Supply Voltage:                    | 100-240V+/- 10%, 50/60Hz(AC in) |
| Power Consumption:                       | Normal: 200WStandby: <0.5W      |
| Operating Temperature:                   | 0~35°C                          |
| Net Weight:                              | 9.44kg                          |
| Dimensions (WxDxH) with Adjustment Foot: | 757x291x169mm                   |

|               |   |
|---------------|---|
| OSD Language: | English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese, Greek, Total 23 languages |
|---------------|---|

**STANDARD ACCESSORY**

|                 |               |
|-----------------|---------------|
| Power Cord:     | 1             |
| USB-C Cable:    | 1 (1m)        |
| Remote Control: | 1(w/ backlit) |
| QSG:            | Yes           |