









# SISAL

 <p><b>Width of wallcovering</b> 95 cm / 37.4" (±3%) sold by the linear metre / yard</p>	 <p><b>Match</b> Free match</p>	 <p><b>Fire resistant</b> BS 1 d 0</p>	 <p><b>Breathable</b></p>	 <p><b>Adhesive</b> Apply a adhesive for non woven wallcovering directly to the wall</p>	 <p><b>Light Resistance</b> Good lightfastness</p>	 <p><b>How to remove</b> Strippable</p>	 <p><b>Washability</b> Spongeable</p>
---	--	---	--	--	---	--	--

Technique/technology:

Weight:

Type of support:

Match:

How to paste:

How to remove:

Acoustic Value / Comfort /

Print on non-woven felt

≈350 g/m<sup>2</sup> (± 3%)


No woven felt

Free match

Paste the wall

Strippable

0,15 aw



## COLOR RANGE



CO300 | WALNUT



CO301 | STRAW



CO302 | WINTER SKY



CO303 | BALBOA



CO304 | ICE



CO305 | CLOUD



CO306 | DELRAY



CO307 | LAKE








CO308 | DOWNPOUR

N.B.

— the portrayed colours may differ from reality



# KOPRON

 <p><b>Width of wallcovering</b> 95 cm / 37.4" (±3%) sold by the linear metre / yard</p>	 <p><b>Match</b> Free match</p>	 <p><b>Fire resistant</b> BS 1 d 0</p>	 <p><b>Breathable</b></p>	 <p><b>Adhesive</b> Apply an adhesive for non-woven wallcovering directly to the wall</p>	 <p><b>Light Resistance</b> Good lightfastness</p>	 <p><b>How to remove</b> Strippable</p>	 <p><b>Washability</b> Spongeable</p>
---	--	---	--	---	---	--	--

Technique/technology:

Weight:

Type of support:

Match:

How to paste:

How to remove:

Acoustic Value / Comfort /

Print on non-woven felt

≈350 g/m<sup>2</sup> (± 3%)


No woven felt

Free match

Paste the wall

Strippable

0,15 aw



## COLOR RANGE



CO200 | WALNUT



CO201 | STRAW



CO202 | WINTER SKY



CO203 | BALBOA



CO204 | ICE



CO205 | CLOUD



CO206 | DELRAY



CO207 | LAKE











CO208 | DOWNPOUR

N.B.

— the portrayed colours may differ from reality



# KAPOK

 <p><b>Width of wallcovering</b> 95 cm / 37.4" (±3%) sold by the linear metre / yard</p>	 <p><b>Match</b> Free match</p>	 <p><b>Fire resistant</b> BS 1 d 0</p>	 <p><b>Breathable</b></p>	 <p><b>Adhesive</b> Apply an adhesive for non woven wallcovering directly to the wall</p>	 <p><b>Light Resistance</b> Good lightfastness</p>	 <p><b>How to remove</b> Strippable</p>	 <p><b>Washability</b> Spongeable</p>
---	--	---	--	---	---	--	--

Technique/technology:

Weight:

Type of support:

Match:

How to paste:

How to remove:

Acoustic Value / Comfort /

Print on non-woven felt

≈350 g/m<sup>2</sup> (± 3%)


No woven felt

Free match

Paste the wall

Strippable

0,15 aw



## COLOR RANGE



CO100 | WALNUT



CO101 | STRAW



CO102 | WINTER SKY



CO103 | BALBOA



CO104 | ICE



CO105 | CLOUD



CO106 | DELRAY



CO107 | LAKE



CO108 | DOWNPOUR

N.B.

— the portrayed colours may differ from reality