









# SPECTRUM

 <p><b>Width of wallcovering</b> 95 cm / 37.4" (±3%) sold by the linear metre/ yard</p>	 <p><b>Match</b> Straight match</p>	 <p><b>Fire resistant</b> EU: bs l,d0</p>	 <p><b>Breathable</b></p>	 <p><b>Adhesive</b> Apply a adhesive for non woven wallcovering directly to the wall</p>	 <p><b>Light Resistance</b> Good lightfastness</p>	 <p><b>How to remove</b> Strippable</p>	 <p><b>Washability</b> Spongeable</p>
--	--	--	--	---	---	--	--

**Technique/technology:**

**Weight:**

**Thickness:**

**Type of support:**

**Match:**

**How to paste:**

**How to remove:**

Digital print on non-woven backing

≈ 183 g/m<sup>2</sup> (± 5%)

50 µm

No woven 130 gr

Straight match

Paste the wall

Strippable



## COLOR RANGE



ID400 | NINFA



ID401 | KAJAL



ID403 | TIFFANY



ID404 | FILIGREE











ID405 | SEALING WAX

### N.B.

- the product is available also with a custom size for each project, for any request contact [info@texahome.com](mailto:info@texahome.com)
- the portrayed colours may differ from reality

# INLAY

 Width of wallcovering 95 cm / 37.4" (±3%) sold by the linear metre/ yard	 Match Straight match	 Fire resistant EU: bs1,00	 Breathable	 Adhesive Apply a adhesive for non woven wallcovering directly to the wall	 Light Resistance Good lightfastness	 How to remove Strippable	 Washability Spongeable
--	---	---	---	---	---	--	--

**Technique/technology:** Digital print on non-woven backing

**Weight:** ≈ 183 g/m<sup>2</sup> (± 5%)

**Thickness:** 50 µm


**Type of support:** No woven 130 gr

**Match:** Straight match

**How to paste:** Paste the wall

**How to remove:** Strippable





## COLOR RANGE



**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality

# ONIX

 Width of wallcovering 95 cm / 37.4" (±3%) sold by the linear metre/ yard	 Match Straight match	 Fire resistant EU: bs1,00	 Breathable	 Adhesive Apply a adhesive for non woven wallcovering directly to the wall	 Light Resistance Good lightfastness	 How to remove Strippable	 Washability Spongeable
--	---	---	---	---	---	--	--

**Technique/technology:** Digital print on non-woven backing

**Weight:** ≈ 183 g/m<sup>2</sup> (± 5%)

**Thickness:** 50 µm


**Type of support:** No woven 130 gr

**Match:** Straight match

**How to paste:** Paste the wall

**How to remove:** Strippable


## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality

# DIAGONAL



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈ 183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable



## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality

# RUSTED



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈ 183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality


# TROPICAL DREAM



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈ 183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality

# FALL



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈ 183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE



**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality

# RAW



## Tecniqe/technology:

**Weight:**

**Thickness:**

**Type of support:**

**Match:**

**How to paste:**

**How to remove:**

Digital print on non-woven backing

≈548 g/m<sup>2</sup> (± 5%)

72 μm

No woven 130 gr

Random match

Paste the wall

Strippable

## COLOR RANGE




ID1200 | NINFA

### N.B.

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality



# CONCRETE



## Tecniqe/technology:

**Weight:**

**Thickness:**

**Type of support:**

**Match:**

**How to paste:**

**How to remove:**

Digital print on non-woven backing

≈548 g/m<sup>2</sup> (± 5%)

72 μm

No woven 130 gr

Random match

Paste the wall

Strippable

## COLOR RANGE




ID1300 | NINFA




ID1302 | BASALT

### N.B.


- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality



# CONCRETE S



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈548 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	72 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Random match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality


# INTERACTION



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE



**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality


# BORNEO



<b>Technique/technology:</b>	Digitally printed canvas
<b>Weight:</b>	≈516 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	97 μm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable



## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality


# MAYA



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 μm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE



**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality


# MIST



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈ 183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable




## COLOR RANGE




**N.B.**

- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality

# AQUARELL



<b>Technique/technology:</b>	Digital print on non-woven backing
<b>Weight:</b>	≈ 183 g/m <sup>2</sup> (± 5%)
<b>Thickness:</b>	50 µm
<b>Type of support:</b>	No woven 130 gr
<b>Match:</b>	Straight match
<b>How to paste:</b>	Paste the wall
<b>How to remove:</b>	Strippable



## COLOR RANGE




**N.B.**


- the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)
- the portrayed colours may differ from reality




# TRANSITION TROPIC



**Technique/technology:** Digitally printed canvas  
**Weight:** ≈516 g/m<sup>2</sup> (± 5%)  
**Thickness:** 97 μm  
**Type of support:** No woven 130 gr  
**Match:** Straight match  
**How to paste:** Paste the wall  
**How to remove:** Strippable



## COLOR RANGE



**N.B.**  
 • the product is available also with a custom size for each project, for any request contact [info@texamhome.com](mailto:info@texamhome.com)  
 • the portrayed colours may differ from reality

NAME	REFERENCE	COLOR	PAGE	MATCH	FULL SET	IMAGE SIZE
INLAY	ID100	NINFA	5	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID101	KAJAL	4	— —		
ONIX	ID200	NINFA	6	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID201	KAJAL	7	— —		
DIAGONAL	ID300	NINFA	8	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID301	KAJAL	9	— —		
SPECTRUM	ID400	NINFA	1	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID401	KAJAL	2	— —		
	ID403	TIFFANY	2	— —		
	ID404	FILIGREE	3	— —		
RUSTED	ID405	SEALING WAX	3	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID500	NINFA	11	— —		
	ID501	KAJAL	10	— —		
	ID502	BASALT	11	— —		
	ID503	TIFFANY	12	— —		
TROPICAL DREAM	ID504	FILIGREE	11	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID505	SEALING WAX	12	— —		
	ID600	NINFA	13	— —		
	ID601	KAJAL	15	— —		
	ID603	TIFFANY	15	— —		
FALL	ID605	SEALING WAX	14	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID702	BASALT	16	— —		
	ID703	TIFFANY	18	— —		
	ID704	FILIGREE	17	— —		
INTERACTION	ID705	SEALING WAX	18	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID801	KAJAL	24	— —		
	ID803	TIFFANY	26	— —		
	ID804	FILIGREE	25	— —		
MIST	ID805	SEALING WAX	26	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID900	NINFA	31	— —		
	ID901	KAJAL	32	— —		
	ID902	BASALT	33	— —		
	ID903	TIFFANY	32	— —		
TRANSITION TROPIC	ID905	SEALING WAX	32	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID1001	KAJAL	40	— —		
	ID1002	BASALT	40	— —		
	ID1003	TIFFANY	38	— —		
	ID1004	FILIGREE	41	— —		
AQUARELL	ID1005	SEALING WAX	39	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID1100	NINFA	36	— —		
	ID1101	KAJAL	34	— —		
	ID1102	BASALT	37	— —		
	ID1103	TIFFANY	36	— —		
MAYA	ID1105	SEALING WAX	35	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID1502	BASALT	29	— —		
	ID1503	TIFFANY	30	— —		
BORNEO	ID1504	FILIGREE	30	— —	3 PANELS	285 cm x 300 cm (±3%) 112.2" x 118.11" (±3%)
	ID1600	NINFA	28	— —		
	ID1603	TIFFANY	28	— —		
	ID1605	SEALING WAX	27	— —		

NAME	REFERENCE	COLOR	PAGE	MATCH	REPEAT
RAW	ID 1 200	NINFA	19	- 0	600 cm (236,22")
CONCRETE	ID 1 300	NINFA	21	- 0	900 cm (354,3")
	ID 1 302	BASALT	20		
CONCRETE S	ID 1 400	NINFA	23	- -	900 cm (354,3")
	ID 1 402	BASALT	22		
	ID 1 405	SEALING WAX	23		