



diamond

D10-ESM

FEATURES

- Chemically & colour matched to Roland[®] Eco-Sol MAX[™] inks
- No flushing or profiling required when converting from OEM inks.
- Fast drying
- Low smell
- Excellent outdoor durability
- Superior abrasion and chemical resistance
- Supported by NUtec Digital's Ink Delivery System Warranty



OVERVIEW

Diamond D10-ESM ink is designed as a back to back replacement for Roland[®] Eco-Sol MAX[™] inks.

The Diamond D10-ESM offers superior abrasion and chemical resistance.

Diamond D10-ESM ink provides excellent media

compatibility across a broad range of self-adhesive and flexible substrates.

Provided the inks are used in regular applications, using suitable substrates, the printed images will last for up to two years.

PRINT HEAD COMPATIBILITY	Epson [®] DX4 [™] , Epson [®] DX5 [™] , Epson [®] DX6 [™] , Epson [®] DX7 [™]
PACKAGING CONFIGURATIONS	1L bottle, 1000ml pouch, 2000ml pouch, 500ml cartridges
SHELF LIFE	18 months
SHIPPING AND STORAGE INFORMATION	Storage & transit temperatures: +5°C to +35°C Store in a cool, dry area, not directly on the floor and away from direct sunlight
OPERATING SPECIFICATIONS	Temperature: +19°C to +28°C Relative Humidity: 30% to 80% Non-condensing

Ref.no. NU D10-ESM v1. All trademarks recognised. E&OE.



diamond

D10-ESM



FEATURES

- Chemically & colour matched to Roland[®] Eco-Sol MAX[™] inks
- No flushing or profiling required when converting from OEM inks.
- Fast drying
- Low smell
- Excellent outdoor durability
- Superior abrasion and chemical resistance
- Supported by NUtec Digital's Ink Delivery System Warranty

OVERVIEW

Diamond D10-ESM ink is designed as a back to back replacement for Roland[®] Eco-Sol MAX[™] inks.

The Diamond D10-ESM offers superior abrasion and chemical resistance.

Diamond D10-ESM ink provides excellent media

compatibility across a broad range of self-adhesive and flexible substrates.

Provided the inks are used in regular applications, using suitable substrates, the printed images will last for up to two years.

PRINT HEAD COMPATIBILITY	Epson [®] DX4 [™] , Epson [®] DX5 [™] , Epson [®] DX6 [™] , Epson [®] DX7 [™]
PACKAGING CONFIGURATIONS	1L bottle, 1000ml pouch, 2000ml pouch, 500ml cartridges
SHELF LIFE	18 months
SHIPPING AND STORAGE INFORMATION	Storage & transit temperatures: +5°C to +35°C Store in a cool, dry area, not directly on the floor and away from direct sunlight
OPERATING SPECIFICATIONS	Temperature: +19°C to +28°C Relative Humidity: 30% to 80% Non-condensing

Ref.no. NU D10-ESM/nubis v1. All trademarks recognised. E&OE.



diamond

D10-ESM



FEATURES

- Chemically & colour matched to Roland[®] Eco-Sol MAX[™] inks
- No flushing or profiling required when converting from OEM inks.
- Fast drying
- Low smell
- Excellent outdoor durability
- Superior abrasion and chemical resistance
- Supported by NUtec Digital's Ink Delivery System Warranty

OVERVIEW

Diamond D10-ESM ink is designed as a back to back replacement for Roland[®] Eco-Sol MAX[™] inks.

The Diamond D10-ESM offers superior abrasion and chemical resistance.

Diamond D10-ESM ink provides excellent media

compatibility across a broad range of self-adhesive and flexible substrates.

Provided the inks are used in regular applications, using suitable substrates, the printed images will last for up to two years.

PRINT HEAD COMPATIBILITY	Epson [®] DX4 [™] , Epson [®] DX5 [™] , Epson [®] DX6 [™] , Epson [®] DX7 [™]
PACKAGING CONFIGURATIONS	1L bottle, 1000ml pouch, 2000ml pouch, 500ml cartridges
SHELF LIFE	18 months
SHIPPING AND STORAGE INFORMATION	Storage & transit temperatures: +5°C to +35°C Store in a cool, dry area, not directly on the floor and away from direct sunlight
OPERATING SPECIFICATIONS	Temperature: +19°C to +28°C Relative Humidity: 30% to 80% Non-condensing

Ref.no. NU D10-ESM/cart v1. All trademarks recognised. E&OE.