



# Install Supplies

# Contents


---

## Installation

- 4. Premium line terminals
- 8. Standard line terminals
- 14. Wire Ties
- 14. Fasteners
- 15. Screws
- 16. Hardware
- 17. Fuse Holders
- 17. Fuses
- 19. Battery Taps
- 20. Wire Management
- 21. Tape
- 22. Security Accessories
- 23. Switches
- 25. Trunk Release Kits
- 25. Solenoids
- 26. Actuators
- 27. Door Lock Kits
- 28. Power Window Switch Kits
- 29. Motor Kits
- 29. Fiberglass
- 29. Safety
- 30. Filler
- 30. Plastics
- 31. ABS
- 32. Grill Metal
- 33. Adhesives/Glue
- 34. Carpet, Vinyl, Cloth
- 35. Box Accessories / Grills
- 37. RCA Cables / Accessories
- 38. Home Audio / Video

## Tools

- 42. Drivers
- 42. Crimping
- 43. Removing / Pry
- 44. Cutting
- 44. Sanding
- 45. Router Bits
- 47. Testing Tools



# Installation



# Premium Line Terminals

Vinyl Stud Rings  
22-18ga



**IRR8**  
SIZE #8  
**IRR10**  
SIZE #10

Vinyl Stud Rings  
16-14ga



**IRB8**  
SIZE #8  
**IRB10**  
SIZE #10  
**IRB14**  
SIZE 1/4"  
**IRB516**  
SIZE 5/16"  
**IRB38**  
SIZE 3/8"

Vinyl Stud Rings  
12-10ga



**IRY10**  
SIZE #10  
**IRY14**  
SIZE 1/4"  
**IRY516**  
SIZE 5/16"  
**IRY38**  
SIZE 3/8"  
**IRY12**  
SIZE 1/2"

Vinyl Stud Rings  
8ga



**810RT**  
SIZE #10  
**814RT**  
SIZE 1/4"  
**8GART**  
SIZE 3/8"

Vinyl Stud Rings  
4ga



**4GART**  
SIZE 3/8"

Copper Rings  
8,4 & 1/0ga



**C8GART**  
SIZE 3/8"  
**C4GART**  
SIZE 3/8"  
**COGART**  
SIZE 3/8"

Locking Star Rings  
16-14ga



**IRSB8**  
SIZE #8  
**IRSB10**  
SIZE #10

Locking Star Rings  
22-18ga




**IRSR10**  
SIZE #10

Fork (Spade)  
16-14ga



**ISB6**  
SIZE #6  
**ISB8**  
SIZE #8  
**ISB10**  
SIZE #10

Fork (Spade)  
22-18ga



**ISR8**  
SIZE #8  
**ISR6**  
SIZE #6

Fork (Spade)  
12-10ga




**ISY6**  
SIZE #6  
**ISY8**  
SIZE #8  
**ISY10**  
SIZE #10

Fork (Spade)  
8ga



**8GAF8**  
SIZE #8

Quick Disconnect  
22-18ga



**IFR110**  
SIZE .110"  
**IFR250**  
SIZE .250"

Quick Disconnect  
16-14ga



**IFB110**  
SIZE .110"  
**IFB187**  
SIZE .187"  
**IFB205**  
SIZE .205"  
**IFB250**  
SIZE .250"

Quick Disconnect  
12-10ga



**IFY250**  
SIZE .250"

Quick Disconnect  
16-14ga



**IMB**  
SIZE .250"



# Premium Line Terminals

Fully Insulated Quick Disconnect  
Nylon 22-18ga Female



**FIFR110**  
SIZE  
.110"    **FIFR187**  
SIZE  
.187"    **FIFR250**  
SIZE  
.250"

Fully Insulated Quick Disconnect  
Nylon 16-14ga Female



**FIFB110**  
SIZE  
.110"    **FIFB187**  
SIZE  
.187"    **FIFB205**  
SIZE  
.205"    **FIFB250**  
SIZE  
.250"

Fully Insulated Quick Disconnect  
Nylon Male



**FIMR**  
SIZE  
22-18ga    **FIMB**  
SIZE  
16-14ga    **FIMY**  
SIZE  
12-10ga

Fully Insulated Quick Disconnect  
Nylon 12-10ga Female



**FIFY**  
SIZE  
.250"

Bullet Connectors  
Nylon 22-18ga



**NIBR**  
SIZE  
Male    **NFIBR**  
SIZE  
Female

Bullet Connectors  
Nylon 16-14ga



**NIBB**  
SIZE  
Male    **NFIBB**  
SIZE  
Female

Butt Connectors  
Nylon See-Thru Premium



**NIBCR**  
SIZE  
22-18ga    **NIBCB**  
SIZE  
16-14ga    **NIBCY**  
SIZE  
12-10ga

Butt Connectors  
Nylon See-Thru Premium Seamless



**NIBCRS**  
SIZE  
22-18ga    **NIBCBS**  
SIZE  
16-14ga    **NIBCYS**  
SIZE  
12-10ga

Butt Connectors  
Crimp Caps



**CR2022**  
SIZE  
20-22g    **CR1418**  
SIZE  
14-18ga    **CR1418B**  
SIZE  
Blk.14-18ga    **CR1012**  
SIZE  
10-12ga

Butt Connectors  
Vinyl




**IBCR**  
SIZE  
22-18ga    **IBCB**  
SIZE  
16-14ga    **IBCY**  
SIZE  
12-10ga    **8GABUTT**  
SIZE  
8ga    **4GABUTT**  
SIZE  
4ga

3M Scotch lock




**3MSBR**  
SIZE  
12-10 to 18ga

Heat Shrink Butt Connectors  
3M Perma-Seal, heat shrink ends lined w/ adhesive to create a Seal bond.




**HSBR**  
SIZE  
20-18ga    **HSBB**  
SIZE  
16-14ga    **HSBY**  
SIZE  
12-10ga    **HSB8**  
SIZE  
8ga

3M T-Tap



**TTAPR**  
SIZE  
22-18ga    **TTAPB**  
SIZE  
16-14ga    **TTAPY**  
SIZE  
12-10ga

Sizing Charts





# Standard Line Terminals

Stud Rings  
Vinyl 16-14ga



**CONRTB8** SIZE #8  
**CONRTB10** SIZE #10  
**CONRTB38** SIZE #3/8"

Stud Rings  
Vinyl 12-10ga



**CONRTY14** SIZE 1/4"  
**CONRTY38** SIZE 3/8"

Stud Rings  
Vinyl 4ga



**4GARTA** SIZE 3/8"

Locking Star Rings  
16-14ga



**CONIRSB10** SIZE #10

Female Fully Insulated  
Quick Disconnect  
Nylon 22-18ga



**CONIFDR110** SIZE .110"  
**CONIFDR187** SIZE .187"  
**CONIFDR** SIZE .250"

Female Quick Disconnect  
Vinyl 12-10ga



**CONFDY** SIZE .250"

Ring Terminal  
Nylon 22-18ga



**CONRTRN516** SIZE 5/16  
**CONRTRN8** SIZE #8

Ring Terminal  
Nylon 16-14ga



**CONRTBN516** SIZE 5/16  
**CONRTBN8** SIZE #8

Female Fully Insulated Quick Disconnect  
Nylon 14-16ga



**CONIFDB110** SIZE .110"  
**CONIFDB187** SIZE .187"  
**CONIFDB205** SIZE .205"  
**CONIFDB** SIZE .250"

Male Fully Insulated  
Quick Disconnect  
Nylon 22-10ga



**CONIMDR** SIZE 22-18ga  
**CONIMDB** SIZE 16-14ga  
**CONIMDY** SIZE 12-10ga

Male Quick Disconnect  
16-14ga



**CONIMB** SIZE .250"

Female Quick Disconnect  
22-18ga



**CONFDR110** SIZE .110"  
**CONFDR** SIZE .250"

Female Quick Disconnect  
16-14ga



**CONFDB187** SIZE .187"  
**CONFDB** SIZE .250"

Female Fully Insulated  
Quick Disconnect  
Nylon 12-10ga



**CONFDY** SIZE .250"

Bullet Connectors  
Nylon 22-18ga



**CONBMR** SIZE Male  
**CONBFR** SIZE Female

Bullet Connectors  
Nylon 16-14ga




**CONBMB** SIZE Male  
**CONBFB** SIZE Female



# Standard Line Terminals

**Heat SEAL**  
Perma-Seal, heat shrink ends lined with adhesive to create a Seal bond.



**CONHSBR**  
SIZE  
20-18ga

**CONHSBB**  
SIZE  
16-14ga

**CONHSBY**  
SIZE  
12-10ga

**Butt Connectors**  
Nylon



**CONBCS**  
SIZE  
26-24ga  
Seamless

**CONBCR**  
SIZE  
22-18ga

**CONNBCBS**  
SIZE  
16-14ga  
Seamless

**CONBCB**  
SIZE  
16-14ga

**CONBCY**  
SIZE  
12-10ga

**Copper Uninsulated Ring Terminal**  
3/8"



**C-10GARTJ**  
SIZE  
1/0

**C4GARTJ**  
SIZE  
#4

**C8GARTJ**  
SIZE  
#8

**Bullet Connector**  
Vinyl 16-14ga



**CONBVMB**  
SIZE  
Male

**CONBVFB**  
SIZE  
Female


**Bullet Connector**  
Vinyl 22-18ga



**CONBVMR**  
SIZE  
Male

**CONBVFR**  
SIZE  
Female

**Spade Terminal**  
Nylon 16-14ga



**CONFTB6**  
SIZE  
#6

**CONFTB8**  
SIZE  
#8

**CONFTB10**  
SIZE  
#10

**Spade Terminal**  
Nylon 22-18ga



**CONFTR6**  
SIZE  
#6

**CONFTR8**  
SIZE  
#8

**CONFTR10**  
SIZE  
#10

**Spade Terminal**  
Nylon 12-10ga



**CONFTY6**  
SIZE  
#6

**CONFTY8**  
SIZE  
#8

**CONFTY10**  
SIZE  
#10

**Uninsulated Spade Terminal**  
16-14ga



**CONFBU6**  
SIZE  
#6

**CONFBU8**  
SIZE  
#8

**CONFBU10**  
SIZE  
#10

**Uninsulated Spade Terminal**  
22-18ga



**CONFTRU6**  
SIZE  
#6

**CONFTRU8**  
SIZE  
#8

**CONFTRU10**  
SIZE  
#10

**Uninsulated Spade Terminal**  
12-10ga



**CONFYU6**  
SIZE  
#6

**CONFYU8**  
SIZE  
#8

**CONFYU10**  
SIZE  
#10

**Uninsulated Quick Disconnect**  
Male 16-14ga



**CONMDB187**  
SIZE  
.187

**CONMDB250**  
SIZE  
.250

**Uninsulated Quick Disconnect**  
Male 22-18ga



**CONMDR**  
SIZE  
.100

**CONMDR187**  
SIZE  
.187

**Uninsulated Quick Disconnect**  
Male 12-10ga



**CONMDY**  
SIZE  
.250

**Uninsulated Quick Disconnect**  
Female 22-18ga



**CONFDR187**  
SIZE  
.187



# Standard Line Terminals

## Uninsulated Ring Terminal 16-14ga



<b>CORTBU6</b> SIZE #6	<b>CORTBU8</b> SIZE #8	<b>CORTBU10</b> SIZE #10	<b>CORTBU14</b> SIZE 1/4"	<b>CORTBU38</b> SIZE 3/8"	<b>CORTBU516</b> SIZE 5/16"
------------------------------	------------------------------	--------------------------------	---------------------------------	---------------------------------	-----------------------------------

## T-Tap



<b>CONTTY</b> SIZE 12-10ga	<b>CONTTB</b> SIZE 16-14ga	<b>CONTRR</b> SIZE 22-18ga
----------------------------------	----------------------------------	----------------------------------

## Uninsulated Ring Terminal 22-18ga



<b>CORTRU6</b> SIZE #6	<b>CORTRU8</b> SIZE #8	<b>CORTRU10</b> SIZE #10	<b>CORTRU14</b> SIZE 1/4"	<b>CORTRU38</b> SIZE 3/8"	<b>CORTRU516</b> SIZE 5/16"
------------------------------	------------------------------	--------------------------------	---------------------------------	---------------------------------	-----------------------------------

## Butt Connector Vinyl



<b>CONVBCR</b> SIZE 22/18ga	<b>CONVBCB</b> SIZE 16/14ga	<b>CONVBCY</b> SIZE 12-10ga	<b>CONVBCY4</b> SIZE 4ga	<b>CONVBCR8</b> SIZE 8ga
-----------------------------------	-----------------------------------	-----------------------------------	--------------------------------	--------------------------------



# Standard Line Terminals

## Uninsulated Ring Terminal 12-10ga



<b>CONRTYU6</b> SIZE #6	<b>CONRTYU8</b> SIZE #8	<b>CONRTYU10</b> SIZE #10	<b>CONRTYU14</b> SIZE 1/4"	<b>CONRTYU38</b> SIZE 3/8"	<b>CONRTYU516</b> SIZE 5/16"
-------------------------------	-------------------------------	---------------------------------	----------------------------------	----------------------------------	------------------------------------

## Heat Shrink 25 ft Rolls Black

**HSR12**  
DESCRIPTION  
1/2"


**HSR18**  
DESCRIPTION  
1/8"

**HSR38**  
DESCRIPTION  
3/8"

**HSR14**  
DESCRIPTION  
1/4"

**HSR316**  
DESCRIPTION  
3/16"

**HSR34**  
DESCRIPTION  
3/4"



## Heat Shrink 4ft Sections - black polyolefin

**HS18**  
DESCRIPTION  
1/8"

**HS38**  
DESCRIPTION  
3/8"

**HS316**  
DESCRIPTION  
3/16"


**HS12**  
DESCRIPTION  
1/2"

**HS14**  
DESCRIPTION  
1/4"

**HS34**  
DESCRIPTION  
3/4"



## Sizing Charts





# Wire Ties & Fasteners

## Premium Black Nylon Wire Ties



- L418B**  
LENGTH 4"
- WT6**  
LENGTH 5.5"
- L750B**  
LENGTH 7"
- L750MHB**  
LENGTH 7"
- LP840B**  
LENGTH 8"
- L1150B**  
LENGTH 11"
- L1450B**  
LENGTH 14"
- L2150B**  
LENGTH 21"

## Wire Tie Mount



**BTM**  
DESCRIPTION Adhesive Backed

## Economy Wire Ties



- CT4**  
DESCRIPTION 4"
- CT6**  
DESCRIPTION 6" 40 lb test
- CT8**  
DESCRIPTION 8" 50 lb test
- CT14**  
DESCRIPTION 14" 50 lb test

## Speaker Grill Snaps



- MGSNAPS**  
DESCRIPTION male 9/16" hole
- FGSNAPS**  
DESCRIPTION female 3/8" hole

## Mini Snap



- MINISNAPM**  
DESCRIPTION male 3/8" hole
- MINISNAPF**  
DESCRIPTION female 1/4" hole

## Door Panel Fasteners



- HA90**  
DESCRIPTION GM
- HA91**  
DESCRIPTION FORD

# Fasteners & Screws



## Speed Clips



- SSC**  
DESCRIPTION short #8
- LSC**  
DESCRIPTION long #8

## Screws Pan Head Tek #8



- PPHT12**  
SIZE 1/2"
- PPHT34**  
SIZE 3/4"
- PPHT1**  
SIZE 1"
- PPHT112**  
SIZE 1 1/2"

## Screws Wafer Head Tek #8



- PWH12**  
SIZE 1/2"
- PWH12Z**  
SIZE 1/2" Zinc
- PWH34**  
SIZE 3/4"
- PWH1**  
SIZE 1"

## Screws Oval Head #8



- POH34**  
SIZE 3/4"
- POH1**  
SIZE 1"
- POH112**  
SIZE 1 1/2"

## Screws Truss Head #10



- PTH12**  
SIZE #8x1/2"
- PTH1**  
SIZE #8x1"
- PTH1012**  
SIZE #10x1/2"
- PTH101**  
SIZE #10x1"

## Screws Modified Truss Head #8



- STING12M**  
SIZE 1/2"
- STING12MZ**  
SIZE 1/2" Zinc
- STING34M**  
SIZE 3/4"
- STING1M**  
SIZE 1"

## Screws Wood Screw #6



- STING1W**  
SIZE 1"
- STING158W**  
SIZE 1 5/8"
- STING2W**  
SIZE 2"

## Screws Metal Piercing #6



- STING34**  
SIZE 3/4"
- STING1**  
SIZE 1"
- STING114**  
SIZE 1 1/4"
- STING158**  
SIZE 1 5/8"
- STING2**  
SIZE 2"
- STING3**  
SIZE 3"

## Screws Pan Head #86



- PPH14**  
SIZE 1/4"
- PPH12**  
SIZE 1/2"
- PPH1**  
SIZE 1"
- PPH2**  
SIZE 2"
- PPH34**  
SIZE 3/4"
- PPH112**  
SIZE 1 1/2"
- PPH3**  
SIZE 3"





# Screws / Hardware

Screws Caps Camouflage  
2 Pieces Plastic




**CAMSBLK**      **CAMSGRY**

Low Profile  
press-on (drywall or wood screws)



**TCAPBLK**

Spacers  
3/8 Hole, 5/8 Diameter  
(use for amplifiers)



<b>SPACER1116</b>	<b>SPACER12</b>	<b>SPACER14</b>
<i>DESCRIPTION</i>	<i>DESCRIPTION</i>	<i>DESCRIPTION</i>
Blue	Black	Green
<i>LENGTH</i>	<i>LENGTH</i>	<i>LENGTH</i>
11/16	1/2	1/4

Trim Rings & Washers



**TR8**  
*DESCRIPTION*  
#8 Black Metal



**MINIWASH**  
*DESCRIPTION*  
flat #8 black metal washer



**LW8**  
*DESCRIPTION*  
external #8 screw



**LW10**  
*DESCRIPTION*  
external #10 screw



**LW10IE**  
*DESCRIPTION*  
internal/external #10



**WASH**  
*DESCRIPTION*  
3/8" ID hole 13/16" OD



**WASH14**  
*DESCRIPTION*  
5/16" ID & 3/4" OD

Fuse Blocks  
ATC-Style



**ATCFB6**  
*DESCRIPTION*  
6-way

**ATCFB12**  
*DESCRIPTION*  
12-wa

Backstraps

**BS9**  
*SIZE*  
9"



**BS13**  
*SIZE*  
13"



**BS18**  
*SIZE*  
18"



Fuse Taps




**FTB**  
*DESCRIPTION*  
ATC

**MFTB**  
*DESCRIPTION*  
ATM

# Fuse Holders / Fuses



Fuse Holders  
ATM-MINI Style  
Fuse not included




**ATMFH12**  
*DESCRIPTION*  
12ga in-line

Fuse Holders  
MAXI-Style  
Fuse not included



**MAXFH8**  
*DESCRIPTION*  
8ga in-line

Fuse Holders  
ATC-Style  
Fuse not included



**ATCFH10**  
*DESCRIPTION*  
10ga in-line

**ATCFH12**  
*DESCRIPTION*  
12ga in-line

**ATCFH16**  
*DESCRIPTION*  
16ga in-line

**ATCFH18**  
*DESCRIPTION*  
18ga in-line

Trim Rings & Washers



**TR8**  
*DESCRIPTION*  
#8 Black Metal



**MINIWASH**  
*DESCRIPTION*  
flat #8 black metal washer



**LW8**  
*DESCRIPTION*  
external #8 screw



**LW10**  
*DESCRIPTION*  
external #10 screw



**LW10IE**  
*DESCRIPTION*  
internal/external #10



**WASH**  
*DESCRIPTION*  
3/8" ID hole 13/16" OD



**WASH14**  
*DESCRIPTION*  
5/16" ID & 3/4" OD

Fuse Blocks  
ATC-Style



**ATCFB6**  
*DESCRIPTION*  
6-way

**ATCFB12**  
*DESCRIPTION*  
12-wa

ATL MICRO FUSE  
3-LEG 5/PACK



**ATL5**  
*DESCRIPTION*  
5A

**ATL10**  
*DESCRIPTION*  
10A

**ATL7.5**  
*DESCRIPTION*  
7.5

**ATL15**  
*DESCRIPTION*  
15A

Add a Fuse



**ATCAF**  
*DESCRIPTION*  
ATC Style

**ATMAF**  
*DESCRIPTION*  
ATM Style

ATC  
Bussmann made/ Economy



**ATC1** Bussmann made  
*DESCRIPTION*  
1amp  
Pack/5

**ATC** Bussmann made  
*DESCRIPTION*  
5, 7.5, 10, 15, 20, 25, 30, 40  
Pack/25

**ATC J** Economy  
*DESCRIPTION*  
5, 7.5, 10, 15, 20, 25, 30, 40  
Pack/25

Backstraps

**BS9**  
*SIZE*  
9"



**BS13**  
*SIZE*  
13"



**BS18**  
*SIZE*  
18"



Fuse Taps



**FTB**  
*DESCRIPTION*  
ATC

**MFTB**  
*DESCRIPTION*  
ATM

ATM Mini Fuse  
Bussmann made/ Economy



**ATM** Bussmann made  
*DESCRIPTION*  
2, 3, 5, 7.5, 10, 15, 20, 25, 30  
Pack/25

**ATM J** Economy  
*DESCRIPTION*  
0, 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30  
Pack/25

ATMLP



**ATMLP**  
*DESCRIPTION*  
7.5, 10, 15, 20, 25, 30  
Pack/25

FMX



**FMX**  
*DESCRIPTION*  
20, 30, 40, 50, 60  
Sold Individually



# Fuses

AGU - Stinger  
Retail package, chrome



**SPF51 B**  
DESCRIPTION  
40, 50, 60, 80

AGU



**AGU60B**  
DESCRIPTION  
60A Bulk/20

**AGU80B**  
DESCRIPTION  
80A Bulk/20

MAXI - Stinger



**SPF56 B**  
DESCRIPTION  
50, 60, 70, 80, 100  
Bulk/20

**SPF56**  
DESCRIPTION  
20, 30, 40, 50, 60, 70, 80, 100  
Retail

GM Battery Terminals  
Retail Package



**GMBATT**  
DESCRIPTION  
brass-bulk  
LENGTH  
7/16"

MIDI - Stinger  
Stinger retail package



**SPF58**  
DESCRIPTION  
30, 40, 50, 60, 70, 80, 100, 125, 150, 175

Midi - 10 pack



**MIDI80B**  
DESCRIPTION  
30, 40, 50, 60, 70, 80, 100, 125, 150

Circuit Breakers - Stinger  
Retail Package, manual reset



**SGP90**  
DESCRIPTION  
50, 80, 100, 135, 150, 200, 250, 300

Flex Loom Tubing

**FLT18**  
DESCRIPTION  
1/8"

**FLT14**  
DESCRIPTION  
1/4"

**FLT38**  
DESCRIPTION  
3/8"

**FLT12**  
DESCRIPTION  
1/2"

**FLT58**  
DESCRIPTION  
5/8"

**FLT34**  
DESCRIPTION  
3/4"

**FLT10**  
DESCRIPTION  
1"



ANL -  
Retail package, chrome



**ANL**  
DESCRIPTION  
80, 100, 150, 200, 250, 300

ANL  
Bulk / 20



**SPF56 B**  
DESCRIPTION  
50, 60, 70, 80, 100

Circuit Breaker  
Retail package



**SQCB**  
DESCRIPTION  
100, 150, 200, 300

Wire Management / Tubing

Expandable - Lightweight, high temperature, expandable jacketing for bundling and protecting wires and cables

**EXTUB18B**  
DESCRIPTION  
1/8" black

**EXTUB25B**  
DESCRIPTION  
1/4" black

**EXTUB05B**  
DESCRIPTION  
1/2" black


**EXTUB75B**  
DESCRIPTION  
3/4" black



Flexo-6

**EXTUB612**  
DESCRIPTION  
1/2" black

**EXTUB634**  
DESCRIPTION  
3/4" black



Nylon braided tubing that wraps wire like loom.



# Wire Management



# Tape

Custom Wire Holders  
Holds two cables



**SWT0B**  
DESCRIPTION  
0ga wire

**SWT4B**  
DESCRIPTION  
4ga wire

Cable Clamps  
black nylon



**CC18**  
DESCRIPTION  
1/8"

**CC14**  
DESCRIPTION  
1/4"

**CC38**  
DESCRIPTION  
3/8"

**CC12**  
DESCRIPTION  
1/2"

**CC34**  
DESCRIPTION  
3/4"

**CC1**  
DESCRIPTION  
1"

High Amp Quick Disconnects



**SQD0**  
DESCRIPTION  
0ga

**SQD4**  
DESCRIPTION  
4ga

**SQD8**  
DESCRIPTION  
8ga

Electric Tape



**ATAPE**  
3M# DESCRIPTION  
n/a AAMP UL3/4"x66"



**3MTEMFLEX**  
3M# DESCRIPTION  
69764 3M temflex 1700 3/4"x60"



**3MTAPE**  
3M# DESCRIPTION  
49656 3M tartan 1710 3/4"x52"



**SUPER33**  
3M# DESCRIPTION  
06133 3M super 33 3/4"x52"

PRO Grommets  
with water resistant lining



**PG34**  
WIRE HD ID  
1/0ga 1" 3/4"

**PG12**  
WIRE HD ID  
2-4ga 7/8" 1/2"

Truck Accordion Boot  
For pickup truck pass  
through installations



**TABOOT**  
DESCRIPTION  
15' section

Hole Cover  
Black rubber



**HOLECOVER**  
DESCRIPTION  
3/4" hole

Double Sided Acrylic Foam



**3MRTAPE**  
3M# DESCRIPTION  
06385 grey 1/4" x 5yds



**3MRTAPEW**  
3M# DESCRIPTION  
06384 1/2" x 5yds,  
1.2mm thick



**DBLTAPE1**  
3M# DESCRIPTION  
14558 1" x 36yds,  
1.2mm thick

Duct



**DTAPEB**  
DESCRIPTION  
black 2"x 60'

Snap Bushing  
Convert raw-edged holes into smooth insulated ones



**BSB18**  
FOR WIRE GA  
16-18ga  
Manuf.Ref. Hole Size Dia  
MP2502 1/4" 1/8"

**BSB316**  
FOR WIRE GA  
10-12ga  
Manuf.Ref. Hole Size Dia  
MP3123 5/16" 3/16"

**BSB516**  
FOR WIRE GA  
8ga  
Manuf.Ref. Hole Size Dia  
MP4375 7/16" 5/16"

**BSB12**  
FOR WIRE GA  
4ga  
Manuf.Ref. Hole Size Dia  
MP6257 5/8" 1/2"

**BSB3964**  
FOR WIRE GA  
2ga  
Manuf.Ref. Hole Size Dia  
MP7509 3/4" 39/64"

**BSB34**  
FOR WIRE GA  
9ga  
Manuf.Ref. Hole Size Dia  
MP8711 7/8" 3/4"

**BSB1**  
FOR WIRE GA  
0ga w/loom  
Manuf.Ref. Size Dia  
MP10012 1" 7/8"

**BSB38**  
FOR WIRE GA  
6ga  
Manuf.Ref. Hole Size Dia  
MP5006 1/2" 3/8"

Masking Tape



**3MMASKG2**  
DESCRIPTION  
2" green

Window-Weld  
Auto glass replacement kit



**3MWWKIT**  
DESCRIPTION  
3/8" x 15ft roll



Double Sided  
Kent Type, good for routing

**KT34000**  
DESCRIPTION  
1/4" x 50'

**KT40519**  
DESCRIPTION  
1/2" x 50'

**KT12220**  
DESCRIPTION  
1" x 50' .045 thick



Tesa Tape



**Tesa 51608**  
DESCRIPTION  
PET interior wire harness Fleece Tape,  
3/4" x 82' /19mm x 25m

Note: New parts being added,ask your AAMP representative



Relay  
40A relay



**RELAYN**  
DESCRIPTION  
Sold in lots of 20

Relay  
40A relay by Panasonic



**PBRELAY**

Relay  
40A relay with resistor



**RELAY40SP**

Adhesion Promoter  
Adhesion promoter for acrylic foam tape



**3MADHPRO**  
DESCRIPTION  
3M Adhesion Promoter

3M™ Velcro  
Black Velcro adhesive back.  
Cut to order

Velcro PART	DESCRIPTION
VELCRO1	Combination of hook and loop
VELCRO1H	1" w, hook side
VELCRO1L	1" w, loop side
VELCRO2	Combination of hook and loop
VELCRO2H	2" w, hook side
VELCRO2L	2" w, loop side
MGV	1" monster grip

5x stronger than normal velcro




Hook (hard side)



Loop (soft side)

Relay Sockets



**BRS007**  
DESCRIPTION  
5 wire 24" long

**DLS**  
DESCRIPTION  
dual relay

Switches  
SPST On / Off




**SW5**  
DESCRIPTION  
20A heavy duty toggle

Switch  
3A mini



**SW18**

Resistors - 5 pack  
Variable resistor pack



**VR5**  
DESCRIPTION  
variable resistor

Relay  
30A relay and socket



**8617**

Relay  
40A relay



**RELAYC**

Relay  
30A relay by Tyco



**BOSCH**

Switch  
3A mini mag, closed



**MMTS**

Switch  
3A mercury



**MSWC**

Switch  
3A valet



**VSW**



# Security Accessories / Switches

# Trunk Release Kits / Solenoids



Round rocker  
SPST on/off, 10A, 13/16" hole



PART	DESCRIPTION
RRSW1	non-illuminated
RRSW1L	red LED
RRSW1LB	blue LED

Round rocker w/cable  
5/8", 9/16" hole non-illuminated



RRSW1M

Pin switch brackets  
straight / right angle



PSMB PSMBRA

Universal trunk release kit  
Includes switch and hardware




PT1000

Pin switches  
5/8", 9/16" hole non-illuminated



<b>PSW1</b> <i>DESCRIPTION</i> super switch	<b>PSW3</b> <i>DESCRIPTION</i> rubber switch w/boot	<b>PSW14</b> <i>DESCRIPTION</i> Adjustable long pin switch	<b>PSW16</b> <i>DESCRIPTION</i> sliding van door switch kit
---	---	--	---

Diodes  
bag/20



<b>POWERD1</b> <i>DESCRIPTION</i> 1A (IN4002)	<b>POWERD3</b> <i>DESCRIPTION</i> 3A (IN5402)	<b>POWERD6</b> <i>DESCRIPTION</i> 6A (6A6)
---	---	--

Solenoid  
Mini heavy duty 60lb with hardware



SOLEN03

Actuator Bracket  
Mount bracket for ACME actuator



ACTBRK1

Actuator Switches



ACTSSW

Batteries



<b>BATTERY1</b> <i>DESCRIPTION</i> 12V alkaline (L1028)	<b>BATTERY2</b> <i>DESCRIPTION</i> mini 12V alkaline (L828)	<b>BATTERY3</b> <i>DESCRIPTION</i> lithium battery (CR2025)	<b>BATTERY4</b> <i>DESCRIPTION</i> 3V lithium battery (CR2032)	<b>BATTERY5</b> <i>DESCRIPTION</i> 3V lithium battery (CR2016)	<b>BATTERY6</b> <i>DESCRIPTION</i> AA battery	<b>BATTERY7</b> <i>DESCRIPTION</i> AAA battery
---	---	---	--	--	---	--

ACME Drive Actuators  
ACTBRK1 X 2 Included

- Acme Actuator Specifications:
- Travel speed 1in / 2.6cm per second
  - Steel ACME drive / Aluminum outer housing
  - Built in stop switches

- 3.1 amps at 12V maximum current draw at full load
- Clevis style mounting for easy installation
- Extremely compact design
- 90 day warranty
- Strength rating 75 lbs. / 34 kg.
- Speed 1in / 2.6cm per second

Actuators

PART	TRAVEL LENGTH	COMPRESSED	EXPANDED
ACTA002	2"	6 1/8"	10 1/8"
ACTA004	4"	8 1/8"	12 1/8"
ACTA006	6"	10 3/8"	16 3/8"
ACTA008	8"	12 1/4"	20 1/4"
ACTA010	10"	14 1/8"	24 1/8"
ACTA012	12"	16 1/8"	28 1/8"
ACTA014	14"	18 1/4"	32 1/4"
ACTA018	18"	22 1/4"	36 1/4"





# Actuators

Power Door Lock Actuators



**DS2**  
*DESCRIPTION*  
two wire w/hardware

Power Door Lock Actuators HARADA




**DLA01**  
*DESCRIPTION*  
two wire weather resistant, auto/reset circuit

Power Door Lock Actuators Slim mount




**DL5002**  
*DESCRIPTION*  
with swivel tip

Power Door Lock Actuators Mini




**DL8002**  
*DESCRIPTION*  
mini 3.25" x 2" x 1.125"

Power Door Lock Actuators SPAL Two Wire



**SP37000007**  
*DESCRIPTION*  
heavy duty

Actuator Bracket



**DLCBLK**  
*DESCRIPTION*  
for cable style door lock

Door Lock Kits Two Door  
2 high power actuators Relay pack, wiring harness & hardware  
Includes 1 switch



**APDLK2**

Door Lock Kits 4 high power actuators Relay pack, wiring harness & hardware  
Includes 1 switch



**APDLK4**

# Actuators / Door Lock Kits



Door Lock Switches Universal



**APDS**  
*DESCRIPTION*  
universal momentary

Door Lock Switches SPAL



**SP37000050**

Window Switch Kits Illuminated SPAL  
Wire harness included  
Universal Two Switch



**SP33040041**  
*DESCRIPTION*  
universal

Window Switch Kits Illuminated SPAL  
Wire harness included  
Universal Three Switch



**SP330400127**  
*DESCRIPTION*  
universal

Window Switch Kits Illuminated SPAL  
Wire harness included  
Pod Style Three Switch



**SP33040167**

Window Switch Kits Illuminated SPAL  
Wire harness included  
Pod Style Three Switch



**SP33040188**

Window Switch Kits Illuminated SPAL  
Wire harness included  
Recesses Bezel Three Switch



**SP33040147**  
Single replacement switch  
SP17400095



# Power Window Switch Kits

Window Switch Kits Illuminated  
SPAL  
Wire harness included  
Recesses Bezel Three Switch



**SP33040162**  
DESCRIPTION  
push/pull switches

Single replacement switch



**SP17400110**

Window Switch Kits Illuminated  
SPAL  
Wire harness included  
Raised Bezel Three Switch



**SP33040128**

Window Switch Kits Illuminated  
SPAL  
Wire harness included  
Four Door Pod Style



**SP33040241**

Single replacement switch




**SP17400049**

Single replacement switch for SP33040128



**SP1700099**

SPAL Power Window Kits  
Deluxe  
Quieter, more powerful motors, transmissions and hardware,  
includes emergency handle (switches not included)



**SP33000030**

Replacement Hardware



**SP33010137**  
DESCRIPTION  
Motor Assembly For Sp33000030

Replacement Hardware  
Transmission



**SP33010027**  
DESCRIPTION  
transmission

3M™ Strip Calk  
Soft, non-hardening calking material  
in 60 one-foot lengths



**3MCalk**  
DESCRIPTION  
08578

Fiberglass Hardener




**FGHARD80Z**  
DESCRIPTION  
8oz bottle

Fiberglass Resins



**FGRESIN**  
DESCRIPTION 1Gallon  
Includes (2) 40cc tubes of hardener

Fiberglass Mat 36" x 50"



**FGMAT15**  
DESCRIPTION  
1.5oz chop

**FGMAT155**  
DESCRIPTION  
1.5oz chop 5yd

**FGMAT18S**  
DESCRIPTION  
1.8oz stitched

Duraglas



**FGDURAG**  
DESCRIPTION  
resin & short fiber mix

Mold Fabric 36" x 60" wide



**FGMODF**  
DESCRIPTION  
14oz

**FGMODFM**  
DESCRIPTION  
7oz micro

Glasses



**SAFGBBI**  
DESCRIPTION  
black frame/blue lens

Measuring Cup



**FGCUP**  
DESCRIPTION  
mixing cup 1000ml /1qt



### Chip Brushes/Spreaders



PART	DESCRIPTION
FGBR1	brush 1"w
FGBR2	brush 2"w
FGSPD4	mixing spreader 4"x5"
FGMIXBRD	mixing board sheets for body filler (100)

### 3M DURAMIX



<b>DU4240</b>	<b>DESCRIPTION</b>
	semi-ridged plastic ABS
<b>DU4247</b>	<b>DESCRIPTION</b>
	super fast adhesive

### Epoxy




<b>EPX5M</b>	<b>DESCRIPTION</b>
	2oz 5 minute epoxy

### Low heat plastic sheet



<b>LHP1824</b>	<b>DESCRIPTION</b>
	1/8" 24" x 32"
<b>LHP1848</b>	<b>DESCRIPTION</b>
	1/8" 48" x 32"

### ABS Plastic Sheet (black)



PART	DESCRIPTION
ABS12T	1/16" 12"x12" thin
PL2	1/8" 12"x12" moldable
GRIDABS	1/8" 12"x12" waffle-gridded
ABS12	1/8" 12"x12"
ABS01816	1/8" 16"x32"
ABS01824	1/8" 24"x32"
ABS1214	1/4" 12"x12"
ABS01424	1/4" 24"x32"
ABS01448	1/4" 32"x48"

### Dispenser Gun

All 3M™ 200ml AUTOMIX™ & DURAMIX™ cartridges with 1-1 or 2-1 mix ratios. Heavy duty metal construction. Rod driven for balanced product dispensing.



<b>DUDISP</b>	<b>DESCRIPTION</b>
	dispenser gun



<b>DUTIPS6</b>	<b>DESCRIPTION</b>
	6 replacement tips

### Protective Plastic Wrap


36" x 100ft



<b>SBWRAP</b>	
---------------	--

### Plexiglass

PART	DESCRIPTION
PCL1824	1/8" clear 24"x32"
PCL1416	1/4" clear 16"x32"
PCL1424	1/4" clear 24"x32"
PCL1448	1/4" clear 48"x32"
PCL3816	3/8" clear 16"x32"
PCL3824	3/8" clear 24"x32"
PCL3848	3/8" clear 48"x32"
PCL1216	1/2" clear 16"x32"
PCL1224	1/2" clear 24"x32"
PCL1248	1/2" clear 48"x32"
PCL3416	3/4" clear 16"x32"
PCL3424	3/4" clear 24"x32"
PCL3448	3/4" clear 48"x32"
MIR24CLR	1/8" mirrored 24"x32"



### Bendable Plywood-1/8" and 3/8"

Unlimited installation flexibility. Curves, corners, S-shapes and unusual forms are easily produced.



PART	DESCRIPTION
BENDY	18 32"x48" x 1/8" thick
BENDY	38 32"x48" x 3/8" thick

### ABS Rod



PART	DESCRIPTION
ABSROD14	.250dia x 5' length
ABSROD38	.375dia x 5' length






# ABS / Grill metal / Adhesives

# Adhesives/Glue



### GRILL METAL Heavy Metal Perforated Steel



PART	DESCRIPTION
16ga	
GRLHD14	Perf. 14"x24"
GRLHD16	Perf. 16"x32"
GRLHD32	Perf. 32"x48"

### Fidelity



PART	DESCRIPTION
23ga	
GRLFL16	Perf. 16"x32"

### ABS Grill



PART	DESCRIPTION
ABSG24	24"x 0" (w/out cloth)
ABSG24C	24"x30" (w/cloth)

### Silicone Sealer (RTV Silicone)



PART	DESCRIPTION
SILCLR	clear cartridge
SILBLK	black cartridge

### Adhesive Cleaner (08984)



**3MGPAC**  
DESCRIPTION  
general purpose

### Spray Adhesive



PART	DESCRIPTION
SAS	Stinger all purpose spray adhesive, 3-way adjustable nozzle
ADH225	SP high temp adhesive aerosol 16oz

### Select Speed Glue cyanoacrylate

PART	DESCRIPTION
ADHSP5	5 sec 2oz
ADHSP58	5 sec 8oz
ADHSP10	10 sec 2oz
ADHSP108	10 sec 8oz
ADHSP116	10 sec 16oz
<b>GAP FILLER</b>	
ADHSP30	30 sec 2oz
ADHSP308	30 sec 8oz
ADHSP316	30 sec 16oz
ADHSPEX	flex agent. "black" 2oz




### Empty Bottles / Pump



PART	DESCRIPTION
ADHSPN4	pump sprayer for 8oz bottle
ADHSPCAP2	bottle & cap for adhesive 2oz
ADHSPDB8	activator bottle 8oz

### Glue Sticks 12" Sticks, 12 per pack



PART	DESCRIPTION
HGWHT	white
HGBLK	black
HGOEM	yellow

### Acrysol Spray Solvent 16 oz



**KT60170**

### Activators Instant activator



PART	DESCRIPTION
ADHSPD2	2oz pump
ADHSPD8	8oz pump
ADHSPDQT	10oz aerosol*

### Contact Cement DAP upholstery adhesive yellow-clear



PART	DESCRIPTION
ADHDAP1C	1gal
ADHDAP1C-KIT	1gal includes FGLID1G
ADHDAP5	5gal
<b>Note: Cannot ship by air.</b>	
FGLID1G	DESCRIPTION
1 gallon flip-top paint can lid	

### DAP™ Carpenter's Glue



PART	DESCRIPTION
GLUEW1GAL	1gal



PART	DESCRIPTION
COLC15013	Landau Black
COLC15243	Satin Black

PART	DESCRIPTION
SUFBLK3	black suede look w/ 3oz adhesive



## CARPET /TRUNKLINER

## Multi-pile

40" wide, 50 yd full roll or 5 yd mini roll

PART	DESCRIPTION
SM_	BLK, CHAR, PARCH

## Trunkliner

54" wide, 50 yd full roll or cut in 5 yd increments

PART	DESCRIPTION
STL_	black, charcoal, heather charcoal

## Ensemble

72" wide, 50 yd full roll or cut in 5 yd increments (latex backed)

PART	DESCRIPTION
SE_	black, charcoal

## VINYL/SUEDE

54" wide, cut to order

Carbon Fiber Series (carbon fiber look)

PART	DESCRIPTION
CFV_	black, ebony, quick silver

## Monte Carlo Series (fine grain texture)

54" wide, 50 yd full roll or cut in 5 yd increments

PART	DESCRIPTION
MCV_	black, Mercedes anthracite

## Miami Series (wider grain texture)

72" wide, 50 yd full roll or cut in 5 yd increments (latex backed)


PART	DESCRIPTION
MIV_	grey (dark), ivory (tan), arctic white, moon lake, Hblack

## Comfort Suede


suede look

PART	DESCRIPTION
CSUEDE_	onyx, charcoal, grey


## Multi-Pile




## Trunkliner




## Ensemble



## Carbon Fiber Series




## Monte Carlo Series



## Miami Series



## Comfort Suede



## SPEAKER BOX ACCESSORIES

## Speaker Terminal Cups

All models require 1 7/8" round mounting hole.

PART	DESCRIPTION
RTC	round cup
STC	square cup, foam backed
BPOST	round cup with 4 screw holes



## Quality Speaker Terminal Cups

Accepts up to 8ga speaker cable.

PART	DESCRIPTION
BPR	nickel 2 7/8" round hole
BPS	square nickel 2" x 2 3/4" hole
BPRG	gold 2 7/8" round hole
BPSG	square gold 2" x 2 3/4" hole



## Precision Sound Ports

Each kit contains inside and outside flanges and 12" port tube. Tubes are cuttable.

PART	DESCRIPTION
PSP3 3"	prec sound port 3"-17" tube
PSP4 4"	prec sound port 4"-17" tube
PSP6 6"	precision sound port 6" x 12" tube



## BEST KITS SPEAKER GRILLS

## Waffle Grills

PART	DESCRIPTION
SG10	10"
SG12	12"



## Phillips Truss Head Screw

for Clamps

PART	DESCRIPTION
PTH101	#10-1"



## Clamps

PART	DESCRIPTION
CLAMP	



## Metal Mesh

Fine mesh style, black metal.

Two piece grill snaps on the mounting ring.

PART	DESCRIPTION
MGR6050	6 1/2"
MGR80	8"
MGR10	10"
MGR12	12"

**Not for Long throw woofers.**


## BULK SPEAKER

PART	DESCRIPTION
BU6128	6 1/2" round 6oz magnet





### CAPACITORS -- Bulk bag of 10) Electrolytic non-polar 100 volt +/-10%



PART
A3.3
A4.7
A47
A99
A199

### BANANA PLUGS



**IW16PLUG**  
DESCRIPTION  
8/red 8/black crimp style

### ACOUSTIC BAFFLES (pairs)



**Round**

PART	DESCRIPTION
VXT40	4"
VXT55	5 1/4"
VXT60	6 1/2" (4 1/2" deep)
VXT62	6 1/2" (3" deep)
VXT65	6 1/2" (3 1/4" deep)



**Oval**


PART	DESCRIPTION
VXT57	5 x 7"
VXT69	6 x 9"

### CIGARETTE LIGHTERS / ADAPTERS



PART	SIZE
CIG12V	flush mount socket w/cover
P312X	Y adaptor male to 3 female
SGPV2	game plate

### UNIVERSAL BRACKETS



**16ga**

PART	SIZE
UB2B	2 3/8"
UB3B	3 1/2"



### BULK RCA CABLES

Sound Quest  
Shielded cable design, gold plated ends

PART	SIZE
SQIB3	3'
SQIB6	6'
SQIB12	12'
SQIB17	17'
SQIB20	20'
SQIBY2F	female Y
SQIBY2M	male Y



Gold Tip RCA Patchcords  
High quality and individually banded with length indicator



PART	SIZE
BGRCA1	1'
BGRCA3	3'
BGRCA6	6'
BGRCA9	9'
BGRCA12	12'
BGRCA15	15'
BGRCA20	20'
BGY2M	2m, 1f 6.5"
BGY2F	2f, 1m

### NICKEL TIP RCA Y ADAPTERS



**BY2M**  
DESCRIPTION  
2M, 1F 6.5"



**BY2F**  
DESCRIPTION  
2F, 1M 6.5"



A/V Cables  
Individually banded with length indicator.  
75 ohm video.

PART	SIZE
BGAV6	6'
BGAV9	9'
BGAV12	12'
BGAV17	17'
BGAV25	25'

PX3525



AC132X



AC3WX



AC3WR6



AV353



### 3.5mm Cables

PART	SIZE
AC132X	3.5mm male to 3.5mm female stereo 6'
AC3K72X	3.5mm stereo mini to FRCA 6'
AC3WX	3.5mm stereo mini to MRCA 6"
AC3WR6	3.5mm stereo right angle mini to 2m RCA 6"
PX3525	3.5mm to 2.5mm stereo
AV353	3.5mm (4 step) A/V to RCA females

### BULK SPLICES



**RCAM**  
DESCRIPTION  
nickel male



**RCAS**  
DESCRIPTION  
nickel female



**GRCAM**  
DESCRIPTION  
gold male



**GRCAS**  
DESCRIPTION  
gold female



**IN-WALL HOME WIRE**  
 16/2 Hi-Strand Speaker Cable  
 (UL) CL3 & FT.4 Ratings, copper  
 conductor



PART	DESCRIPTION
SCL1625WH	2x16AWG
SCL1645WH	4x16AWG

**HDMI™ V2.0 AUDIO  
 & VIDEO CABLES**



PART	DESCRIPTION
AHD314	3'
AHD614	6'
AHD1214	12'
AHD2514	25'
AHD3514	35'
AHD5014	50'

**LOW VOLTAGE DEVICE  
 MOUNTING BRACKET**

Adjusts to fit 1/4" to 1"  
 Wing flips up when mounting screw  
 is tightened for a secure mount



PART	DESCRIPTION
LV1	single

Low voltage class 2 only!

## Notes:

**SINGLE GANG**

Plate approx. hole size 1 1/4" x 1"



PART	DESCRIPTION
WPBWWX	white

**WALL PLATES 2 PIECE COVERTABLE**

PART	DESCRIPTION
120614X	white



**2-Gang pass-thru wallplate**

PART	DESCRIPTION
120624	white





**Tools**

**Tools**



# Drivers / Crimping Tools

**Pro Screw Driver Kit**  
156 possible combinations.  
Case included



**PRST2**

**Pro Driver**  
90° head. Detachable body Includes  
two Philips and two slotted



**PRO**  
Not for power drills

**Ratcheting Driver**  
105° head. Heavy duty angle driver



**HD105**  
Built for use in drills

**Radio removal tool kit (18pc)**  
Includes: straight pick, fullhook, right  
angle hook and small angle hook  
Knurled metal screw



**STRADKIT**

**Radio removal tool (Euro)**  
with quick disconnect key rings



**TL-RRG**

**Radio removal tool (Ford)**



**TL-RRF**

**KLEIN**  
Crimping/cutting tool  
for non-insulated terminals



**KL1006**

**KLEIN (Thin nose)**  
Crimping/cutting tool for insulated  
and non-insulated terminals



**KL1005**

**KLEIN**  
Multi-purpose wire stripper/cutter



**KL1011**

**Pry tools set (soft)**  
4pc kit



**SPWANDS**

**Pry tools set (pro)**  
7pc kit



**SPWANDP**

**Pry tools set (xtreme)**  
11pc kit fiberglass reinforced



**SPWANDX**

**Crimp Station**  
Heavy duty for large gauges  
6 - 4/0ga



**CRIMPSTATION**

**KLEIN**  
Wire stripper/cutter  
Adjustable for small wire 12ga - 26ga



**KN1004**

**Self-Adjusting  
Stripper/cutter**  
Adjustable 0.5mm to 6mm



**VTSTRIP**

**Pry tools starter set**  
4pc kit



**SPWAND**

**Lisle panel popper**



**L35400**


**Wire insert tool**  
Accepts up to 10ga wire



**WT.3038**



Plastic fish tape  
Approximately 3ft long



**DASHNAKE**

Dash trim removal tool



**DASHTRT**

Fender cover (Stinger)  
Heavy duty vinyl  
with padded backing 34 1/2" x 24"



**SFEN**

Razor blades (1")  
100 single edge blades



**SBLADES**

3M ROLOC Disc  
Flex-Loc with sub header Premium  
ceramic alumina abrasive



**3MRODISC**  
*DESCRIPTION*  
3"50 grit

Pro Glue Gun  
HE-750



**SGG750**

Solder (1lb spool)  
60/40, 8mm diameter



**SOLDER**

OLFA stainless steel cutter  
Retractable blade



**OTC**

OLFA replacement blades



**50 stainless steel blades**

Sanding 6" Discs  
(roll/50)

**SD640**  
*STAPLES*  
40 Grit

**SD680**  
*DESCRIPTION*  
80 Grit

**SD6100**  
*STAPLES*  
100 grit

**SD6120**  
*DESCRIPTION*  
120 grit

**SD6220**  
*DESCRIPTION*  
220 grit

**SD6400**  
*DESCRIPTION*  
400 grit



**KTSB01**

13 hole sizes - 1/32" increments from  
a 1/8" to 1/2" hole diameter



**KTSB03**

9 hole sizes - 1/16" increments from a  
1/4" to 3/4" hole diameter



Upolstery staple gun  
1/4" and 1/2" Shank



**STG401**

Staples - Box of 25,000

**STGS18**  
*DESCRIPTION*  
1/8"

**STGS14**  
*DESCRIPTION*  
1/4"

**STGS12**  
*DESCRIPTION*  
1/2"

Utility knife blade dispenser  
100 blades



**BLADEUTK**

Spiral Flush Trim Bits  
1/4" and 1/2" Shank

**R12004**  
*CutDia* *CutLg* *ShankDia* *QaLg*  
1/4" 1" 1/4" 2 1/2"

**R46300**  
*CutDia* *CutLg* *ShankDia* *QaLg*  
1/2" 1 1/4" 1/2" 3"

**R46304**  
*CutDia* *CutLg* *ShankDia* *QaLg*  
1/2" 2" 1/2" 3 3/4"



Spiral Plunge Bits  
1/4" and 1/2" Shank



**R46316**  
*CutDia* *CutLg* *ShankDia* *QaLg*  
1/4" 1 1/8" 1/4" 3"



## Bearing set

Includes 4 bearings, hex key, washer and screw



RA6000

## Rabbeting Sets

Includes: Bit, 8 bearings, and Hex key



## RA49340

Dia	Cut Lg	Shank Dia	OA L.
1 3/8"	1/2"	1/4"	2

## RA49350

Dia	Cut Lg	Shank Dia	OA L.
1 3/8"	1/2"	1/2"	2 3/8"



## Tone Generator (PAC)

Plug in RCA tester | Auto off (5 min)  
Voltage adjust 0 to 8V Speaker  
and preamp output 9 volt battery  
included Frequency adjust 13hz to  
10 khz



TL-PTG2

## Flush trim bits

1/4" and 1/2" Shank 2 and 3 flute

## R47092

CutDia	CutLg	ShankDia	QaLg
1/4"	1"	1/4"	2 1/2"



1/2" diameter for production cutting

## R47108

CutDia	CutLg	ShankDia	QaLg
1/2"	1"	1/2"	3 1/4"



## R47126-2

CutDia	CutLg	ShankDia	QaLg
1/2"	2"	1/2"	4 1/4"



3/4" and 1/2" Shank

## R45463

CutDia	CutLg	ShankDia	QaLg
3/4"	1"	1/2"	3"



## R45460S

CutDia	CutLg	ShankDia	QaLg
1/2"	1/4"	1/4"	NA



## Solid carbide bits - chamfer

1/4" and 1/2" Shank 2 and 3 flute

## R49402

Angle	L Dia	Carbide H.	Cut Lg	Shank Dia	OA L.
45°	1/4"	1/2"	5/8"	1/2"	



Corner rounding 1/4" and 1/2" shank

## R49504

Radius	L Dia	Carbide H.	Shank Dia	OA L.
1/4	1"	1/2"	1/4"	2



## R49516

Radius	L Dia	Carbide H.	Shank Dia	OA L.
1/2	1 1/2"	3/4"	1/4"	2 1/4"



## R49516

Radius	L Dia	Carbide H.	Shank Dia	OA L.
1/2	1 1/2"	3/4"	1/2"	2 5/8"







**PAC-audio.com**  
**Facebook.com/AAMP**  
**Support@AAMPglobal.com**  
**888-228-5560**