


ASTER 4"

INTERCHANGEABLE MODULE



ITEM	G-10020		
DESCRIPTION	M4/15W/WS2/LED/5CCT	CRI	90>
COLOR TEMP	27, 30, 35, 41, 50k	mA	350/210mA
OUTPUT LUMEN	1550/950	OUTPUT VOLTS	33-38V
BEAM ANGLE	40° Clear (Default)	IC RATED	Yes
INPUT VOLTS	120-277	DIMMABLE	Triac or 0-10V
WATTAGE	15/9W	PACKED	12

ITEM	G-10020		
DESCRIPTION	M4/32W/WS2/LED/5CCT	CRI	90>
COLOR TEMP	27, 30, 35, 41, 50k	mA	765/495mA
OUTPUT LUMEN	3000/2000	OUTPUT VOLTS	33-38V
BEAM ANGLE	60° Clear (Default)	IC RATED	Only at 20W
INPUT VOLTS	120-277	DIMMABLE	Triac or 0-10V
WATTAGE	32/20W	PACKED	6

Content

Aster 4" Interchangeable Module	1
Lens Options	2
Accessories	2
Trims	3
Trimless	4
Wall Wash	5
Driver Box	5
Millwork Trimless	6
Dimmer List	6



Interchangeable
lens



Dimmable:
Down to 5%



Lifetime:
50,000 hours



Warranty:
3 years



Lens Options



Clear Lens

G-11022



L4/24-DEGREE

G-11023



L4/40-DEGREE

G-11024



L4/60-DEGREE

Frosted Lens


G-11020



L4/FROSTED/80°


Reflector Lens Compatible with G-10020

G-11025



L4/REFLECTOR/30°


G-11026



L4/REFLECTOR/60°


Reflector Lens Compatible with G-10025

G-11027



L4/REFLECTOR/30°

G-11028



L4/REFLECTOR/60°

Diffuser

G-21440



4/HEX/HC/DIFFUSER

STYLE

PACK

LENS OPTIONS

100

Accessories



Emergency LED Driver

15W G-48410

60W G-95521

30W G-48411

25W G-95525



Multi Driver Converter

G-10020 use G-95824 9W / G-95825 14W


G-10025 use G-95826 20W



Extension Cords

G-20247 5ft

G-20248 10ft



New Construction Plate

G-19975




Trims Options

White	Black	Two-tone	Bronze	Brushed Nickel	Brushed Brass
G-10120	G-10121	G-10122	G-10123	G-10124	G-10125
					
T4/R/W/G2	T4/R/BL/G2	T4/R/BW/G2	T4/R/BZ/G2	T4/R/BN/G2	T4/R/BB/G2




G-10220	G-10221	G-10222	G-10223	G-10224	G-10225
					
T4/SQ/W/G2	T4/SQ/B/G2	T4/SQ/BW/G2	T4/SQ/BZ/G2	T4/SQ/BN/G2	T4/SQ/BB/G2

STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	4.25"	4.92"	W/G-10020 3.29" / W/G-10025 5.15"	G-19975 (3 Punch Out)	36

Trimmed Round



Trimmed Square






Trimless Options






STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMLESS ROUND	4.25"	6.89"	W/G-10020 3.19" / W/G-10025 5.05"	G-19975 (4 Punch Out)	36
TRIMLESS SQUARE	Sq 4.80" / Rd 6.75"	9.45"	W/G-10020 4.04" / W/G-10025 5.90"	G-19975 (6 Punch Out)	36

Trimless Round



Trimless Square



Wall Wash

White

G-10520



T4/R/WW/W/G2

Black

G-10521



T4/R/WW/BL/G2

G-10620






T4/SQ/WW/WG2

G-10621






T4/SQ/WW/BL/G2

Wall Wash Round




Wall Wash Square




STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIM WALL WASH	4.25"	5.12"	W/G-10020 4.48" / W/G-10025 6.34"	G-19975 (3 Punch Out)	36



Driver Box for G-10020



Driver box for G-10025



Millwork Trimless



STYLE	CUT OUT	OD	HEIGHT
MILLWORK TRIMLESS	4.23"	4.39"	W/G-10020 3.19" / W/G-10025 5.05"

Dimmer List

BRAND	SERIES	MODEL	LOAD	BRAND	SERIES	MODEL	LOAD
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W