

## LED SPOTLIGHT-CANLESS

### PUSH AND LOCK TRIMLESS

1", 2", 3" & 4" - CCT SELECTABLE

BLACK, WHITE - 38°, 60°, 110° & ZOOMABLE OPTIONS



|                                                    |                                                  |                                                    |                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------------|--------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1"</p> <p>LR25430 - 38°<br/>LR25431 - 60°</p>   | <p>2"</p> <p>LR25445 - 38°<br/>LR25446 - 60°</p> | <p>3"</p> <p>LR25450 - 38°<br/>LR25455 - 60°</p>   | <p>3"</p> <p>LR25451 - 38°</p>                                                                                                                                                                                                                                                                        |
| <p>3"</p> <p>LR25433 - 38°<br/>GIMBAL</p>          | <p>3"</p> <p>LR25454 - 110°<br/>FLAT</p>         | <p>3"</p> <p>LR25452 - 38°<br/>FLOATING GIMBAL</p> | <p>3"</p> <p>LR25453 - 24-50°<br/>ZOOMABLE</p>                                                                                                                                                                                                                                                        |
| <p>4"</p> <p>LR25462 - 60°<br/>FLOATING GIMBAL</p> | <p>4"</p> <p>LR25460 - 38°<br/>LR25465 - 60°</p> | <p>4"</p> <p>LR25463 - 24-50°<br/>ZOOMABLE</p>     | <p>TRIM REPLACEMENT<br/>OPTIONS AVAILABLE*</p> <p>*SOLD SEPARATELY</p> <p>1", 2", 3", 4"<br/>BLACK FINISH</p> <p>1", 2", 3", 4"<br/>BRUSHED NICKEL</p> <p>1", 2", 3", 4"<br/>BRASS FINISH</p> <p>3", 4"<br/>WHITE FINISH<br/>WALL WASHER TRIM</p> <p>3", 4"<br/>BLACK FINISH<br/>WALL WASHER TRIM</p> |

CRI  
90

COLOR SELECTABLE

2700K 3000K 3500K 4000K 5000K

TRIMLESS

PUSH AND  
LOCK

DUAL  
DIMMING  
TRIAC  
0-10V

\*SELECT MODELS

120-  
277V

\*SELECT MODELS









DAMP  
LOCATION  
RATED

5  
YEAR  
WARRANTY

## TRIM REPLACEMENT OPTIONS AVAILABLE\*



## EASY TRIMLESS INSTALLATION



## ELECTRICAL

|    |          |      | MODEL   | DESCRIPTION                       | POWER | INPUT VOLTS | DIMMING     | EFFICACY | FLOOD  | LIFETIME | COST/YR |
|----|----------|------|---------|-----------------------------------|-------|-------------|-------------|----------|--------|----------|---------|
| 1" | WHITE    | 38°  | LR25430 | LED/TLMD1/5CCT/RD/WT/D2           | 10    | 120V        | TRIAC       | 85       | 38°    | 50,000   | \$ 1.20 |
|    |          | 60°  | LR25431 | LED/TLMD1/5CCT/RD/WT/D2/WFL       | 10    | 120V        | TRIAC       | 85       | 60°    | 50,000   | \$ 1.20 |
| 2" | WHITE    | 38°  | LR25445 | LED/TLMD2/5CCT/RD/WT/UNV/DD/FL    | 12    | 120-277V    | TRIAC/0-10V | 91       | 38°    | 50,000   | \$ 1.44 |
|    |          | 60°  | LR25446 | LED/TLMD2/5CCT/RD/WT/UNV/DD/WFL   | 12    | 120-277V    | TRIAC/0-10V | 91       | 60°    | 50,000   | \$ 1.44 |
| 3" | WHITE    | 38°  | LR25450 | LED/TLMD3/5CCT/RD/WT/UNV/DD/FL    | 15    | 120-277V    | TRIAC/0-10V | 73       | 38°    | 50,000   | \$ 1.80 |
|    |          | 60°  | LR25455 | LED/TLMD3/5CCT/RD/WT/UNV/DD/WFL   | 15    | 120-277V    | TRIAC/0-10V | 73       | 60°    | 50,000   | \$ 1.80 |
|    | BLACK    | 38°  | LR25451 | LED/TLMD3/5CCT/RD/BK/D            | 15    | 120V        | TRIAC       | 73       | 38°    | 50,000   | \$ 1.80 |
| 4" | WHITE    | 38°  | LR25460 | LED/TLMD4HO/5CCT/RD/WT/UNV/DD     | 25    | 120-277V    | TRIAC/0-10V | 80       | 38°    | 50,000   | \$ 3.01 |
|    |          | 60°  | LR25465 | LED/TLMD4HO/5CCT/RD/WT/UNV/DD/WFL | 25    | 120-277V    | TRIAC/0-10V | 80       | 60°    | 50,000   | \$ 3.01 |
| 3" | WHITE    | FLAT | LR25454 | LED/TLMD3/FLT/5CCT/RD/WT/UNV/DD   | 15    | 120-277V    | TRIAC/0-10V | 73       | 110°   | 50,000   | \$ 1.80 |
|    |          | 38°  | LR25433 | LED/TLMD3/GB/5CCT/RD/WT/UNV/DD/FL | 12    | 120-277V    | TRIAC/0-10V | 91       | 38°    | 50,000   | \$ 1.44 |
|    |          | 38°  | LR25452 | LED/TLMD3/FGB/5CCT/RD/WT/D        | 12    | 120V        | TRIAC       | 75       | 38°    | 50,000   | \$ 1.44 |
| 4" | WHITE    | 60°  | LR25462 | LED/TLMD4HO/FGB/5CCT/RD/WT/UNV/DD | 20    | 120-277V    | TRIAC/0-10V | 100      | 60°    | 50,000   | \$ 2.40 |
| 3" |          | 38°  | LR25453 | LED/TLMD3/5CCT/RD/WT/UNV/DD/ZM    | 15    | 120-277V    | TRIAC/0-10V | 73       | 24~50° | 50,000   | \$ 1.80 |
| 4" | ZOOMABLE | 38°  | LR25463 | LED/TLMD4HO/5CCT/RD/WT/UNV/DD/ZM  | 25    | 120-277V    | TRIAC/0-10V | 84       | 24~50° | 50,000   | \$ 3.01 |

## PHOTOMETRIC

| MODEL   | DESCRIPTION                       | COLOR (CCT)                   | TEMP       | LUMEN | CRI | ETL | PLATE (KNOCKOUT) |
|---------|-----------------------------------|-------------------------------|------------|-------|-----|-----|------------------|
| LR25430 | LED/TLMD1/5CCT/RD/WT/D2           | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 850   | 90  | YES | LR41004 (#1)     |
| LR25431 | LED/TLMD1/5CCT/RD/WT/D2/WFL       | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 850   | 90  | YES | LR41010 (#L1)    |
| LR25445 | LED/TLMD2/5CCT/RD/WT/UNV/DD/FL    | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1000  | 90  | YES | LR41006 (#1)     |
| LR25446 | LED/TLMD2/5CCT/RD/WT/UNV/DD/WFL   | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES | LR41010 (#R0)    |
| LR25450 | LED/TLMD3/5CCT/RD/WT/UNV/DD/FL    | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES |                  |
| LR25455 | LED/TLMD3/5CCT/RD/WT/UNV/DD/WFL   | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES | LR41004 (#2)     |
| LR25451 | LED/TLMD3/5CCT/RD/BK/D            | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES | LR41006 (#2)     |
| LR25460 | LED/TLMD4HO/5CCT/RD/WT/UNV/DD     | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2000  | 90  | YES | LR41010 (#R0)    |
| LR25465 | LED/TLMD4HO/5CCT/RD/WT/UNV/DD/WFL | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2000  | 90  | YES | LR41006 (#3)     |
| LR25454 | LED/TLMD3/FLT/5CCT/RD/WT/UNV/DD   | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES | LR41010 (#L1)    |
| LR25433 | LED/TLMD3/GB/5CCT/RD/WT/UNV/DD/FL | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES | LR41004 (#2)     |
| LR25452 | LED/TLMD3/FGB/5CCT/RD/WT/D        | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 900   | 90  | YES | LR41006 (#2)     |
| LR25462 | LED/TLMD4HO/FGB/5CCT/RD/WT/UNV/DD | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2000  | 90  | YES | LR41010 (#R0)    |
| LR25453 | LED/TLMD3/5CCT/RD/WT/UNV/DD/ZM    | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 1100  | 90  | YES | LR41004 (#3)     |
| LR25463 | LED/TLMD4HO/5CCT/RD/WT/UNV/DD/ZM  | 2700K/3000K/3500K/4000K/5000K | CCT SELECT | 2100  | 90  | YES | LR41010 (#L1)    |

## AVAILABLE TRIM REPLACEMENT OPTIONS

\*SOLD SEPARATELY


1"



**LR25421**  
BLACK FINISH



**LR25422**  
BRUSHED NICKEL



**LR25423**  
BRASS FINISH


2"



**LR25441**  
BLACK FINISH




**LR25442**  
BRUSHED NICKEL




**LR25443**  
BRASS FINISH

3"



**LR25444**  
BLACK FINISH



**LR25447**  
BRUSHED NICKEL




**LR25435**  
BRASS FINISH

3"



**LR25448**  
WHITE FINISH  
WALL WASHER TRIM




**LR25449**  
BLACK FINISH  
WALL WASHER TRIM

4"



**LR25468**  
WHITE FINISH  
WALL WASHER TRIM



**LR25469**  
BLACK FINISH  
WALL WASHER TRIM

## AVAILABLE TRIM REPLACEMENT OPTIONS

\*SOLD SEPARATELY

4"



**LR25466**

BLACK FINISH



**LR25467**

BRUSHED NICKEL



**LR25464**

BRASS FINISH

## SQUARE PLASTER FRAME

\*SOLD SEPARATELY

3"




**LR25424**

SQUARE PLASTER FRAME FOR 3"

CUTOUT: 3.22" x 3.22"

3"




**LR25425**

SQUARE PLASTER FRAME FOR 3"

CUTOUT: 3.22" x 3.22"

4"



**LR25428**

SQUARE PLASTER FRAME FOR 4"

CUTOUT: 4.33" x 4.33"

WORKS WITH:  
LR41005  
CUTOUT #1



4"



**LR25429**

SQUARE PLASTER FRAME FOR 4"

CUTOUT: 4.33" x 4.33"

WORKS WITH:  
LR41005  
CUTOUT #1



## PLASTER FRAME

\*SOLD SEPARATELY



LR25457

2 HEAD - PLASTER FRAME FOR 3"  
CUTOUT: 7" x 3.38"



LR25459

4 HEAD - PLASTER FRAME FOR 3"  
CUTOUT: 7" x 7"



LR25458

3 HEAD - PLASTER FRAME FOR 3"  
CUTOUT: 10.62" x 3.38"

## 120-277V DRIVER

\*SOLD SEPARATELY

|     | MODEL   | DESCRIPTION                  | POWER | INPUT    |
|-----|---------|------------------------------|-------|----------|
| 15W | LR25456 | LED/TLMD3/5CCT/UNV/DD/DRIVER | 15    | 120-277V |



## WIRE EXTENDER

\*SOLD SEPARATELY

48"

LR25426

LED/TLMD/48WIRE/EXT



120"

LR25427

LED/TLMD/120WIRE/EXT



## SQUARE PLASTER FRAME OPTIONS

\*SOLD SEPARATELY

| MODEL   | DESCRIPTION                 | TYPE                 | FINISH |
|---------|-----------------------------|----------------------|--------|
| LR25424 | LED/TLMD3/TRIM/MESH/SQ/WT   | SQUARE PLASTER FRAME | WHITE  |
| LR25425 | LED/TLMD3/TRIM/MESH/SQ/BK   | SQUARE PLASTER FRAME | BLACK  |
| LR25428 | LED/TLMD4HO/TRIM/MESH/SQ/WT | SQUARE PLASTER FRAME | WHITE  |
| LR25429 | LED/TLMD4HO/TRIM/MESH/SQ/BK | SQUARE PLASTER FRAME | BLACK  |

## AVAILABLE TRIM REPLACEMENT OPTIONS

\*SOLD SEPARATELY

|    | MODEL   | DESCRIPTION               | FINISH                   |
|----|---------|---------------------------|--------------------------|
| 1" | LR25421 | LED/TLMD1/5CCT/TRIM/RD/BK | ROUND BLACK              |
|    | LR25422 | LED/TLMD1/5CCT/TRIM/RD/BN | ROUND BRUSHED NICKEL     |
|    | LR25423 | LED/TLMD1/5CCT/TRIM/RD/BR | ROUND BRASS              |
| 2" | LR25441 | LED/TLMD2/5CCT/TRIM/RD/BK | ROUND BLACK              |
|    | LR25442 | LED/TLMD2/5CCT/TRIM/RD/BN | ROUND BRUSHED NICKEL     |
|    | LR25443 | LED/TLMD2/5CCT/TRIM/RD/BR | ROUND BRASS              |
| 3" | LR25435 | LED/TLMD3/TRIM/RD/BR      | ROUND BRASS              |
|    | LR25444 | LED/TLMD3/TRIM/RD/BK      | ROUND BLACK              |
|    | LR25447 | LED/TLMD3/TRIM/RD/BN      | ROUND BRUSHED NICKEL     |
|    | LR25448 | LED/TLMD3/WWTRIM/RD/WT    | ROUND WHITE WALL WHASHER |
|    | LR25449 | LED/TLMD3/WWTRIM/RD/BK    | ROUND BLACK WALL WHASHER |
| 4" | LR25464 | LED/TLMD4HO/TRIM/RD/BR    | ROUND BRASS              |
|    | LR25466 | LED/TLMD4HO/TRIM/RD/BK    | ROUND BLACK              |
|    | LR25467 | LED/TLMD4HO/TRIM/RD/BN    | ROUND BRUSHED NICKEL     |
|    | LR25468 | LED/TLMD4HO/WWTRIM/RD/WT  | ROUND WHITE WALL WHASHER |
|    | LR25469 | LED/TLMD4HO/WWTRIM/RD/BK  | ROUND BLACK WALL WHASHER |

## PLASTER FRAME OPTIONS

\*SOLD SEPARATELY

| MODEL   | DESCRIPTION           | TYPE                 | FINISH |
|---------|-----------------------|----------------------|--------|
| LR25457 | LED/TLMD3/PLT/2HD/WT  | 2-HEAD PLASTER FRAME | WHITE  |
| LR25458 | LED/TLMD3/PLT/3HD/WT  | 3-HEAD PLASTER FRAME | WHITE  |
| LR25459 | LED/TLMD3/PLT/4HDS/WT | 4-HEAD PLASTER FRAME | WHITE  |


## COMPATIBILITY

COMPATIBLE  
WITH:

**LR35126**  
Emergency  
LED Driver



**LR41004**  
New Construction  
Mounting Plate



| KNOCKOUT SIZE |                  |
|---------------|------------------|
| #0            | Ø2.125" (Ø54 mm) |
| #1            | Ø2.83" (Ø72 mm)  |
| #2            | Ø3.75" (Ø95 mm)  |
| #3            | Ø5.19" (Ø132 mm) |

**LR41006**  
New Construction  
Mounting Plate




| KNOCKOUT SIZE |                  |
|---------------|------------------|
| #0            | Ø2.12" (Ø54 mm)  |
| #1            | Ø3.15" (Ø80 mm)  |
| #2            | Ø3.75" (Ø95 mm)  |
| #3            | Ø4.25" (Ø108 mm) |
| #4            | Ø5.25" (Ø132 mm) |
| #5            | Ø6.25" (Ø159 mm) |

**LR41010**  
New Construction  
Mounting Plate



| KNOCKOUT SIZE |                 |
|---------------|-----------------|
| #L0           | Ø2.12" (Ø54 mm) |
| #L1           | Ø2.83" (Ø72 mm) |
| #L2           | Ø3.75" (Ø95 mm) |



| KNOCKOUT SIZE |                  |
|---------------|------------------|
| #R0           | Ø3.25" (Ø82 mm)  |
| #R1           | Ø4.33" (Ø110 mm) |
| #R2           | Ø5.25" (Ø132 mm) |
| #R3           | Ø6.25" (Ø160 mm) |

## DIMENSIONS

