

Certificate of Analysis

Client: Sisters of the Valley
9516 Lupin Ave
Winton, CA 95388

Phone: (209) 626-6601

Email: sistersophia@sistersofcbd.com

Invoice Number: 23-09885
PO Number: 6/7/2023 MC
Received Date: 6/12/2023

Approved By: 
Approved Date: 6/23/2023

Project Name: Mushroom Coffee

Lab #: 37486	Sample: 10 oz of mushroom coffee	Sample Date: 6/3/2023				
Analyte	Results	Units	Detection Limit	Method	Analyst	Date Analyzed
Organic Chemistry						
Caffeine	29.91	mg/serving		ESS_3.1.7.213	JF	6/22/2023
Pesticide - Herbicide Methyl Esters						
I 2-Phenylphenol	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Acequinocyl	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Bromopropylate	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Carfentrazone ethyl	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Chlorobenzilate	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Chlorpropham	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Chlozolinatate	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I DCPA methyl Ester (chlorthal-dimethyl)	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Fluazifop-p-butyl	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
I Metalaxyl	ND	ppm	0.01	ESS_3.1.8.213	GL	6/19/2023
Pesticide - Organochlorine						
I 2,4'-DDD	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 2,4'-DDE	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 2,4'-DDT	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 2,4'-Methoxychlor	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 4,4'-DDD	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 4,4'-DDE	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 4,4'-DDT	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 4,4'-Dichlorobenzophenone	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I 4,4'-Methoxychlor olefin	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.

Certificate of Analysis

I Aldrin	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I alpha-BHC	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I beta-BHC	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Chlorbenside	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Chlorfenson (Ovex)	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Chloroneb	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I cis-Chlordane	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I cis-Nonachlor	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I delta-BHC	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Dieldrin	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endosulfan ether	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endosulfan I	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endosulfan II	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endosulfan sulfate	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endrin	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endrin aldehyde	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Endrin ketone	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Ethylan (Perthane)	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Fenson	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I gamma-BHC	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Heptachlor	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Heptachlor epoxide (Isomer B)	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Hexachlorobenzene	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Isodrin	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Mirex	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Pentachloroanisole	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Pentachlorobenzene	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Pentachlorothioanisole	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I Tetradifon	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I trans-Chlordane	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
I trans-Nonachlor	ND	ppm	0.01	ESS_3.1.8.210	GL	6/19/2023
Pesticides - Organonitrogen						

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.

Certificate of Analysis

I 2,3,5,6-Tetrachloroaniline	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I 2,6-Dichlorobenzonitrile (Dichlobenil)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I 3,4-Dichloroaniline	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Acetochlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Alachlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Allidochlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Atrazine	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Benfluralin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Biphenyl	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Bupirimate	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Captafol	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Captan	ND	ppm	0.05	ESS_3.1.8.211	GL	6/19/2023
I Chlorfenapyr	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Chlorothalonil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Clomazone (Command)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Cycloate	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Cyprodinil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Diallate (cis & trans)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Dichlofluanid	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Dichloran	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Dimethachlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Diphenamid	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Dipheynlamine	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Ethalfuralin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Etofenprox	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Etridiazole	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Fenarimol	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Fenpropathrin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Fipronil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Fluchloralin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Fludioxonil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Fluquinconazole	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.

Certificate of Analysis

I Fluridone (Sonar)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Flusilazole	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Flutolanil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Flutriafol	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Folpet	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Hexazinone (Velpar)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Iprodione	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Isopropalin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Lenacil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Linuron	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Metazachlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Methoxychlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Metolachlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I MGK-264	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Myclobutanil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I N-(2,4-Dimethylphenyl)formamide	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Nitralin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Nitrofen	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Norflurazon	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Oxadiazon	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Oxyfluorfen	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Paclobutrazol	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pebulate	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Penconazole	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pendimethalin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pentachloroaniline	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pentachlorobenzonitrile	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pentachloronitrobenzene (Quintozene)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pretilachlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Prochloraz	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Procymidone	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Prodiamine	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.

Certificate of Analysis

I Profluralin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Propachlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Propanil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Propargite	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Propisochlor	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Propyzamide	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pyridaben	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pyrimethanil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Pyriproxyfen	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Tebuconazole	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Tebufenpyrad	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Terbacil	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Terbutylazine	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Tetrachloronitrobenzene (Tecnazene)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I THPI (Tetrahydrophthalimide)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Tolyfluanid	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Triadimefon	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Triadimenol	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Triallate	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Tricyclazole (Beam)	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Triflumizole	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Trifluralin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
I Vinclozolin	ND	ppm	0.01	ESS_3.1.8.211	GL	6/19/2023
<u>Pesticides - Organophosphorous</u>						
I Azinophos ethyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Azinphos methyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Bromfenvinfos-methyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Bromfenvinphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Bromophos ethyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Bromophos methyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Carbophenothion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Chlorfenvinphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.

Certificate of Analysis

I Chlorpyrifos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Chlorpyrifos methyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Chlorthiophos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Coumaphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Diazinon	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Disulfoton	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Edifenphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I EPN	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Ethion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Fenamiphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Fenchlorphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Fenitrothion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Fenthion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Fonofos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Iodofenphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Isazophos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Leptophos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Malathion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Methacrifos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Methyl parathion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Mevinphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Parathion (Ethyl parathion)	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Phorate	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Phosalone	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Phosmet	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Piperonyl butoxide	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Pirimiphos ethyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Pirimiphos methyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Profenofos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Prothiofos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Pyraclofos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Pyrazophos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.

Certificate of Analysis

I Pyridaphenthion	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Quinalphos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Sulfotepp	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Sulprofos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Terbufos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Tetrachlorvinfos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Tolclofos-methyl	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
I Triazophos	ND	ppm	0.01	ESS_3.1.8.209	GL	6/19/2023
<u>Pesticides - Synthetic Pyrethroid</u>						
I Acrinathrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Anthraquinone	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Bifenthrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Bioallethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I cis-Permethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Cyfluthrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Cypermethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Deltamethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Fenvalerate	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Flucythrinate	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Lambda-Cyhalothrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Phenothrin (cis & trans)	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Resmethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I tau-Fluvalinate	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Tefluthrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Tetramethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I Transfluthrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
I trans-Permethrin	ND	ppm	0.01	ESS_3.1.8.212	GL	6/19/2023
<u>Serving Information</u>						
Serving Size	6 grams (client provided)	None	-	ESS_1.1.38	KP	6/12/2023

ISO 17025 ANAB Accredited Laboratory Cert. #: AT-1754
I = ISO 17025 accredited method
ND = Not detected above the listed detection limit
NP = Not provided RR = Revised Result
MADL = Maximum Allowable Daily Limit
NSRL = No Significant Risk Level
This report and its results only relate to the specific sample(s) tested as received, and is for exclusive use of the customer named above and shall not be reproduced except in full.



1355 Pacific Place Ste 101
 Ferndale, WA 98248
 lab@exactscientific.com
 360-733-1205

Client: Sisters of the Valley
 9516 Lupin Ave
 Winton, CA 95388

Ref Number: 23-09885
 PO Number: 6/7/2023 MC
 Project Name: Mushroom Coffee
 Analyst: Various

Phone: (209) 626-6601
 Email: sistersophia@sistersofcbd.com

Approved By: *Katie Hallaian*
 Katie Hallaian

Date Received: 06/12/2023	Date Reported: 06/29/2023
Sample Identification: 10 oz of mushroom coffee	Lab Sample Number: 37486

Nutritional Facts

	Serving Size	100	Units	
	Analyte	Results per Serving	Units	Method
Calories		384		21 CFR part 101.9
Calories from Fat		48.0		AOAC
Moisture		5.18	g	AOAC
Ash		5.41	g	AOAC
Total Fat		5.33	g	AOAC
	Saturated Fat	3.25	g	AOCS
	Mono-unsaturated	1.66	g	AOCS
	Poly-unsaturated	0.43	g	AOCS
	Trans Fatty Acids	ND	g	AOCS
Cholesterol		ND	mg	AOAC
Protein		14.2	g	LECO
Carbohydrates		69.9	g	Calculation
Dietary Fiber		29.2	g	AOAC 985.29
Sugars, Total*		3.37	g	HPLC-RI
	Fructose	ND	g	HPLC-RI
	Glucose	2.86	g	HPLC-RI
	Sucrose	0.51	g	HPLC-RI
	Maltose	ND	g	HPLC-RI
	Lactose	ND	g	HPLC-RI
Minerals				
	Sodium	583	mg	ICP-OES
	Potassium	1930	mg	ICP-OES
	Calcium	201	mg	ICP-OES
	Iron	26.6	mg	ICP-OES
Vitamins				
	Vitamin D	ND	mcg	HPLC

ND – Not Detected

*Analytical method does not distinguish between natural and added sugars.