


Big Boy - Floor Sander - Abranopp® - Floor Sander Junior - Floor Cleaner - useit®-Superfinishing-Pad SG -

APPLICATION EXAMPLES

for floor treatment
and maintenance




APPLICATION OVERVIEW




12 HARD COVERINGS

Rubber flooring - Pastille-type floors - Linoleum floors - PVC - Epoxy resin floors - Vinyl floors




35 WOODEN FLOORS

Parquet floors - Floor boarding - Waxed wooden floors...




49 STONE FLOORS

Structured tiles - Sanitary tiles - Clay tiles - Industrial floors...



58 CARPET



LEARN EVEN MORE ABOUT OUR PRODUCTS

Application recommendation

Application videos

Product brochures

Machine details



www.joest-abrasives.com

SCAN ME



info@joest-abrasives.de

+49(0)6207-94100

06207-24 63

60 OTHERS

JÖST-MACHINES FOR FLOOR TREATMENT AND MAINTENANCE

JÖST FLOOR SANDER

The Jöst Floor Sander combines high quality workmanship with easy handling. Thanks to its quiet running performance and the ergonomically adjustable steering handle, it can be used continuously without any shoulder or arm tension afterwards. It is particularly suitable for processing structured surfaces and hard coverings. The Jöst Floor Sander can be used for dry sanding and for wet cleaning.

TECHNICAL DATA: FS-315/460

Power consumption:	1500 Watt
Vacuum cleaner:	1000 Watt
Motor speed:	2800 1/min
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	57 - 83 kg
Additional weight:	6,5 kg
Sanding stroke:	7 mm



JÖST FLOOR SANDER JUNIOR

The Floor Sander Junior is a true multi-functional solution for perfect floor treatment. With no integrated vacuum cleaner, the Floor Sander Junior is perfectly suited for narrow and low areas where space is tight. Edges, corners and stairs can be sanded with almost no effort. The machine for floor treatment is equipped with a tube connection for an external vacuum cleaner. Used in conjunction with the JÖST abrasives, the Floor Sander Junior guarantees dust-free working.

TECHNICAL DATA : FSJ-180/330

Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190x340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	21 -26 kg
Additional weight:	5 kg
Sanding stroke:	5 mm
Tube connection:	27 mm



JÖST FLOOR SANDER MULTI

The Floor Sander Multi is a combination of our Floor Sander and Cleaner machines. It's equipped with an integrated suction cup for wet and dry suction tasks. Whether you have to sand down old wooden floors, remove coatings, or wet-clean elastic hard coverings, the JÖST Floor Sander Multi cuts a fine figure no matter what you throw at it! An additional water tank supports the wet cleaning operation, which is often indispensable when basic cleaning or a high degree of soiling is involved. A suction lip is also available as an accessory for retrofitting.

TECHNICAL DATA: FSCM-315/460

Power consumption:	1500 Watt
Motor speed:	2800 1/min.
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Filling capacity of water tank:	10 l
Weight:	57 - 83 Kg
Additional weight:	6,5 Kg
Sanding stroke:	7 mm



JÖST FLOOR CLEANER & FLOOR CLEANER JUNIOR

The Floor Cleaner and the Junior version with a water tank to wet down the surfaces to be cleaned. One of the outstanding features of these machines is their simple operation. One-step cleaning can be done right up to edges and into corners. The Floor Cleaner and Floor Cleaner Junior offer a wide range of applications – from simple maintenance work to basic cleaning and the removal of old coating.

technical DATA: FC-315/460

Power consumption:	1500 Watt
Motor speed:	2800 1/min.
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Filling capacity of water tank:	10 l
Weight:	57 - 83 Kg
Additional weight:	6,5 Kg
Sanding stroke:	7 mm



TECHNICAL DATA: FCJ-180/330

Power consumption:	350 Watt
Motor speed:	2800 1/min.
Sanding area:	190x340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Filling capacity of water tank:	3 l
Weight:	22 - 27 Kg
Additional weight:	5 Kg
Sanding stroke:	7 mm

JÖST FLOOR CLEANER JUNIOR 18 - Battery-powered

The robust and handy design of the FCJ 18 immediately catches the eye. The FCJ 18 is designed for daily use in hard-to-reach areas and on a wide variety of surfaces. The global and powerful rechargeable battery system allows you to work independently of a power source and is compatible with many other battery-powered devices.

TECHNICAL DATA: FCJ-18

Power consumption:	300 Watt
Motor speed:	2800 1/min
Cleaning area:	190 x 340 mm
Supply voltage:	230 V
Battery capacity:	45 - 60 min.
Weight:	22 kg
Sanding stroke:	5 mm
Hose connection:	27 mm
Water tank filling volume:	3 l



JÖST BIG BOY ORBITAL SANDER

The Big Boy orbital sander: the efficient, dust-free sanding system especially for large surfaces and stairs. Its sanding surface is 8 times higher than that of conventional 150 mm-diameter orbital sanders. It is perfectly suited for the efficient and high-quality sanding of large worktops, door panels and even small rooms.

TECHNICAL DATA: BB-315/460

Power consumption:	1100 Watt
Motor speed:	2800 1/min
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	22 kg
Sanding stroke:	7 mm
Hose connection:	27 mm



JÖST BIG BOY JUNIOR ORBITAL SANDER

The Big Boy Junior offers the full processing spectrum, from coarse sanding and polishing to the cleaning of almost any surface. It is especially suitable for the cleaning of stairs and the sanding of smaller surfaces. As for all other machines developed by JÖST we offer a wide range of innovative sanding and cleaning pads. Processing solid surface materials, wood, lacquer, stainless steel, NF-metals, parquet/laminate surfaces and hard flooring is a breeze with the Big Boy Junior.

TECHNICAL DATA: BBJ-180/330

Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190 x 340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Sanding stroke:	5 mm
Hose connection:	27 mm
Weight version I:	10 kg
Weight version II:	18 kg



P1 DUST-FREE SANDING SYSTEM

With the P1 dust-free Sanding System, you can sand paints, varnishes and wood, you can process metals, plastics and mineral materials using any process from coarse sanding to high-gloss finishes, you can remove rust and also polish a wide variety of materials in combination with the useit®-Superpads P and the Superfinishing-Pads – and all in the shortest possible time, with no dust pollution for humans and the environment.

TECHNICAL DATA: P1-MAX/3

4 meters of power cable
 Cut-off carbon brushes
 Power consumption: 1200 Watt
 Idle speed: 600 - 2800 1/min
 Spindle thread: M14
 Weight: 2,9 kg



EP 2 611 573
 US 9,132,527

TECHNISCHE DATEN: P1-MORITZ/2

4 meters of power cable
 Cut-off carbon brushes
 Power consumption: 1200 Watt
 Idle speed: 800 - 3600 1/min
 Spindle thread: M14
 Weight: 2,1 kg


EP 2 611 573
 US 9,132,527



JÖST ABRASIVES AND CLEANING PADS

ABRANOPP® SPECIAL CLEANING PAD

The Abranopp® Special Pad has an extreme abrasiveness. This is the hard man of the range – great for cleaning extremely dirty floors and for preparing the surface before applying new sealants




ABRANOPP® CLEANING PAD GREEN

The Abranopp® Pad green has a heavy abrasiveness. This is a pad with a coarse abrasive grain that's tough and aggressive – perfect for the fast and thorough removal of old coatings. The Green pad is also ideally suited for basic cleaning (don't use solvent-based cleaners!).

ABRANOPP® CLEANING PAD GREY

The Abranopp® Pad grey has a medium abrasiveness. The Grey is a more aggressive pad for the maintenance cleaning of heavily over-cleaned floors.



ABRANOPP® CLEANING PAD PURPLE

The Abranopp® Pad purple has an slight abrasiveness. A pad with a very fine abrasive grain for removing adhering dirt and traces of footprints. Suitable for grinding, i.e. removing release agent layers from new coverings before applying sealants. The Purple pad is perfect for regular maintenance cleaning.

ABRANOPP® CLEANING PAD WHITE

This is an abrasive-free pad for removing light dirt during polishing and waxing – and for smoothing and levelling after the application of care products.






MICROFIBER PAD WHITE

The white microfiber pad is tailor-made for cleaning tiles and glass surfaces. It has the best possible performance in cleaning and dirt retention.

MICROFIBER PAD BLUE MELANGE

The Microfiber Pad blue melange ist the all-rounder among the pads. It's fantastic for cleaning carpets. The "Blue Melange" is also suitable for removing marks and linoleum, parquet, rubber, stone and laminate floors - even the most stubborn surface stains surrender to the talents of this pad!




MICROFIBER PAD GREY

The grey microfiber pad's structure makes it ideal for cleaning structured surfaces and safety tiles

MICROFIBER PADS WHITE BLUE

The microfiber pad "White Blue" ist the one that's ideal for treating lighter stains on smooth surfaces, like linoleum, rubber and stone floors.




USEIT® DUST-PAD

Work effectively without no dust residue.


SHEEP WOOL PADS

The sheep wool pad is suitable for polishing sealed oiled parquet, marble, granite and vinyl and for working polishing paste into matt marble, granite lacquer and wood surfaces to achieve a high gloss after polishing. It is made of pure new wool and is free of binding agents and synthetic fibers.



BLUE WAVE MELAMINE-CLEANING PAD

Thanks to its rubber eraser effect, ith the Blue Wave melamine pad all kinds of stubborn stains and dirt such as heel marks on floors, pen mark on desk, calcified surfaces and much more can easily be removed from smooth and hard surfaces - NO CHEMICALS needed, only Water -



TAKEIT® NORMAL PADS

Thanks to its open structure the takeit®-Normal pad has an extremely high intake capacity for dirt - so it is especially suitable as a dust storage pad for our multihole Superpad P abrasive for machines without dust extraction. It is also excellently suited for the oiling and waxing of wooden surfaces - during sanding, the oil or wax is equally distributed over the surface and staining is prevented. The incorporated grains also smooth the wooden surface - and the results are truly superb.

ABRAFLEXNOPP®

The AbraflexNopp® has been specially developed to carry out basic cleaning on structured surfaces, using almost any cleaning chemistry. This patented, robust pad even penetrates into the deep zones of structured surface coverings and - just like the Abranopp® cleaning pads - gives you a truly thorough and deep cleaning of all hard coverings.





ABRAFLEX® SUPERPADS

Whether basic cleaning or maintenance cleaning, the Superpad cleaning non-woven abrasives come in several versions with different sizes. Longer lasting, faster in the application and an extended life of floor coverings and protect your floor cleaning machines. Advantages: better cleaning results, improved performance, longer lifetime, excellent machine stability


USEIT®-SUPERFINISHING PAD SG

The special design combined with the modern production technology make the useit®-Superfinishing Pads SG a reliable product for the highest surface quality. Diverse materials and floors can be worked specifically in a minimal amount of time. The useit®-Superfinishing Pads are especially suitable for decoating and cleaning of all hard floorings (linoleum, PVC, plastic and LVT-floors), for the removal of graphite-stains, to balance different glow-levels on wood, to process parquet and laminate floors, or on tiles and fine stoneware. The pad can be used both wet and dry.



USEIT®-SUPERFINISHING PAD SG2

The useit®-Superfinishing-Pad SG2 differs from our useit®-Superfinishing-Pad SG in its abrasive grit, which consists of a closed fabric, unlike the SG, which consists of a fine grinding net. This more stable surface makes the SG2 ideal for final smoothing jobs, removing paint runs and dust inclusions, vehicle preparation and the sanding of stainless steel and non-ferrous metals. In the cleaning sector, it is perfectly suitable to remove discolorations and gentle basic cleaning of hard coverings.





USEIT®-ABRAFILM®

The newly developed useit®-Abrafilm® offers excellent cutting performances and has an extremely durable and tearproof film carrier. The finest sanding up to grit 3000 is possible with the useit®-Abrafilm®. This results in smoother sanding and therefore finer results. The multihole perforation of the abrasive in combination with the multilayer structure of the Velcro-type system guarantees the exact alignment of the abrasive grain. This leads to continuous dust extraction over the entire surface, optimum sanding results and a much higher service life. The useit®-Abrafilm® is suitable for both wet and dry sanding.

USEIT®-SUPERPAD P GELB

The useit®-Superpad P Yellow for Jöst random orbital sanders is ideal for use on parquet floors and wooden surfaces thanks to its robust backing paper, semi-open scatter and special Velcro coating. Thanks to its special grain bonding, the risk of a grain break-out is minimized and the formation of curls on the surface is more or less impossible. The narrow multi-perforation in conjunction with the specially designed back coating ensures optimum removal of the grinding dust on machines with dust extraction.



USEIT®-SUPERPAD P GOLD

Thanks to their full-surface perforation, the Multi-Per-foration useit® Superpad P Gold sanding disc are ideal for use on all manual grinding machines with and without suction. They guarantee 100% capability with minimum storage costs. Thanks to its stearate coating and unique design, clogging of the sanding disc is effectively avoided. Dust pollution for humans and the environment is reduced to a minimum. Compared to conventional perforated sandpaper from other manufacturers, the Gold quality achieves a much higher level of sanding performance.



DISCOVER OUR COMPLETE RANGE OF

**ABRASIVES, CLEANING PADS AND
SANDING SYSTEMS**




SCHOOL AT NORDERSTEDT - 640m²


Wet cleaning with Jöst Floor Sander and the grey Abranopp®-pad. Originally, the floor was supposed to be renewed - **after cleaning, this was not necessary!**




ICE RINK, MUNICH

Cleaned with Jöst Floor Sander, **green Abranopp®-pad** and water.





Cleaned with Jöst Floor Sander, water and **green Abranopp®-pad** - **WITHOUT cleanser** -




Cleaned with Jöst Floor Sander and grey **Abranopp®-pad**



Cleaned with a single disc machine and green Superpad

COLUMBUS CLEANING MACHINES

The floor is about 40 years old and has just been cleaned by hand, so far. Easy maintenance & cleaning using only Abranopp® pads and water. Reconditioning – **grey, green and violet Abranopp® Pads** = completely processed twice




Machine: RA43/B20 • chemical: Ultranetzer • High-gloss: with High-Speed machine • Other pads: Ultra-High-Speed Pad, Blue Ice or white pad.

FLOOR CONCEPT

Pastilly-type floor cleaned with Jöst Floor Sander Junior and **grey Abranopp®-pad**.



WATCH ME




MIDDLE SCHOOL, GROß-UMSTADT

Smooth lino floor, unevenly laid, cleaned with Jöst Floor Sander and the **grey Abranopp®-pad**



EBERSPÄCHER


Hard flooring cleaned with **Jöst Floor Sander, Blue Wave Melamine pad** and water.






WATCH ME

Plastic flooring cleaned with **Jöst Floor Sander Junior** and **micro-fiber pad "Blue Melange"**




GRAPHITE STAINS ON PLASTIC FLOORING

Cleaned with Jöst Floor Sander Multi, **useit®-Superfinishing-Pad SG 600** and water



MIDDLE SCHOOL, WALD-MICHELBAACH

PVC-floor cleaned with Jöst Floor Sander, **useit®-Superfinishing-Pad SG 600** and water.




WILD-WERKE, EPELHEIM

PVC-floor cleaned with Jöst Floor Sander, **useit®-Superfinishing-Pad SG 600** and water. For stubborn stains: **useit®-Superfinishing-Pad SG 240**



HIGH SCHOOL, STADT WELZHEIM

Linoleum floor cleaned with **useit®-Superfinishing-Pad SG 600** and water.




Removal of old coatings on rubber flooring with Jöst Floor Sander and
useit®-Superfinishing-Pad SG 600 - dry -



SPORTS HALL, AFFOLTERBACH

PVC-floor cleaned with Jöst Floor Sander, **Blue Wave melamine pad** and water.



PHARMACEUTICAL COMPANY, PFUNGSTADT

Remove footmarks on epoxy resin floor with **useit®-Abrafilm® Z-120** and water. Afterwards: The entire surface has been cleaned and processed with **useit®-Superfinishing-Pad SG 240**.



INDUSTRIAL COMPANY, CELLE

Epoxy resin floor wet cleaned with Jöst Floor Sander and **useit®-Superfinishing Pad SG 600**. Stubborn stains have been removed with **useit®-Superfinishing Pad SG 240** - only with water.



SCHOOL, KARLSRUHE

Removal of coating with Jöst Floor Sander and **useit®-Abrafilm® Z-120**



HOSPITAL CLEANING

Basic cleaning only with water and **useit®-Superfinishing Pad SG2 2000**





30 years old linoleum floor. Cleaned only with water and **Jöst Abraflex®-Maroon pad.**



KINDERGARTEN, HAMBURG

Cleaning of linoleum floor: Dry sanding with Jöst Floor Sander and **useit®-Abrafilm® Z-100.**

Afterwards: Wet cleaning with **Abraflex®-Maroon pad**



SENIOR CITIZENS' CENTRE, ANGELIKA-STIFT LEIPZIG

Cleaning of rubber-floor (noraplan®):

Wet cleaning with Jöst Floor Sander und **useit®-Superfinishing-Pad SG 600**



AUGUSTA-VIKTORIA-STIFT, ERFURT

Cleaning of homogeneous PVC-floor: Wet cleaning with Jöst Floor Sander and **useit®-Superfinishing-Pad SG 600**. Afterwards: Treatment with **Abraflex®-Maroon pad**




HOSPITAL, BREMEN OST

Cleaning of linoleum floor



BABY CENTER LAIBACH (SLOWENIEN)

Cleaning of a coloured & renovated PVC floor with Jöst Floor Sander



PROCEDURE:

Sanding off the old, coated PVC covering with the **SG 600 useit®- Superfinishing Pad**

Wet cleaning with the **grey Abranopp® Pad** and basic cleaner (pH value: 9.5)

After drying: One-colour coating with a PU (polyurethane) lacquer

After 24 hours: Final coating with a transparent PU lacquer

DENTAL PRACTICE DR. FEUSTEL, DARMSTADT

Cleaning of homogeneous PVC-floor: Dry sanding with Jöst Floor Sander and **Abraflex®-Maroon pad**
Afterwards: Wet cleaning with Floor Sander and **useit®-Superfinishing-Pad SG 600**



SOZIALWERK ST. JOSEF



Cleaning of linoleum floor: Dry sanding with Jöst Floor Sander and **useit®-Superpad P yellow** in grit 80. Afterwards: Wet cleaning with **Abraflex®-Maroon pad**



FACTORY BUILDING, ERFURT


Cleaning of linoleum floor: Dry sanding with Jöst Floor Sander and **useit®-Abrafilm® Z-80**

Afterwards: Wet cleaning with **Abraflex®-Maroon pad**



COMPANY CANTEEN , ERFURT

Cleaning of PVC-floor (Floor covering: Forbo Novilux) Wet cleaning with Jöst Floor Sander and **Abraflex®-Maroon pad**



CLINIC, LEIPZIG

Cleaning of linoleum floor (Artoleum) Dry sanding with Floor Sander and **useit®-Abrafilm® Z-120**. Afterwards: Wet cleaning with **useit®-Superfinishing-Pad SG 600**




SENIOR CITIZENS' CENTRE POSTBAUER-HENG

Cleaning of rubber floor (noraplan®) Dry sanding with Jöst Floor Sander and **Abraflex®-Maroon pad**. Afterwards: Wet cleaning with **useit®-Superfinishing-Pad SG 600**



PHILHARMONIE, ESSEN


Cleaning of linoleum floor with Jöst Floor Sander



PROCEDURE:

Sanding off the old coated linoleum with the **Z-100 useit®-Abrafilm®**

Wet cleaning with the **grey Abranopp® pad** and basic cleaner (PH value: 9.5), followed by 2x neutralisation with the **Abraflex®-Maroon pad** and water.



After drying for 24 hours, the floor was coated with PU lacquer and coloured chips were spread on it. After 2 more hours, final sealing was carried out with transparent PU lacquer.

"BÜCHSENMACHERSCHULE", SUHL

Cleaning of linoleum floor: Dry sanding with Jöst Floor Sander and **useit® -Abrafilm® Z-100**. Afterwards: Wet cleaning with **Abraflex®-Maroon pad**



ST. JOSEF HOSPITAL, DRESDEN


Renovating of linoleum floor with Jöst Floor Sander - renovated area: 400m²



Sanding down the old linoleum with the P 80 **useit®-Superpad**, plus wet cleaning with the **grey Abranopp® Pad** and a basic cleaner with a pH value of 9.5.



Then 2x neutralisation with clear water and the **red Abraflex® Superpad**. After drying for 24 hours, the floor is coated with PU lacquer (transparent).






WOODEN FLOORS


Wooden flooring • Parquet flooring • Oiled wooden floors • Terrace floorboards • Waxed wooden floors



Basic cleaning of a heavily soiled, sealed parquet floor with **SG 240 Useit®-Superfinishing Pad** (left) and the **SG 600** (right)




Cleaning an oiled wooden floor with Jöst Floor Sander and the **SG useit®-Superfinishing Pad**



Cleaning of WPC (wood-plastic composites) terrace boards with the Jöst Floor Sander Junior and **microfiber pad blue/melange**



WATCH ME






Sanding stairs with Jöst Big Boy orbital sander and **useit®-Superpad P 40 yellow**



"HOF THEATER", TROMM

Ten years old oiled floor: Processing with the **yellow useit®-Superpad P K 40, K 80, K120**, between **useit®-Dust pad**, oiling with **takeit®-Normal pad**





"KULTURBRAUEREI", HEIDELBERG



Pads:

**useit®-Superpad P 40
and 150**

**Oiling: takeit®-
normal pad**




Straight-edged sanding with the
Jöst Floor Sander



Straight-edged sanding with the
P1 dust-free sanding system

OLD MONASTERY COURTYARD- OSTRACH (BODENSEEKREIS)



Sanding of old wooden floors with the Jöst Floor Sander
and the **useit®-Superpad P K 40**



ELEMENTARY SCHOOL, GROßZIMMERN

Waxed wooden floor sanded with the Jöst Floor Sander.



(1): Application of intensive cleaning agent, cleaning with **useit®-Superfinishing-Pad SG 240**

(2): Intermediate sanding with the **useit®-Superpad 150**: Then application of primer with hard oil and possibly another intermediate sanding with **useit®-Superpad P 220**

(3): Complex hard oil wax "Strong"

ACADEMY OF ARTS, KARLSRUHE

Sanding with the Jöst Floor Sander Junior and **useit®-Superpad P 40 and 120**



HALL OF KNIGHTS "WEIßER BOCK", HEIDELBERG

Renovation of an old floorboards ground. Cleaned with the Jöst Floor Sander and **useit®-Superpad P 40** and **Interfacepad 15mm thickness**.



SCHOOL GYM, NORDERSTEDT

With Jöst Floor Sander and useit®-Superpad P 40, 120 and afterwards the floor was repainted



Costs for the entire procedure, from sanding to new lacquering: €3.00 per sq. m. incl. machine + pads



FORSTHAUS BERNAU SCHWARZWALD

Sanded with Jöst Floor Sander and **useit®-Superpad P 80**



Basic cleaning with an intensive cleaner from "Complex" with **useit®-Superfinishing-Pad SG 240**

Sanded with **useit®-Superfinishing-Pad SG 600**


Intermediate sanding: **useit®-Superpad P 180**

Oiled with a colourless hard oil (Fa. Complex)



CLIBING HALL, BENSHEIM

Processing heavily overtreated oak parquet flooring



Sanding using our Jöst Floor Sander and the **P40 useit®-Superpad**. Use the **useit®-dust pad** after each sanding procedure.




Final sanding with the yellow **useit®-Superpad P120** and the oils with the **violet takeit®**

RESTAURANT "DAS ESSZIMMER", WEINHEIM

Dry cleaning and re-oiling of wooden floorboards



BEFORE
Removal of
coarse dirt



Wooden flooring sanded/cleaned with the **SG 240 useit®-Superfinishing Pad**, followed by the removal of dust with the **Blue Magic dust binding cloths**



Oil application:

Complex Premium oil I

Drying time approx. 1–2 hours

RESTAURANT "GOLDENER BOCK", OBER-ABTSTEINACH



Cleaning floorboards with Jöst Floor Sander and the **blue useit®-Superpad P K24**. Next step: **P40, 80 and 120 useit®-Superpads**. After each sanding process removal of dust with the **useit®-dust pad**. Then sanding of the remaining coating with **useit®-Abrafilm® Z-40**. After that oiling with the **green takeit®-normal pad** (coarse).



Remove the dust with the **Blue Magic dust binding cloth** before priming.



Oil application:

- (1) "Complex" hard oil strong
- (2) "Complex" hard oil "Grund"
- (2x before oiling)

Cleaning recommendation

- (3) "Complex" Oil wiping care.

RESTAURANT "GOLDENER BOCK", OBER-ABTSTEINACH

Cleaning mosaic parquet flooring




Cleaning floorboards with Jöst Floor Sander and the **blue useit®-Superpad P K24**. Next step: **P40, 80 and 120 useit®-Superpads**. After each sanding process removal of dust with the **useit®-dust pad**. Then sanding of the remaining coating with **useit®-Abrafilm® Z-40**. After that oiling with the **green takeit®-normal pad** (coarse). Dust removal with the **Blue Magic dust binding cloth** before priming.



Oil application

(1) "Complex" hard oil strong (2) "Complex" hard oil "Grund" (2x before oiling) (3) "Complex" Oil wiping care






STONE FLOORS - TILES

structured tiles • sanitary tiles • industrial floors • stone floors • Epoxy resin floors • clay tiles


Oil stains removed with the Floor Sander Junior and the **Blue Wave Melamine Pad**






Cleaned with Jöst Floor Sander Junior and **Blue Wave melamine pad**

WATCH ME





HOSPITAL BATH , DINSLAKEN

Removal of lime deposits with the Jöst Floor Sander Junior, the **Blue Wave melamine pad**, the **grey and green Abranopp® pads**, plus the **SG 600 useit®-Superfinishing Pad**



WORKSHOP AREA/FIRE STATION

Safety tiles cleaned with Jöst Floor Sander and **Blue Wave melamine pad**



JÖST TECHNIKUM

Cleaning of an old industrial floor with **Blue Wave melamine pad**.



WATCH ME



Range of the Blue Wave melamine pads with the Floor Sander machine on flat industrial floors is ca. 130 qm



PRINT SHOP, BAD DÜRKHEIM

2K coated industrial floor cleaned with Jöst Floor Sander and **useit®-Superfinishing-Pad SG 1200**



KINDERGARTEN, WALD-MICHELBACH

Rubber flooring cleaned with **Jöst Floor Cleaner** and **Blue Wave melamine pad** - only with water -



WATCH ME





Removal of crystallization/calcifications with the **special Abranopp® cleaning pad**




MARITIM HOTEL, MANNHEIM

Cleaning and polishing of historical marble tiles with the Jöst Floor Cleaner Junior: Wet cleaning with the **SG 240 useit®-Superfinishing Pad** and the **useit®-Abrafilm® C-240**. Polish afterwards with a sheep's wool pad and Lithofin polish.



CLIMBING HALL, BENSHEIM

Cleaning of painted and coated concrete floor with the Jöst Floor Sander





Cleaning and removal of paint and rubber abrasions with the **SG2 1800 useit®-Superfinishing Pad**, followed by decoating with the **SG 1200 useit®-Superfinishing Pad**



CARPETS



WATCH ME







Carpet cleaning with **Jöst Floor Sander Junior**, **micro-fiber pad blue/melange** and tensid free cleaning agent.



WATCH ME








Sanded with Jöst Big Boy orbital sander and various grits of **useit®-Superpad P** and **useit®-Superfinishing-Pad SG + SG2**

Corian color: DeepEspresso





WATCH ME








Premium products for
maximum added value!

JÖST
abrasives

Wooden floors - Floor Cleaner - takeit® - Big Boy - Carpets - useit®-Superpad P - Blue Wave - Blue Magic

Beerfeldener Str. 77 • D-69483 Wald-Michelbach • Tel: +49(0)6207-94 10-0
• Fax: 06207 - 24 63 • Mail: info@joest-abrasives.de

www.joest-abrasives.de
Online Shop
www.joest-abrasives-shop.com



Stand 06/2020