

Product Catalogue



Abrasives & Sanding Systems



Innovative High-Tech Abrasives and Abrasive Systems - for precise results

After gaining 10 years of intensive experience in the abrasives industry, Peter Jöst started his own company in 1981, driven by his personal commitment and innovative ideas. Today, JÖST abrasives is a medium-sized, family-owned company specializing in the development, production and distribution of abrasives and abrasive systems. Close cooperation with users from the industry and with trade and specialist trade partners has resulted in a comprehensive, application-oriented product range which is continuously enhanced. The company's unique innovative and patented products are recognized by professionals around the world as labor and cost-saving problem solutions. Products from JÖST abrasives make the surface treatment of metals and alloys, wood and wood-based materials, natural and artificial stone, plastics and mineral materials, rubber and coating materials as well as lacquers and paints much more productive.

Driving higher availability, longer service lives and shorter machining times, the pioneering ideas and innovative products of JÖST abrasives also considerably increase the productivity of our customers. The company strengths of JÖST abrasives include reliable employees with specialist knowledge and commitment, recognized consulting and quality competence, flexible production processes, sensible storage and stockpiling, adherence to deadlines, a high level of cost efficiency and rapid decision-making. These corporate qualities benefit our customers in the metal, wood, woodworking and plastics processing industries, as well as those in the painting and varnishing trades, in vehicle construction and in the carpentry and interior design sectors ... not forgetting of course the DIY specialists in the home.

JÖST abrasives has received several awards for its reliability as a system supplier to renowned companies. 2016 saw the company receive the prestigious "Hessian Grand Prize for Medium-Sized Enterprises" and the "Hessen Champion Award" in the innovation category.

Running a company means assuming responsibility towards our customers and suppliers, our own employees, their families and ourselves. We, the Jöst family, are very much aware of this. We strive to live up to this responsibility through our commitment and our daily actions – and to continue to write the success story of the Jöst company, together with all those who accompany us on our path through life.



We don't just please our customers - we inspire them

Innovation, new procedures and high-quality requirements are essential components of our corporate culture. Our primary goal is to offer products and systems of first-class quality that create maximum benefits for our customers. JÖST abrasives sees its challenge in identifying and understanding requirements before problems arise - and implementing a customized solution. We are well aware that we bear a high degree of responsibility for our current actions - and consequently for future development. That is why we have a high level of commitment to society, the environment and our customers, employees and suppliers... a commitment that not only justifies top performance, it requires it.

Peak performance is a journey, not just a destination. Top performance is dynamic, it can be optimized on a daily basis. We at JÖST abrasives know that - and we act accordingly, ensuring that our partners also benefit from what we provide for them. This is one of the reasons why our customers all over the world have long-term confidence in our performance, from consultancy to our problem-solving and service.

Exceptional skills ensure success

At JÖST abrasives, the focus is always on people. After all, good work is never done by a company, but by the people who work for it. JÖST abrasives has a whole network of specialists made up of developers, product managers, buyers and sellers, logistics staff and support teams. These specialists combine their creativity, cooperation and integrity to solve tasks and meet customers' requirements. The JÖST team is truly exceptional - a team of employees with different kinds of knowledge and experience, in which each member is outstandingly competent in his or her own field.

Above all, however, we never lose sight of one thing - our JÖST team consists of people with visions. People who make the customer's goal their own and develop integrated, optimized overall solutions to this end. People who believe in the magic of success and who always work at the highest level, in an effective and results-oriented way. This is the backbone of our company - JÖST abrasives GmbH.



With tradition and passion...

1981

Company foundation
"Jöst technische Vliesstoffe"



1982

New product
HANDI-sanding glove




1985

Product presentation
at the fair



1989

New product
useit® Superfinishing Pad



1993

Acquisition of the
present premises



1994

First office



1995

Patent application
pipe sanding system 2000



1996

New product & patent
useit® Superpad P



2004

New product
takeit® Normal pads



2010

New product & patent
Abranopp® pads



2014

New products:
Jöst sanding systems



2015

New administration
building



2019

New Warehouse
& shipping center

into the future

Index

abrasive paper	<ul style="list-style-type: none"> • useit® Superpad P gold für long-neck sander • useit® Superpad P gold Ø 50 - Ø 430 mm • useit® Superpad P gold delta- and stripes shape • useit® Superpad P gold for edge sander • useit® Superpad P gold for Jöst eccentric floor machines 	6 - 25
	<ul style="list-style-type: none"> • useit® Superpad P yellow for long-neck sander • useit® Superpad P yellow Ø 375 - Ø 430 mm • useit® Superpad P yellow delta- and stripes shape • useit® Superpad P yellow for P1 sanding system • useit® Superpad P yellow for edge sander • useit® Superpad P yellow for Jöst eccentric floor machines • White Star - Combi sanding paper • Other abrasives 	
abrasive film	<ul style="list-style-type: none"> • Abrafilm Ø 50 - Ø 430 mm • Abrafilm for P1 sanding system • Abrafilm for Jöst eccentric floor machines • Crystal Green 	26 - 32
high-performance abrasives	<ul style="list-style-type: none"> • useit® Superfinishing Pad SG for long-neck sander • useit® Superfinishing Pad SG Ø 75 - Ø 430 mm • useit® Superfinishing Pad SG delta- and stripes shape • useit® Superfinishing Pad SG for P1 sanding system • useit® Superfinishing Pad SG for Jöst eccentric floor machines • useit® Superfinishing Pad SG finishing- and polishing brushes • useit® Superfinishing Pad SG2 Ø 75 - Ø 430 mm • useit® Superfinishing Pad SG2 delta- and stripes shape • useit® Superfinishing Pad SG2 for P1 sanding system • useit® Superfinishing Pad SG2 for Jöst eccentric floor machines • useit® Superfinishing Pad SG2 finishing and polishing brushes 	33 - 48
	<ul style="list-style-type: none"> • useit®-Superfinishing Pad SG3 Ø 72 - Ø 200 mm • useit® -Superfinishing Pad SG3 delta- and stripes shape • useit®-Superfinishing Pad SG3 for P1 sanding system 	
Abraflex® non-woven	<ul style="list-style-type: none"> • Abraflex® High-Performance: rolls, discs, pads, others • Abraflex® Soft Automotive: rolls, pads • Abraflex® E-Type: rolls, pads • Texflex® Pads • Non-woven abrasives for long-neck sander 	49 - 54
mesh abrasive	<ul style="list-style-type: none"> • Abrasives mesh cloth • useit® Superpad G for long-neck sander • Green Cut® mesh abrasives for long-neck sander 	55 - 56
abrasive belts	<ul style="list-style-type: none"> • sanding belts • Abrasive drums 	57 - 60
cleaning pads	<ul style="list-style-type: none"> • Abranopp® • Blue Wave melaminpad • Micro fiber pads • Blue Magic dust-cloth • takeit® normal pad • Sheep wool pad • useit® dust-disc • Abraflex® Superpad • Abraflex® maroon pad 	61 - 69
sanding & cleaning system	<ul style="list-style-type: none"> • Floor Sander • Floor Sander Multi • Floor Sander Junior • Big Boy • Big Boy Junior • Floor Cleaner • Floor Cleaner Junior • Machine accessories • P1 sanding system • Angle grinder MAX & MORITZ • Pipe sanding system 2000 	70 - 82
accessories	<ul style="list-style-type: none"> • Abrasives accessories • Starter kit for Jöst eccentric machines • Technical Data - abrasives 	83 - 89

ABRASIVE PAPER

useit®-Superpad P gold

Thanks to their full-surface perforation, the multi-perforation useit®-Superpad P gold sanding disks are ideal for use on all manual grinding machines with and without suction. They guarantee 100% capability with minimum storage costs. Thanks to its stearate coating and unique design, any clogging of the sanding discs is effectively avoided. Dust pollution for humans and the environment is reduced to a minimum. Compared to conventional perforated sandpaper from other manufacturers, the gold quality achieves a much higher level of sanding performance. Precise and exquisite surface qualities with a unique 'feel' can be achieved. Thanks to its stearate coating, the Gold Quality is particularly suitable for sanding painted surfaces and guarantees a dust and shadow-free sanding result when used on mineral materials.

xxx-x xxSB = optimized packaging unit for self-service stands / Euro holes

useit® Superpad P gold for long-neck sander

part no.	dimension	color	grit	delivery form	PU
523-A320	ø 225 mm	gold	P-320	in foil	25 pcs
523-A320/SB	ø 225 mm	gold	P-320	in foil	10 pcs
523-A400	ø 225 mm	gold	P-400	in foil	25 pcs
523-A400/SB	ø 225 mm	gold	P-400	in foil	10 pcs




useit® Superpad P gold 50 - 430 mm diameter

part no.	dimension	color	grit	delivery form	PU
507-A 40	ø 50 mm	red	P-40	in carton	25 pcs
507-A 60	ø 50 mm	red	P-60	in carton	25 pcs
507-A 80	ø 50 mm	gold	P-80	in carton	25 pcs
507-A100	ø 50 mm	gold	P-100	in carton	25 pcs
507-A120	ø 50 mm	gold	P-120	in carton	25 pcs
507-A150	ø 50 mm	gold	P-150	in carton	25 pcs
507-A180	ø 50 mm	gold	P-180	in carton	25 pcs
507-A220	ø 50 mm	gold	P-220	in carton	25 pcs
507-A240	ø 50 mm	gold	P-240	in carton	25 pcs
507-A280	ø 50 mm	gold	P-280	in carton	25 pcs
507-A320	ø 50 mm	gold	P-320	in carton	25 pcs
507-A400	ø 50 mm	gold	P-400	in carton	25 pcs
507-A500	ø 50 mm	gold	P-500	in carton	25 pcs
507-A600	ø 50 mm	gold	P-600	in carton	25 pcs
507-A800	ø 50 mm	gold	P-800	in carton	25 pcs



part no.	dimension	color	grit	delivery form	PU
508-A 40	ø 75 mm	red	P-40	in carton	25 pcs
508-A 60	ø 75 mm	red	P-60	in carton	25 pcs
508-A 80	ø 75 mm	gold	P-80	in carton	25 pcs
508-A100	ø 75 mm	gold	P-100	in carton	25 pcs
508-A120	ø 75 mm	gold	P-120	in carton	25 pcs
508-A150	ø 75 mm	gold	P-150	in carton	25 pcs
508-A180	ø 75 mm	gold	P-180	in carton	25 pcs
508-A220	ø 75 mm	gold	P-220	in carton	25 pcs
508-A240	ø 75 mm	gold	P-240	in carton	25 pcs
508-A280	ø 75 mm	gold	P-280	in carton	25 pcs
508-A320	ø 75 mm	gold	P-320	in carton	25 pcs
508-A400	ø 75 mm	gold	P-400	in carton	25 pcs
508-A500	ø 75 mm	gold	P-500	in carton	25 pcs
508-A600	ø 75 mm	gold	P-600	in carton	25 pcs
508-A800	ø 75 mm	gold	P-800	in carton	25 pcs
519-A 40	ø 80 mm	red	P-40	in carton	25 pcs
519-A 60	ø 80 mm	red	P-60	in carton	25 pcs
519-A 80	ø 80 mm	gold	P-80	in carton	25 pcs
519-A100	ø 80 mm	gold	P-100	in carton	25 pcs
519-A120	ø 80 mm	gold	P-120	in carton	25 pcs
519-A150	ø 80 mm	gold	P-150	in carton	25 pcs
519-A180	ø 80 mm	gold	P-180	in carton	25 pcs
519-A220	ø 80 mm	gold	P-220	in carton	5 pcs
519-A240	ø 80 mm	gold	P-240	in carton	25 pcs
519-A280	ø 80 mm	gold	P-280	in carton	25 pcs
519-A320	ø 80 mm	gold	P-320	in carton	25 pcs
519-A400	ø 80 mm	gold	P-400	in carton	25 pcs
519-A500	ø 80 mm	gold	P-500	in carton	25 pcs
519-A600	ø 80 mm	gold	P-600	in carton	25 pcs
519-A800	ø 80 mm	gold	P-800	in carton	25 pcs
526-A 40	ø 90 mm	red	P-40	in carton	25 pcs
526-A 40/SB	ø 90 mm	red	P-40	in polybag	10 pcs
526-A 60	ø 90 mm	red	P-60	in carton	25 pcs
526-A 60/SB	ø 90 mm	red	P-60	in polybag	10 pcs
526-A 80	ø 90 mm	gold	P-80	in carton	25 pcs
526-A 80/SB	ø 90 mm	gold	P-80	in polybag	10 pcs
526-A100	ø 90 mm	gold	P-100	in carton	25 pcs
526-A100/SB	ø 90 mm	gold	P-100	in polybag	10 pcs
526-A120	ø 90 mm	gold	P-120	in carton	25 pcs
526-A120/SB	ø 90 mm	gold	P-120	in polybag	10 pcs
526-A150	ø 90 mm	gold	P-150	in carton	25 pcs
526-A150/SB	ø 90 mm	gold	P-150	in polybag	10 pcs
526-A180	ø 90 mm	gold	P-180	in carton	25 pcs
526-A180/SB	ø 90 mm	gold	P-180	in polybag	10 pcs
526-A220	ø 90 mm	gold	P-220	in carton	25 pcs
526-A220/SB	ø 90 mm	gold	P-220	in polybag	10 pcs
526-A240	ø 90 mm	gold	P-240	in carton	25 pcs
526-A240/SB	ø 90 mm	gold	P-240	in polybag	10 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE

part no.	dimension	color	grit	delivery form	PU
526-A320	ø 90 mm	gold	P-320	in carton	25 pcs
526-A320/SB	ø 90 mm	gold	P-320	in polybag	10 pcs
526-A400	ø 90 mm	gold	P-400	in carton	25 pcs
526-A500	ø 90 mm	gold	P-500	in carton	25 pcs
526-A600	ø 90 mm	gold	P-600	in carton	25 pcs
526-A800	ø 90 mm	gold	P-800	in carton2	5 pcs
516-A 40	ø 128 mm	red	P-40	in carton	25 pcs
516-A 40/SB	ø 128 mm	red	P-40	Blister	10 pcs
516-A 60	ø 128 mm	red	P-60	in carton	25 pcs
516-A 60/SB	ø 128 mm	red	P-60	Blister	10 pcs
516-A 80	ø 128 mm	gold	P-80	in carton	25 pcs
516-A 80/SB	ø 128 mm	gold	P-80	Blister	10 pcs
516-A100	ø 128 mm	gold	P-100	in carton	25 pcs
516-A100/SB	ø 128 mm	gold	P-100	Blister	10 pcs
516-A120	ø 128 mm	gold	P-120	in carton	25 pcs
516-A120/SB	ø 128 mm	gold	P-120	Blister	10 pcs
516-A150	ø 128 mm	gold	P-150	in carton	25 pcs
516-A150/SB	ø 128 mm	gold	P-150	Blister	10 pcs
516-A180	ø 128 mm	gold	P-180	in carton	25 pcs
516-A180/SB	ø 128 mm	gold	P-180	Blister	10 pcs
516-A220	ø 128 mm	gold	P-220	in carton	25 pcs
516-A220/SB	ø 128 mm	gold	P-220	Blister	10 pcs
516-A240	ø 128 mm	gold	P-240	in carton	25 pcs
516-A240/SB	ø 128 mm	gold	P-240	Blister	10 pcs
516-A280	ø 128 mm	gold	P-280	in carton	25 pcs
516-A280/SB	ø 128 mm	gold	P-280	Blister	10 pcs
516-A320	ø 128 mm	gold	P-320	in carton	25 pcs
516-A320/SB	ø 128 mm	gold	P-320	Blister	10 pcs
516-A400	ø 128 mm	gold	P-400	in carton	25 pcs
516-A400/SB	ø 128 mm	gold	P-400	Blister	10 pcs
516-A500	ø 128 mm	gold	P-500	in carton	25 pcs
516-A600	ø 128 mm	gold	P-600	in carton	25 pcs
516-A800	ø 128 mm	gold	P-800	in carton	25 pcs
517-A 40	ø 150 mm	red	P-40	in carton	25 pcs
517-A 40/SB	ø 150 mm	red	P-40	Blister	10 pcs
517-A 60	ø 150 mm	red	P-60	in carton	25 pcs
517-A 60/SB	ø 150 mm	red	P-60	Blister	10 pcs
517-A 80	ø 150 mm	gold	P-80	in carton	25 pcs
517-A 80/SB	ø 150 mm	gold	P-80	Blister	10 pcs
517-A100	ø 150 mm	gold	P-100	in carton	25 pcs
517-A100/SB	ø 150 mm	gold	P-100	Blister	10 pcs
517-A120	ø 150 mm	gold	P-120	in carton	25 pcs
517-A120/SB	ø 150 mm	gold	P-120	Blister	10 pcs
517-A150	ø 150 mm	gold	P-150	in carton	25 pcs
517-A150/SB	ø 150 mm	gold	P-150	Blister	10 pcs
517-A180	ø 150 mm	gold	P-180	in carton	25 pcs
517-A180/SB	ø 150 mm	gold	P-180	Blister	10 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE



xxx-x xx**SB** = optimized packaging unit for self-service stands / Euro holes

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE



part no.	dimension	color	grit	delivery form	PU
517-A220	ø 150 mm	gold	P-220	in carton	25 pcs
517-A220/SB	ø 150 mm	gold	P-220	Blister	10 pcs
517-A240	ø 150 mm	gold	P-240	in carton	25 pcs
517-A280	ø 150 mm	gold	P-280	in carton	25 pcs
517-A320	ø 150 mm	gold	P-320	in carton	25 pcs
517-A320/SB	ø 150 mm	gold	P-320	Blister	10 pcs
517-A400	ø 150 mm	gold	P-400	in carton	25 pcs
517-A400/SB	ø 150 mm	gold	P-400	Blister	10 pcs
517-A500	ø 150 mm	gold	P-500	in carton	25 pcs
517-A600	ø 150 mm	gold	P-600	in carton	25 pcs
517-A800	ø 150 mm	gold	P-800	in carton	25 pcs
518-A 40	ø 200 mm	red	P-40	in carton	25 pcs
518-A 60	ø 200 mm	red	P-60	in carton	25 pcs
518-A 80	ø 200 mm	gold	P-80	in carton	25 pcs
518-A100	ø 200 mm	gold	P-100	in carton	25 pcs
518-A120	ø 200 mm	gold	P-120	in carton	25 pcs
518-A150	ø 200 mm	gold	P-150	in carton	25 pcs
518-A180	ø 200 mm	gold	P-180	in carton	25 pcs
518-A220	ø 200 mm	gold	P-220	in carton	25 pcs
518-A240	ø 200 mm	gold	P-240	in carton	25 pcs
518-A280	ø 200 mm	gold	P-280	in carton	25 pcs
518-A320	ø 200 mm	gold	P-320	in carton	25 pcs
518-A400	ø 200 mm	gold	P-400	in carton	25 pcs
518-A500	ø 200 mm	gold	P-500	in carton	25 pcs
518-A600	ø 200 mm	gold	P-600	in carton	25 pcs
518-A800	ø 200 mm	gold	P-800	in carton	25 pcs
520-A 40	ø 280 mm	red	P-40	in carton	25 pcs
520-A 60	ø 280 mm	red	P-60	in carton	25 pcs
520-A 80	ø 280 mm	gold	P-80	in carton	25 pcs
520-A100	ø 280 mm	gold	P-100	in carton	25 pcs
520-A120	ø 280 mm	gold	P-120	in carton	25 pcs
520-A150	ø 280 mm	gold	P-150	in carton	25 pcs
520-A180	ø 280 mm	gold	P-180	in carton	25 pcs
520-A220	ø 280 mm	gold	P-220	in carton	25 pcs
520-A240	ø 280 mm	gold	P-240	in carton	25 pcs
520-A280	ø 280 mm	gold	P-280	in carton	25 pcs
520-A320	ø 280 mm	gold	P-320	in carton	25 pcs
520-A400	ø 280 mm	gold	P-400	in carton	25 pcs
520-A500	ø 280 mm	gold	P-500	in carton	25 pcs
520-A600	ø 280 mm	gold	P-600	in carton	25 pcs
520-A800	ø 280 mm	gold	P-800	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ SOLID SURFACE
- ✓ COMPOSITE

With the useit®-Superpad P gold multi-perforation sanding discs, you can process laminate flooring quickly and easily using conventional single-disc machines. Microscratches are sanded out of the laminate with the useit®-Superpad gold lacquer sandpaper and the desired degree of gloss is then restored with the useit®-Superfinishing Pad SG.

part no.	dimension	color	grit	delivery form	PU
538-A 80	ø 375 mm	gold	P-80	in carton	30 pcs
538-A 80/SB	ø 375 mm	gold	P-80	in carton	10 pcs
538-A100	ø 375 mm	gold	P-100	in carton	30 pcs
538-A100/SB	ø 375 mm	gold	P-100	in carton	10 pcs
538-A120	ø 375 mm	gold	P-120	in carton	30 pcs
538-A120/SB	ø 375 mm	gold	P-120	in carton	10 pcs
538-A150	ø 375 mm	gold	P-150	in carton	30 pcs
538-A150/SB	ø 375 mm	gold	P-150	in carton	10 pcs
538-A180	ø 375 mm	gold	P-180	in carton	30 pcs
538-A180/SB	ø 375 mm	gold	P-180	in carton	10 pcs
538-A220	ø 375 mm	gold	P-220	in carton	30 pcs
538-A220/SB	ø 375 mm	gold	P-220	in carton	10 pcs
538-A280	ø 375 mm	gold	P-280	in carton	30 pcs
538-A280/SB	ø 375 mm	gold	P-280	in carton	10 pcs
538-A320	ø 375 mm	gold	P-320	in carton	30 pcs
538-A320/SB	ø 375 mm	gold	P-320	in carton	10 pcs
538-A400	ø 375 mm	gold	P-400	in carton	30 pcs
538-A400/SB	ø 375 mm	gold	P-400	in carton	10 pcs
538-A500	ø 375 mm	gold	P-500	in carton	30 pcs
538-A500/SB	ø 375 mm	gold	P-500	in carton	10 pcs
539-A280	ø 410 mm	gold	P-280	in carton	30 pcs
539-A280/SB	ø 410 mm	gold	P-280	in carton	10 pcs
539-A320	ø 410 mm	gold	P-320	in carton	30 pcs
539-A320/SB	ø 410 mm	gold	P-320	in carton	10 pcs
539-A400	ø 410 mm	gold	P-400	in carton	30 pcs
539-A400/SB	ø 410 mm	gold	P-400	in carton	10 pcs
539-A500	ø 410 mm	gold	P-500	in carton	30 pcs
539-A500/SB	ø 410 mm	gold	P-500	in carton	10 pcs
540-A280	ø 430 mm	gold	P-280	in carton	30 pcs
540-A280/SB	ø 430 mm	gold	P-280	in carton	10 pcs
540-A320	ø 430 mm	gold	P-320	in carton	30 pcs
540-A320/SB	ø 430 mm	gold	P-320	in carton	10 pcs
540-A400	ø 430 mm	gold	P-400	in carton	30 pcs
540-A400/SB	ø 430 mm	gold	P-400	in carton	10 pcs
540-A500	ø 430 mm	gold	P-500	in carton	30 pcs
540-A500/SB	ø 430 mm	gold	P-500	in carton	10 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ SOLID SURFACE



useit® Superpad P gold stripes

part no.	dimension	color	grit	delivery form	PU
506-A 40	70x125 mm	red	P-40	in carton	25 pcs
506-A 60	70x125 mm	red	P-60	in carton	25 pcs
506-A 80	70x125 mm	red	P-80	in carton	25 pcs
506-A100	70x125 mm	gold	P-100	in carton	25 pcs
506-A120	70x125 mm	gold	P-120	in carton	25 pcs
506-A150	70x125 mm	gold	P-150	in carton	25 pcs
506-A180	70x125 mm	gold	P-180	in carton	25 pcs
506-A220	70x125 mm	gold	P-220	in carton	25 pcs
506-A240	70x125 mm	gold	P-240	in carton	25 pcs
506-A280	70x125 mm	gold	P-280	in carton	25 pcs
506-A320	70x125 mm	gold	P-320	in carton	25 pcs
506-A400	70x125 mm	gold	P-400	in carton	25 pcs
506-A500	70x125 mm	gold	P-500	in carton	25 pcs
506-A600	70x125 mm	gold	P-600	in carton	25 pcs
506-A800	70x125 mm	gold	P-800	in carton	25 pcs
505-A 40	70x420 mm	red	P-40	in carton	25 pcs
505-A 60	70x420 mm	red	P-60	in carton	25 pcs
505-A 80	70x420 mm	gold	P-80	in carton	25 pcs
505-A100	70x420 mm	gold	P-100	in carton	25 pcs
505-A120	70x420 mm	gold	P-120	in carton	25 pcs
505-A150	70x420 mm	gold	P-150	in carton	25 pcs
505-A180	70x420 mm	gold	P-180	in carton	25 pcs
505-A220	70x420 mm	gold	P-220	in carton	25 pcs
505-A240	70x420 mm	gold	P-240	in carton	25 pcs
505-A280	70x420 mm	gold	P-280	in carton	25 pcs
505-A320	70x420 mm	gold	P-320	in carton	25 pcs
505-A400	70x420 mm	gold	P-400	in carton	25 pcs
505-A500	70x420 mm	gold	P-500	in carton	25 pcs
505-A600	70x420 mm	gold	P-600	in carton	25 pcs
505-A800	70x420 mm	gold	P-800	in carton	25 pcs



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE

part no.	dimension	color	grit	delivery form	PU
513-A 40	80x133 mm	red	P-40	in carton	25 pcs
513-A 40/SB	80x133 mm	red	P-40	in polybag	10 pcs
513-A 60	80x133 mm	red	P-60	in carton	25 pcs
513-A 60/SB	80x133 mm	red	P-60	in polybag	10 pcs
513-A 80	80x133 mm	gold	P-80	in carton	25 pcs
513-A 80/SB	80x133 mm	gold	P-80	in polybag	10 pcs
513-A100	80x133 mm	gold	P-100	in carton	25 pcs
513-A100/SB	80x133 mm	gold	P-100	in polybag	10 pcs
513-A120	80x133 mm	gold	P-120	in carton	25 pcs
513-A120/SB	80x133 mm	gold	P-120	in polybag	10 pcs
513-A150	80x133 mm	gold	P-150	in carton	25 pcs
513-A150/SB	80x133 mm	gold	P-150	in polybag	10 pcs
513-A180	80x133 mm	gold	P-180	in carton	25 pcs
513-A180/SB	80x133 mm	gold	P-180	in polybag	10 pcs
513-A220	80x133 mm	gold	P-220	in carton	25 pcs
513-A220/SB	80x133 mm	gold	P-220	in polybag	10 pcs
513-A240	80x133 mm	gold	P-240	in carton	25 pcs
513-A240/SB	80x133 mm	gold	P-240	in polybag	10 pcs
513-A280	80x133 mm	gold	P-280	in carton	25 pcs
513-A280/SB	80x133 mm	gold	P-280	in polybag	10 pcs
513-A320	80x133 mm	gold	P-320	in carton	25 pcs
513-A320/SB	80x133 mm	gold	P-320	in polybag	10 pcs
513-A400	80x133 mm	gold	P-400	in carton	25 pcs
513-A400/SB	80x133 mm	gold	P-400	in polybag	10 pcs
513-A500	80x133 mm	gold	P-500	in carton	25 pcs
513-A600	80x133 mm	gold	P-600	in carton	25 pcs
513-A800	80x133 mm	gold	P-800	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE



part no.	dimension	color	grit	delivery form	PU
514-A 40	93x178 mm	red	P-40	in carton	25 pcs
514-A 40/SB	93x178 mm	red	P-40	in polybag	10 pcs
514-A 60	93x178 mm	red	P-60	in carton	25 pcs
514-A 60/SB	93x178 mm	red	P-60	in polybag	10 pcs
514-A 80	93x178 mm	gold	P-80	in carton	25 pcs
514-A 80/SB	93x178 mm	gold	P-80	in polybag	10 pcs
514-A100	93x178 mm	gold	P-100	in carton	25 pcs
514-A100/SB	93x178 mm	gold	P-100	in polybag	10 pcs
514-A120	93x178 mm	gold	P-120	in carton	25 pcs
514-A120/SB	93x178 mm	gold	P-120	in polybag	10 pcs
514-A150	93x178 mm	gold	P-150	in carton	25 pcs
514-A150/SB	93x178 mm	gold	P-150	in polybag	10 pcs
514-A180	93x178 mm	gold	P-180	in carton	25 pcs
514-A180/SB	93x178 mm	gold	P-180	in polybag	10 pcs
514-A220	93x178 mm	gold	P-220	in carton	25 pcs
514-A220/SB	93x178 mm	gold	P-220	in polybag	10 pcs
514-A240	93x178 mm	gold	P-240	in carton	25 pcs
514-A240/SB	93x178 mm	gold	P-240	in polybag	10 pcs
514-A280	93x178 mm	gold	P-280	in carton	25 pcs
514-A280/SB	93x178 mm	gold	P-280	in polybag	10 pcs
514-A320	93x178 mm	gold	P-320	in carton	25 pcs
514-A320/SB	93x178 mm	gold	P-320	in polybag	10 pcs
514-A400	93x178 mm	gold	P-400	in carton	25 pcs
514-A400/SB	93x178 mm	gold	P-400	in polybag	10 pcs
514-A500	93x178 mm	gold	P-500	in carton	25 pcs
514-A600	93x178 mm	gold	P-600	in carton	25 pcs
514-A800	93x178 mm	gold	P-800	in carton	25 pcs
512-A 40	100x147 mm	red	P-40	in carton	25 pcs
512-A 60	100x147 mm	red	P-60	in carton	25 pcs
512-A 80	100x147 mm	gold	P-80	in carton	25 pcs
512-A100	100x147 mm	gold	P-100	in carton	25 pcs
512-A120	100x147 mm	gold	P-120	in carton	25 pcs
512-A150	100x147 mm	gold	P-150	in carton	25 pcs
512-A180	100x147 mm	gold	P-180	in carton	25 pcs
512-A220	100x147 mm	gold	P-220	in carton	25 pcs
512-A240	100x147 mm	gold	P-240	in carton	25 pcs
512-A280	100x147 mm	gold	P-280	in carton	25 pcs
512-A320	100x147 mm	gold	P-320	in carton	25 pcs
512-A400	100x147 mm	gold	P-400	in carton	25 pcs
512-A500	100x147 mm	gold	P-500	in carton	25 pcs
512-A600	100x147 mm	gold	P-600	in carton	25 pcs
512-A800	100x147 mm	gold	P-800	in carton	25 pcs

- ✓ LACQUER
- ✓ METAL
- ✓ FILLER
- ✓ COMPOSITE



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE

part no.	dimension	color	grit	delivery form	PU
524-A 40	115x115 mm	red	P-40	in carton	25 pcs
524-A 60	115x115 mm	red	P-60	in carton	25 pcs
524-A 80	115x115 mm	gold	P-80	in carton	25 pcs
524-A100	115x115 mm	gold	P-100	in carton	25 pcs
524-A120	115x115 mm	gold	P-120	in carton	25 pcs
524-A150	115x115 mm	gold	P-150	in carton	25 pcs
524-A180	115x115 mm	gold	P-180	in carton	25 pcs
524-A220	115x115 mm	gold	P-220	in carton	25 pcs
524-A240	115x115 mm	gold	P-240	in carton	25 pcs
524-A280	115x115 mm	gold	P-280	in carton	25 pcs
524-A320	115x115 mm	gold	P-320	in carton	25 pcs
524-A400	115x115 mm	gold	P-400	in carton	25 pcs
524-A500	115x115 mm	gold	P-500	in carton	25 pcs
524-A600	115x115 mm	gold	P-600	in carton	25 pcs
524-A800	115x115 mm	gold	P-800	in carton	25 pcs
515-A 40	115x228 mm	red	P-40	in carton	25 pcs
515-A 40/SB	115x228 mm	red	P-40	in polybag	10 pcs
515-A 60	115x228 mm	red	P-60	in carton	25 pcs
515-A 60/SB	115x228 mm	red	P-60	in polybag	10 pcs
515-A 80	115x228 mm	gold	P-80	in carton	25 pcs
515-A 80/SB	115x228 mm	gold	P-80	in polybag	10 pcs
515-A100	115x228 mm	gold	P-100	in carton	25 pcs
515-A100/SB	115x228 mm	gold	P-100	in polybag	10 pcs
515-A120	115x228 mm	gold	P-120	in carton	25 pcs
515-A120/SB	115x228 mm	gold	P-120	in polybag	10 pcs
515-A150	115x228 mm	gold	P-150	in carton	25 pcs
515-A150/SB	115x228 mm	gold	P-150	in polybag	10 pcs
515-A180	115x228 mm	gold	P-180	in carton	25 pcs
515-A180/SB	115x228 mm	gold	P-180	in polybag	10 pcs
515-A220	115x228 mm	gold	P-220	in carton	25 pcs
515-A220/SB	115x228 mm	gold	P-220	in polybag	10 pcs
515-A240	115x228 mm	gold	P-240	in carton	25 pcs
515-A240/SB	115x228 mm	gold	P-240	in polybag	10 pcs
515-A280	115x228 mm	gold	P-280	in carton	25 pcs
515-A280/SB	115x228 mm	gold	P-280	in polybag	10 pcs
515-A320	115x228 mm	gold	P-320	in carton	25 pcs
515-A320/SB	115x228 mm	gold	P-320	in polybag	10 pcs
515-A400	115x228 mm	gold	P-400	in carton	25 pcs
515-A400/SB	115x228 mm	gold	P-400	in polybag	10 pcs
515-A500	115x228 mm	gold	P-500	in carton	25 pcs
515-A600	115x228 mm	gold	P-600	in carton	25 pcs
515-A800	115x228 mm	gold	P-800	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ RUBBER
- ✓ COMPOSITE




- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE

part no.	dimension	color	grit	delivery form	PU
525-A 40	230x280 mm	red	P-40	in carton	25 pcs
525-A 60	230x280 mm	red	P-60	in carton	25 pcs
525-A 80	230x280 mm	gold	P-80	in carton	25 pcs
525-A100	230x280 mm	gold	P-100	in carton	25 pcs
525-A120	230x280 mm	gold	P-120	in carton	25 pcs
525-A150	230x280 mm	gold	P-150	in carton	25 pcs
525-A180	230x280 mm	gold	P-180	in carton	25 pcs
525-A220	230x280 mm	gold	P-220	in carton	25 pcs
525-A240	230x280 mm	gold	P-240	in carton	25 pcs
525-A280	230x280 mm	gold	P-280	in carton	25 pcs
525-A320	230x280 mm	gold	P-320	in carton	25 pcs
525-A400	230x280 mm	gold	P-400	in carton	25 pcs
525-A600	230x280 mm	gold	P-600	in carton	25 pcs
525-A800	230x280 mm	gold	P-800	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE


useit® Superpad P gold delta shape

part no.	dimension	color	grit	delivery form	PU
511-A 40	93x93x93 mm	red	P-40	in carton	25 pcs
511-A 40/SB	93x93x93 mm	red	P-40	in polybag	10 pcs
511-A 60	93x93x93 mm	red	P-60	in carton	25 pcs
511-A 60/SB	93x93x93 mm	red	P-60	in polybag	10 pcs
511-A 80	93x93x93 mm	gold	P-80	in carton	25 pcs
511-A 80/SB	93x93x93 mm	gold	P-80	in polybag	10 pcs
511-A100	93x93x93 mm	gold	P-100	in carton	25 pcs
511-A100/SB	93x93x93 mm	gold	P-100	in polybag	10 pcs
511-A120	93x93x93 mm	gold	P-120	in carton	25 pcs
511-A120/SB	93x93x93 mm	gold	P-120	in polybag	10 pcs
511-A150	93x93x93 mm	gold	P-150	in carton	25 pcs
511-A150/SB	93x93x93 mm	gold	P-150	in polybag	10 pcs
511-A180	93x93x93 mm	gold	P-180	in carton	25 pcs
511-A180/SB	93x93x93 mm	gold	P-180	in polybag	10 pcs
511-A220	93x93x93 mm	gold	P-220	in carton	25 pcs
511-A220/SB	93x93x93 mm	gold	P-220	in polybag	10 pcs
511-A240	93x93x93 mm	gold	P-240	in carton	25 pcs
511-A240/SB	93x93x93 mm	gold	P-240	in polybag	10 pcs
511-A280	93x93x93 mm	gold	P-280	in carton	25 pcs
511-A280/SB	93x93x93 mm	gold	P-280	in polybag	10 pcs
511-A320	93x93x93 mm	gold	P-320	in carton	25 pcs
511-A320/SB	93x93x93 mm	gold	P-320	in polybag	10 pcs
511-A400	93x93x93 mm	gold	P-400	in carton	25 pcs
511-A400/SB	93x93x93 mm	gold	P-400	in polybag	10 pcs
511-A500	93x93x93 mm	gold	P-500	in carton	25 pcs
511-A600	93x93x93 mm	gold	P-600	in carton	25 pcs
511-A800	93x93x93 mm	gold	P-800	in carton	25 pcs



part no.	dimension	color	grit	delivery form	PU
541-A 40	105x105x105	red	P-40	in carton	25 pcs
541-A 40/SB	105x105x105	red	P-40	in polybag	10 pcs
541-A 60	105x105x105	red	P-60	in carton	25 pcs
541-A 60/SB	105x105x105	red	P-60	in polybag	10 pcs
541-A 80	105x105x105	gold	P-80	in carton	25 pcs
541-A 80/SB	105x105x105	gold	P-80	in polybag	10 pcs
541-A100	105x105x105	gold	P-100	in carton	25 pcs
541-A100/SB	105x105x105	gold	P-100	in polybag	10 pcs
541-A120	105x105x105	gold	P-120	in carton	25 pcs
541-A120/SB	105x105x105	gold	P-120	in polybag	10 pcs
541-A150	105x105x105	gold	P-150	in carton	25 pcs
541-A150/SB	105x105x105	gold	P-150	in polybag	10 pcs
541-A180	105x105x105	gold	P-180	in carton	25 pcs
541-A180/SB	105x105x105	gold	P-180	in polybag	10 pcs
541-A220	105x105x105	gold	P-220	in carton	25 pcs
541-A220/SB	105x105x105	gold	P-220	in polybag	10 pcs
541-A240	105x105x105	gold	P-240	in carton	25 pcs
541-A240/SB	105x105x105	gold	P-240	in polybag	10 pcs
541-A280	105x105x105	gold	P-280	in carton	25 pcs
541-A280/SB	105x105x105	gold	P-280	in polybag	10 pcs
541-A320	105x105x105	gold	P-320	in carton	25 pcs
541-A320/SB	105x105x105	gold	P-320	in polybag	10 pcs
541-A400	105x105x105	gold	P-400	in carton	25 pcs
541-A400/SB	105x105x105	gold	P-400	in polybag	10 pcs
541-A500	105x105x105	gold	P-500	in carton	25 pcs
541-A600	105x105x105	gold	P-600	in carton	25 pcs
541-A800	105x105x105	gold	P-800	in carton	25 pcs


- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL
- ✓ COMPOSITE



useit® Superpad P gold for edge sander

part no.	dimension	color	grit	delivery form	PU
509-A280/P	ø 115 mm	gold	P-280	in polybag	25 pcs
509-A320/P	ø 115 mm	gold	P-320	in polybag	25 pcs
509-A440/P	ø 115 mm	gold	P-440	in polybag	25 pcs
509-A500/P	ø 115 mm	gold	P-500	in polybag	25 pcs
537-A280/P	ø 178 mm	gold	P-280	in polybag	25 pcs
537-A320/P	ø 178 mm	gold	P-320	in polybag	25 pcs
537-A400/P	ø 178 mm	gold	P-400	in polybag	25 pcs
537-A500/P	ø 178 mm	gold	P-500	in polybag	25 pcs
517-A280/P	ø 150 mm	gold	P-280	in polybag	25 pcs
517-A320/P	ø 150 mm	gold	P-320	in polybag	25 pcs
517-A400/P	ø 150 mm	gold	P-400	in polybag	25 pcs
517-A500/P	ø 150 mm	gold	P-500	in polybag	25 pcs
518-A280/P	ø 200 mm	gold	P-280	in polybag	25 pcs
518-A320/P	ø 200 mm	gold	P-320	in polybag	25 pcs
518-A400/P	ø 200 mm	gold	P-400	in polybag	25 pcs
518-A500/P	ø 200 mm	gold	P-500	in polybag	25 pcs



A microscopic view of a grinding wheel surface. The surface is a light tan color and is densely populated with small, dark, angular diamond particles. Several circular holes of varying sizes are visible, which are characteristic of a dust-free grinding wheel design. The background is a solid blue color.

The dust-free solution with maximum grinding performance

useit® Superpad P gold for Jöst eccentric machines

As in the case of the useit®-Superpad P gold for single disc machines, laminate floors in need of renovation can be easily refurbished with the Jöst random orbital sanders. Almost any desired gloss level can be achieved in combination with the useit® Superfinishing Pad SG. Thanks to its full-surface perforation and the associated dust extraction, the gold Line is the ideal product for mineral materials and painted surfaces. A shadow and dust-free sanding result is guaranteed – with the best possible surface quality. Working time savings of up to 50% can be achieved.

part no.	dimension	color	grit	delivery form	PU
549-A40	190x340 mm	red	P-40	in polybag	10 pcs
549-A60	190x340 mm	red	P-60	in polybag	10 pcs
549-A80	190x340 mm	gold	P-80	in polybag	10 pcs
549-A100	190x340 mm	gold	P-100	in polybag	10 pcs
549-A120	190x340 mm	gold	P-120	in polybag	10 pcs
549-A150	190x340 mm	gold	P-150	in polybag	10 pcs
549-A180	190x340 mm	gold	P-180	in polybag	10 pcs
549-A220	190x340 mm	gold	P-220	in polybag	10 pcs
549-A240	190x340 mm	gold	P-240	in polybag	10 pcs
549-A280	190x340 mm	gold	P-280	in polybag	10 pcs
549-A320	190x340 mm	gold	P-320	in polybag	10 pcs
549-A400	190x340 mm	gold	P-400	in polybag	10 pcs
549-A500	190x340 mm	gold	P-500	in polybag	10 pcs
549-A600	190x340 mm	gold	P-600	in polybag	10 pcs
549-A800	190x340 mm	gold	P-800	in polybag	10 pcs
548-A40	335x485 mm	red	P-40	in polybag	10 pcs
548-A60	335x485 mm	red	P60	in polybag	10 pcs
548-A80	335x485 mm	gold	P-80	in polybag	10 pcs
548-A100	335x485 mm	gold	P-100	in polybag	10 pcs
548-A120	335x485 mm	gold	P-120	in polybag	10 pcs
548-A150	335x485 mm	gold	P-150	in polybag	10 pcs
548-A180	335x485 mm	gold	P-180	in polybag	10 pcs
548-A220	335x485 mm	gold	P-220	in polybag	10 pcs
548-A240	335x485 mm	gold	P-240	in polybag	10 pcs
548-A280	335x485 mm	gold	P-280	in polybag	10 pcs
548-A320	335x485 mm	gold	P-320	in polybag	10 pcs
548-A400	335x485 mm	gold	P-400	in polybag	10 pcs
548-A500	335x485 mm	gold	P-500	in polybag	10 pcs
548-A600	335x485 mm	gold	P-600	in polybag	10 pcs
548-A800	335x485 mm	gold	P-800	in polybag	10 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ COMPOSITE



ABRASIVE PAPER

useit®-Superpad P yellow

useit® Superpad P yellow for long-neck sander

Jöst useit® Superpad P yellow and gold multi-perforation sanding discs fits on all long-neck sanders available on the market today. Their high inherent rigidity ensures a flat and scratch-free finish in wall and ceiling processing. Work can be carried out quickly & safely – and is also dust-free. Clogging of the sanding disc is prevented thanks to the full-surface and innovative perforation and the sanding performance is increased many times over when compared to conventionally perforated sanding discs.

part no.	dimension	color	grit	delivery form	PU
423-A 16	ø 225 mm	black	K-16	in foil	10 pcs (without perforation)
423-A 16/SB	ø 225 mm	black	K-16	in polybag	10 pcs (without perforation)
423-A 24	ø 225 mm	black	K-24	in carton	25 pcs (without perforation)
423-A 24/SB	ø 225 mm	black	K-24	in polybag	10 pcs (without perforation)
423-A 40	ø 225 mm	yellow	P-40	in carton	25 pcs
423-A 40/SB	ø 225 mm	yellow	P-40	in polybag	10 pcs
423-A 60	ø 225 mm	yellow	P-60	in carton	25 pcs
423-A 60/SB	ø 225 mm	yellow	P-60	in polybag	10 pcs
423-A 80	ø 225 mm	yellow	P-80	in carton	25 pcs
423-A 80/SB	ø 225 mm	yellow	P-80	in polybag	10 pcs
423-A100	ø 225 mm	yellow	P-100	in carton	25 pcs
423-A100/SB	ø 225 mm	yellow	P-100	in polybag	10 pcs
423-A120	ø 225 mm	yellow	P-120	in carton	25 pcs
423-A120/SB	ø 225 mm	yellow	P-120	in polybag	10 pcs
423-A150	ø 225 mm	yellow	P-150	in carton	25 pcs
423-A150/SB	ø 225 mm	yellow	P-150	in polybag	10 pcs
423-A180	ø 225 mm	yellow	P-180	in carton	25 pcs
423-A180/SB	ø 225 mm	yellow	P-180	in polybag	10 pcs
423-A220	ø 225 mm	yellow	P-220	in carton	25 pcs
423-A220/SB	ø 225 mm	yellow	P-220	in polybag	10 pcs

- ✓ GYPSUM
- ✓ FILLER



Thanks to its robust backing paper, half-open scatter and special Velcro coating, the useit®-Superpad P Yellow is ideal for dry construction, parquet flooring and wood applications. The narrow multi-perforation in combination with the specially designed back coating ensures the dust-free removal of the sanding dust, the effective adaptation of the abrasive to the surface and smoother machine operation on hand-held sanding machines. Compared to conventional perforated abrasives, the Yellow's permanent dust extraction process hugely increases the service life of these sanding disks. They fit on all common grinding machines, regardless of the perforation configuration in the sanding and suction plates.

xxx-x xx**SB** = xxx-x xx**SB** = optimized packaging unit for self-service stands / Euro holes
grit 16, 24 and 36 without perforation!

useit® Superpad P yellow 375 - 430 mm diameter

part no.	dimension	color	grit	delivery form	PU
438-K 436	ø 375 mm	blue	K-36	in carton	30 pcs <i>(without perforation)</i>
438-K 436/SB	ø 375 mm	blue	K-36	in carton	30 pcs <i>(without perforation)</i>
438-A 40	ø 375 mm	yellow	P-40	in carton	30 pcs
438-A 40/SB	ø 375 mm	yellow	P-40	in carton	10 pcs
438-A 60	ø 375 mm	yellow	P-60	in carton	30 pcs
438-A 60/SB	ø 375 mm	yellow	P-60	in carton	10 pcs
438-A 80	ø 375 mm	yellow	P-80	in carton	30 pcs
438-A 80/SB	ø 375 mm	yellow	P-80	in carton	10 pcs
438-A100	ø 375 mm	yellow	P-100	in carton	30 pcs
438-A100/SB	ø 375 mm	yellow	P-100	in carton	10 pcs
438-A120	ø 375 mm	yellow	P-120	in carton	30 pcs
438-A120/SB	ø 375 mm	yellow	P-120	in carton	10 pcs
438-A150	ø 375 mm	yellow	P-150	in carton	30 pcs
438-A150/SB	ø 375 mm	yellow	P-150	in carton	10 pcs
438-A220	ø 375 mm	yellow	P-220	in carton	30 pcs
438-A220/SB	ø 375 mm	yellow	P-220	in carton	10 pcs

✓ PARQUET




part no.	dimension	color	grit	delivery form	PU
439-K 36	ø 410 mm	blue	A-36	in carton	30 pcs
439-K 36/SB	ø 410 mm	blue	A-36	in carton	10 pcs
439-A 40	ø 410 mm	yellow	P-40	in carton	30 pcs
439-A 40/SB	ø 410 mm	yellow	P-40	in carton	10 pcs
439-A 60	ø 410 mm	yellow	P-60	in carton	30 pcs
439-A 60/SB	ø 410 mm	yellow	P-60	in carton	10 pcs
439-A 80	ø 410 mm	yellow	P-80	in carton	30 pcs
439-A 80/SB	ø 410 mm	yellow	P-80	in carton	10 pcs
439-A100	ø 410 mm	yellow	P-100	in carton	30 pcs
439-A100/SB	ø 410 mm	yellow	P-100	in carton	10 pcs
439-A120	ø 410 mm	yellow	P-120	in carton	30 pcs
439-A120/SB	ø 410 mm	yellow	P-120	in carton	10 pcs
439-A150	ø 410 mm	yellow	P-150	in carton	30 pcs
439-A150/SB	ø 410 mm	yellow	P-150	in carton	10 pcs
439-A220	ø 410 mm	yellow	P-220	in carton	30 pcs
439-A220/SB	ø 410 mm	yellow	P-220	in carton	10 pcs
440-K 36	ø 430 mm	blue	K-36	in carton	30 pcs
440-K 36/SB	ø 430 mm	blue	K-36	in carton	10 pcs
440-A 40	ø 430 mm	yellow	P-40	in carton	30 pcs
440-A 40/SB	ø 430 mm	yellow	P-40	in carton	10 pcs
440-A 60	ø 430 mm	yellow	P-60	in carton	30 pcs
440-A 60/SB	ø 430 mm	yellow	P-60	in carton	10 pcs
440-A 80	ø 430 mm	yellow	P-80	in carton	30 pcs
440-A 80/SB	ø 430 mm	yellow	P-80	in carton	10 pcs
440-A100	ø 430 mm	yellow	P-100	in carton	30 pcs
440-A100/SB	ø 430 mm	yellow	P-100	in carton	10 pcs
440-A120	ø 430 mm	yellow	P-120	in carton	30 pcs
440-A120/SB	ø 430 mm	yellow	P-120	in carton	10 pcs
440-A150	ø 430 mm	yellow	P-150	in carton	30 pcs
440-A150/SB	ø 430 mm	yellow	P-150	in carton	10 pcs
440-A220	ø 430 mm	yellow	P-220	in carton	30 pcs
440-A220/SB	ø 430 mm	yellow	P-220	in carton	10 pcs



useit® Superpad P yellow delta shape

part no.	dimension	color	grit	delivery form	PU
444-A 16	290x290x290 mm	black	K-16	in polybag	10 pcs
444-A 40	290x290x290 mm	yellow	P-40	in polybag	10 pcs
444-A 60	290x290x290 mm	yellow	P-60	in polybag	10 pcs
444-A 80	290x290x290 mm	yellow	P-80	in polybag	10 pcs
444-A100	290x290x290 mm	yellow	P-100	in polybag	10 pcs
444-A120	290x290x290 mm	yellow	P-120	in polybag	10 pcs
444-A150	290x290x290 mm	yellow	P-150	in polybag	10 pcs
444-A180	290x290x290 mm	yellow	P-180	in polybag	10 pcs
444-A220	290x290x290 mm	yellow	P-220	in polybag	10 pcs



useit® Superpad P yellow for P1 sanding system

part no.	dimension	color	grit	delivery form	PU
733-A 40	ø 136 mm	yellow	P-40	in carton	25 pcs
733-A 60	ø 136 mm	yellow	P-60	in carton	25 pcs
733-A 80	ø 136 mm	yellow	P-80	in carton	25 pcs
733-A120	ø 136 mm	yellow	P-120	in carton	25 pcs
743-A 40	ø 156 mm	yellow	P-40	in carton	25 pcs
743-A 60	ø 156 mm	yellow	P-60	in carton	25 pcs
743-A 80	ø 156 mm	yellow	P-80	in carton	25 pcs
743-A120	ø 156 mm	yellow	P-120	in carton	25 pcs
744-A 40	ø 210 mm	yellow	P-40	in carton	25 pcs
744-A 60	ø 210 mm	yellow	P-60	in carton	25 pcs
744-A 80	ø 210 mm	yellow	P-80	in carton	25 pcs
744-A 120	ø 210 mm	yellow	P-120	in carton	25 pcs



useit® Superpad P yellow for edge sanders

part no.	dimension	color	grit	delivery form	PU
407-A 40/P	ø 115 mm	yellow	P-40	in carton	25 pcs
407-A 60/P	ø 115 mm	yellow	P-60	in carton	25 pcs
407-A 80/P	ø 115 mm	yellow	P-80	in carton	25 pcs
407-A100/P	ø 115 mm	yellow	P-100	in carton	25 pcs
407-A120/P	ø 115 mm	yellow	P-120	in carton	25 pcs
407-A150/P	ø 115 mm	yellow	P-150	in carton	25 pcs
407-A180/P	ø 115 mm	yellow	P-180	in carton	25 pcs
407-A220/P	ø 115 mm	yellow	P-220	in carton	25 pcs
404-A 40/P	ø 140 mm	yellow	P-40	in carton	25 pcs
404-A 60/P	ø 140 mm	yellow	P-60	in carton	25 pcs
404-A 80/P	ø 140 mm	yellow	P-80	in carton	25 pcs
404-A100/P	ø 140 mm	yellow	P-100	in carton	25 pcs
404-A120/P	ø 140 mm	yellow	P-120	in carton	25 pcs
404-A150/P	ø 140 mm	yellow	P-150	in carton	25 pcs
404-A180/P	ø 140 mm	yellow	P-180	in carton	25 pcs
404-A220/P	ø 140 mm	yellow	P-220	in carton	25 pcs
417-A 40/P	ø 150 mm	yellow	P-40	in carton	25 pcs
417-A 60/P	ø 150 mm	yellow	P-60	in carton	25 pcs
417-A 80/P	ø 150 mm	yellow	P-80	in carton	25 pcs
417-A100/P	ø 150 mm	yellow	P-100	in carton	25 pcs
417-A120/P	ø 150 mm	yellow	P-120	in carton	25 pcs
417-A150/P	ø 150 mm	yellow	P-150	in carton	25 pcs
417-A180/P	ø 150 mm	yellow	P-150	in carton	25 pcs
417-A220/P	ø 150 mm	yellow	P-220	in carton	25 pcs



part no.	dimension	color	grit	delivery form	PU
408-A 40/P	ø 178 mm	yellow	P-40	in carton	25 pcs
408-A 60/P	ø 178 mm	yellow	P-60	in carton	25 pcs
408-A 80/P	ø 178 mm	yellow	P-80	in carton	25 pcs
408-A100/P	ø 178 mm	yellow	P-100	in carton	25 pcs
408-A120/P	ø 178 mm	yellow	P-120	in carton	25 pcs
408-A150/P	ø 178 mm	yellow	P-150	in carton	25 pcs
408-A180/P	ø 178 mm	yellow	P-180	in carton	25 pcs
408-A220/P	ø 178 mm	yellow	P-220	in carton	25 pcs
409-A 40/P	ø 200 mm	yellow	P-40	in carton	25 pcs
409-A 60/P	ø 200 mm	yellow	P-60	in carton	25 pcs
409-A 80/P	ø 200 mm	yellow	P-80	in carton	25 pcs
409-A100/P	ø 200 mm	yellow	P-100	in carton	25 pcs
409-A120/P	ø 200 mm	yellow	P-120	in carton	25 pcs
409-A150/P	ø 200 mm	yellow	P-150	in carton	25 pcs
409-A180/P	ø 200 mm	yellow	P-180	in carton	25 pcs
409-A220/P	ø 200 mm	yellow	P-220	in carton	25 pcs



useit® Superpad P yellow for Jöst eccentric machines

The useit® Superpad P Yellow for Jöst orbital sanders is ideal for the use on parquet floors and wooden surfaces thanks to its robust backing paper, semi-open scatter and special Velcro coating. Thanks to its special grain bonding, the risk of a grain breakout is minimized and the formation of curls on the surface is more or less impossible. The narrow multi-perforation in conjunction with the specially designed back coating ensures optimum removal of the grinding dust on machines with dust extraction. On machines without dust extraction, the clogging of the sanding disc is also prevented when a dust storage pad is used. In both cases, this means that the useit®-Superpad P yellow has an extremely long service life – and it also vastly improves the surface quality. Depending on the type of wood, you can even replace a P40 grain with a P120, reducing your working time and costs.

part no.	dimension	color	grit	delivery form	PU
449-K 36	190x340 mm	blue	K-36	in polybag	10 pcs
449-A 40	190x340 mm	yellow	P-40	in polybag	10 pcs
449-A 60	190x340 mm	yellow	P-60	in polybag	10 pcs
449-A 80	190x340 mm	yellow	P-80	in polybag	10 pcs
449-A100	190x340 mm	yellow	P-100	in polybag	10 pcs
449-A120	190x340 mm	yellow	P-120	in polybag	10 pcs
449-A150	190x340 mm	yellow	P-150	in polybag	10 pcs
449-A180	190x340 mm	yellow	P-180	in polybag	10 pcs
449-A220	190x340 mm	yellow	P-220	in polybag	10 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER

part no.	dimension	color	grit	delivery form	PU
448-K 36	335x485 mm	blue	K-36	in polybag	10 pcs
448-A 40	335x485 mm	yellow	P-40	in polybag	10 pcs
448-A 60	335x485 mm	yellow	P-60	in polybag	10 pcs
448-A 80	335x485 mm	yellow	P-80	in polybag	10 pcs
448-A100	335x485 mm	yellow	P-100	in polybag	10 pcs
448-A120	335x485 mm	yellow	P-120	in polybag	10 pcs
448-A150	335x485 mm	yellow	P-150	in polybag	10 pcs
448-A180	335x485 mm	yellow	P-180	in polybag	10 pcs
448-A220	335x485 mm	yellow	P-220	in polybag	10 pcs



ABRASIVE PAPER

White Star

White Star sanding discs for wall and dry construction are equipped with a combination perforation suitable for Festool, Planex and Flex Vario machines.

White Star

part no.	dimension	color	grit	delivery form	PU
223-A 40	ø 225 mm	white	P-40	in foil	25 pcs
223-A 60	ø 225 mm	white	P-60	in foil	25 pcs
223-A 80	ø 225 mm	white	P-80	in foil	25 pcs
223-A100	ø 225 mm	white	P-100	in foil	25 pcs
223-A120	ø 225 mm	white	P-120	in foil	25 pcs
223-A150	ø 225 mm	white	P-150	in foil	25 pcs
223-A180	ø 225 mm	white	P-180	in foil	25 pcs
223-A220	ø 225 mm	white	P-220	in foil	25 pcs

- ✓ GYPSUM
- ✓ FILLER



Other sanding paper

Sandpaper for CLINI holders, for HANDI sanding gloves, sanding mats and sanding blocks.

part no.	dimension	color	grit	delivery form	PU
04-P 60	hand shape	red	P-60	in foil	20 pcs
04-P 80	hand shape	red	P-80	in foil	20 pcs
04-P 120	hand shape	red	P-120	in foil	20 pcs
04-P 180	hand shape	red	P-180	in foil	20 pcs



33-COARSE	96x125x12,5 mm	grey	coarse	in carton	10 pcs
33-FINE	96x125x12,5 mm	grey	fine	in carton	10 pcs
33-MEDIUM	96x125x12,5 mm	grey	medium	in carton	10 pcs



part no.	dimension	color	grit	delivery form	PU
34-COARSE	99x68x25 mm	grey	coarse	in carton	24 pcs
34-FINE	99x68x25 mm	grey	fine	in carton	24 pcs
34-MEDIUM	99x68x25 mm	grey	medium	in carton	24 pcs




03-P 40	100x150 mm	red	P-40	in foil	20 pcs
03-P 50	100x150 mm	red	P-50	in foil	20 pcs
03-P 60	100x150 mm	red	P-60	in foil	20 pcs
03-P 80	100x150 mm	red	P-80	in foil	20 pcs
03-P100	100x150 mm	red	P-100	in foil	20 pcs
03-P120	100x150 mm	red	P-120	in foil	20 pcs
03-P180	100x150 mm	red	P-180	in foil	20 pcs



10-K 24	ø 115 mm	blue	K-24	in carton	25 pcs
10-K 36	ø 115 mm	blue	K-36	in carton	25 pcs
10-P 40	ø 115 mm	red	K-40	in carton	50 pcs
10-P 50	ø 115 mm	red	K-50	in carton	50 pcs
10-P 60	ø 115 mm	red	K-60	in carton	50 pcs
10-P 80	ø 115 mm	red	K-80	in carton	50 pcs
10-P120	ø 115 mm	red	K-120	in carton	50 pcs
10-P180	ø 115 mm	red	K-180	in carton	50 pcs





ABRASIVE FILM

useit® Abrafilm®

The newly developed useit®-Abrafilm® offers excellent cutting performances and has an extremely durable and tearproof film carrier. The finest sanding up to grit 3000 is possible with the useit®-Abrafilm®. This results in smoother sanding and therefore finer results. The multihole perforation of the abrasive in combination with the multilayer structure of the Velcro-type system guarantees the exact alignment of the abrasive grain. This leads to continuous dust extraction over the entire surface, optimum sanding results and a much higher service life. The useit® Abrafilm® is suitable for both wet and dry sanding.

useit® Abrafilm® von 50 - 430 mm diameter

part no.	dimension	color	grit	delivery form	PU
607-Z 40	ø 50 mm	green	Z-40	in carton	25 pcs
607-Z 60	ø 50 mm	green	Z-60	in carton	25 pcs
607-Z 80	ø 50 mm	green	Z-80	in carton	25 pcs
607-Z 100	ø 50 mm	green	Z-100	in carton	25 pcs
607-Z 120	ø 50 mm	green	Z-120	in carton	25 pcs
607-Z 150	ø 50 mm	green	Z-150	in carton	25 pcs
607-Z 180	ø 50 mm	green	Z-180	in carton	25 pcs
607-Z 220	ø 50 mm	green	Z-220	in carton	25 pcs
607-C240	ø 50 mm	green	C-240	in carton	25 pcs
607-C320	ø 50 mm	green	C-320	in carton	25 pcs
607-C400	ø 50 mm	green	C-400	in carton	25 pcs
607-C500	ø 50 mm	green	C-500	in carton	25 pcs
607-C600	ø 50 mm	green	C-600	in carton	25 pcs
607-C800	ø 50 mm	green	C-800	in carton	25 pcs
607-C1200	ø 50 mm	green	C-1200	in carton	25 pcs
607-C1500	ø 50 mm	green	C-1500	in carton	25 pcs
607-C2000	ø 50 mm	green	C-2000	in carton	25 pcs
607-C2500	ø 50 mm	green	C-2500	in carton	25 pcs
607-C3000	ø 50 mm	green	C-3000	in carton	25 pcs
619-Z 40	ø 80 mm	green	Z-40	in carton	25 pcs
619-Z 60	ø 80 mm	green	Z-60	in carton	25 pcs
619-Z 80	ø 80 mm	green	Z-80	in carton	25 pcs
619-Z100	ø 80 mm	green	Z-100	in carton	25 pcs
619-Z120	ø 80 mm	green	Z-150	in carton	25 pcs
619-Z150	ø 80 mm	green	Z-150	in carton	25 pcs
619-Z180	ø 80 mm	green	Z-180	in carton	25 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE
- ✓ MARBLE

part no.	dimension	color	grit	delivery form	PU
619-Z220	ø 80 mm	green	Z-220	in carton	25 pcs
619-C240	ø 80 mm	green	C-240	in carton	25 pcs
619-C320	ø 80 mm	green	C-320	in carton	25 pcs
619-C400	ø 80 mm	green	C-400	in carton	25 pcs
619-C500	ø 80 mm	green	C-500	in carton	25 pcs
619-C600	ø 80 mm	green	C-600	in carton	25 pcs
619-C800	ø 80 mm	green	C-800	in carton	25 pcs
619-C1200	ø 80 mm	green	C-1200	in carton	25 pcs
619-C1500	ø 80 mm	green	C-1500	in carton	25 pcs
619-C2000	ø 80 mm	green	C-2000	in carton	25 pcs
619-C2500	ø 80 mm	green	C-2500	in carton	25 pcs
619-C3000	ø 80 mm	green	C-3000	in carton	25 pcs
616-Z 40	ø 128 mm	green	Z-40	in carton	25 pcs
616-Z 60	ø 128 mm	green	Z-60	in carton	25 pcs
616-Z 80	ø 128 mm	green	Z-80	in carton	25 pcs
616-Z100	ø 128 mm	green	Z-100	in carton	25 pcs
616-Z120	ø 128 mm	green	Z-120	in carton	25 pcs
616-Z150	ø 128 mm	green	Z-150	in carton	25 pcs
616-C240	ø 128 mm	green	C-240	in carton	25 pcs
616-C400	ø 128 mm	green	C-400	in carton	25 pcs
616-C500	ø 128 mm	green	C-500	in carton	25 pcs
616-C600	ø 128 mm	green	C-600	in carton	25 pcs
616-C800	ø 128 mm	green	C-800	in carton	25 pcs
616-C1200	ø 128 mm	green	C-1200	in carton	25 pcs
616-C1500	ø 128 mm	green	C-1500	in carton	25 pcs
616-C2000	ø 128 mm	green	C-2000	in carton	25 pcs
616-C2500	ø 128 mm	green	C-2500	in carton	25 pcs
616-C3000	ø 128 mm	green	C-3000	in carton	25 pcs
617-Z 40	ø 150 mm	green	Z-40	in carton	25 pcs
617-Z 60	ø 150 mm	green	Z-60	in carton	25 pcs
617-Z 80	ø 150 mm	green	Z-80	in carton	25 pcs
617-Z100	ø 150 mm	green	Z-100	in carton	25 pcs
617-Z120	ø 150 mm	green	Z-120	in carton	25 pcs
617-Z150	ø 150 mm	green	Z-150	in carton	25 pcs
617-C240	ø 150 mm	green	C-240	in carton	25 pcs
617-C400	ø 150 mm	green	C-400	in carton	25 pcs
617-C500	ø 150 mm	green	C-500	in carton	25 pcs
617-C800	ø 150 mm	green	C-800	in carton	25 pcs
617-C1200	ø 150 mm	green	C-1200	in carton	25 pcs
617-C1500	ø 150 mm	green	C-1500	in carton	25 pcs
617-C2000	ø 150 mm	green	C-2000	in carton	25 pcs
617-C2500	ø 150 mm	green	C-2500	in carton	25 pcs
617-C3000	ø 150 mm	green	C-3000	in carton	25 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE
- ✓ MARBLE



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ SCREED

part no.	dimension	color	grit	delivery form	PU
637-Z 40	ø 178 mm	green	Z-40	in carton	25 pcs
637-Z 60	ø 178 mm	green	Z-60	in carton	25 pcs
637-Z 80	ø 178 mm	green	Z-80	in carton	25 pcs
637-Z100	ø 178 mm	green	Z-100	in carton	25 pcs
637-Z120	ø 178 mm	green	Z-120	in carton	25 pcs
637-Z150	ø 178 mm	green	Z-150	in carton	25 pcs
637-Z180	ø 178 mm	green	Z-180	in carton	25 pcs
637-C240	ø 178 mm	green	C-240	in carton	25 pcs
637-C400	ø 178 mm	green	C-400	in carton	25 pcs
637-C500	ø 178 mm	green	C-500	in carton	25 pcs
637-C600	ø 178 mm	green	C-600	in carton	25 pcs
637-C800	ø 178 mm	green	C-800	in carton	25 pcs
637-C1200	ø 178 mm	green	C-1200	in carton	25 pcs
637-C1500	ø 178 mm	green	C-1500	in carton	25 pcs
637-C2000	ø 178 mm	green	C-2000	in carton	25 pcs
637-C2500	ø 178 mm	green	C-2500	in carton	25 pcs
637-C3000	ø 178 mm	green	C-3000	in carton	25 pcs

- ✓ PARQUET
- ✓ STONE
- ✓ MARBLE
- ✓ HARD COVERINGS
- ✓ SCREED

638-Z 40	ø 380 mm	green	Z-40	in carton	10 pcs
638-Z 60	ø 380 mm	green	Z-60	in carton	10 pcs
638-Z 80	ø 380 mm	green	Z-80	in carton	10 pcs
638-Z100	ø 380 mm	green	Z-100	in carton	10 pcs
638-Z120	ø 380 mm	green	Z-120	in carton	10 pcs
638-Z150	ø 380 mm	green	Z-150	in carton	10 pcs
638-Z180	ø 380 mm	green	Z-180	in carton	10 pcs
638-C240	ø 380 mm	green	C-240	in carton	10 pcs
638-C330	ø 380 mm	green	C-320	in carton	10 pcs
638-C400	ø 380 mm	green	C-400	in carton	10 pcs
638-C500	ø 380 mm	green	C-500	in carton	10 pcs
638-C600	ø 380 mm	green	C-600	in carton	10 pcs
638-C800	ø 380 mm	green	C-800	in carton	10 pcs
638-C1200	ø 380 mm	green	C-1200	in carton	10 pcs
638-C1500	ø 380 mm	green	C-1500	in carton	10 pcs
638-C2000	ø 380 mm	green	C-2000	in carton	10 pcs



- ✓ PARQUET
- ✓ STONE
- ✓ MARBLE
- ✓ HARD COVERINGS
- ✓ SCREED

part no.	dimension	color	grit	delivery form	PU
639-Z 40	ø 410 mm	green	Z-40	in carton	10 pcs
639-Z 60	ø 410 mm	green	Z-60	in carton	10 pcs
639-Z 80	ø 410 mm	green	Z-80	in carton	10 pcs
639-Z100	ø 410 mm	green	Z-100	in carton	10 pcs
639-Z120	ø 410 mm	green	Z-120	in carton	10 pcs
639-Z150	ø 410 mm	green	Z-150	in carton	10 pcs
639-C240	ø 410 mm	green	C-240	in carton	10 pcs
639-C400	ø 410 mm	green	C-400	in carton	10 pcs
639-C500	ø 410 mm	green	C-500	in carton	10 pcs
639-C800	ø 410 mm	green	C-800	in carton	10 pcs
640-Z 60	ø 430 mm	green	Z-60	in carton	10 pcs
640-Z 80	ø 430 mm	green	Z-80	in carton	10 pcs
640-Z100	ø 430 mm	green	Z-100	in carton	10 pcs
640-Z120	ø 430 mm	green	Z-120	in carton	10 pcs
640-Z150	ø 430 mm	green	Z-150	in carton	10 pcs
640-C240	ø 430 mm	green	C-240	in carton	10 pcs
640-C320	ø 430 mm	green	C-320	in carton	10 pcs
640-C400	ø 430 mm	green	C-400	in carton	10 pcs
640-C500	ø 430 mm	green	C-500	in carton	10 pcs
640-C1200	ø 430 mm	green	C-1200	in carton	10 pcs
640-C1500	ø 430 mm	green	C-1500	in carton	10 pcs
640-C2000	ø 430 mm	green	C-2000	in carton	10 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ STONE
- ✓ COMPOSITE
- ✓ MARBLE
- ✓ SCREED

useit® Abrafilm for P1 sanding system

The useit® Abrafilm® has excellent sanding properties and is equipped with an extremely durable and tear-resistant film backing. Thanks to its stearate coating and unique design, any clogging of the sanding disc is effectively avoided. The useit® Abrafilm® enables all levels of sanding work to be performed – from coarse sanding with a grain size of 40 to the finest surface work with a grain size of 3000. The full-surface perforation of the abrasive in conjunction with the multi-layered structure of the Velcro system guarantees the exact alignment of the abrasive grains – and together with the Abrafilms permanent and effective dust extraction over the entire surface, this gives you optimal sanding results and a much longer service life in comparison to conventional perforated sanding discs. The useit® Abrafilm® is suitable for wet and dry sanding and fits perfectly on every sanding machine available on the market.

part no.	dimension	color	grit	delivery form	PU
633-Z 40	ø 136 mm	green	Z-40	in carton	25 pcs
633-Z 60	ø 136 mm	green	Z-60	in carton	25 pcs
633-Z 80	ø 136 mm	green	Z-80	in carton	25 pcs
633-Z120	ø 136 mm	green	Z-120	in carton	25 pcs
633-Z150	ø 136 mm	green	Z-150	in carton	25 pcs
633-Z180	ø 136 mm	green	Z-180	in carton	25 pcs
633-Z220	ø 136 mm	green	Z-220	in carton	25 pcs
633-C320	ø 136 mm	green	C-320	in carton	25 pcs
633-C400	ø 136 mm	green	C-400	in carton	25 pcs
633-C500	ø 136 mm	green	C-500	in carton	25 pcs
633-C600	ø 136 mm	green	C-600	in carton	25 pcs
633-C1200	ø 136 mm	green	C-1200	in carton	25 pcs
633-C1500	ø 136 mm	green	C-1500	in carton	25 pcs
633-C2000	ø 136 mm	green	C-2000	in carton	25 pcs
633-C2500	ø 136 mm	green	C-2500	in carton	25 pcs
633-C3000	ø 136 mm	green	C-3000	in carton	25 pcs



part no.	dimension	color	grit	delivery form	PU
643-Z 40	ø 156 mm	green	Z-40	in carton	25 pcs
643-Z 60	ø 156 mm	green	Z-60	in carton	25 pcs
643-Z 80	ø 156 mm	green	Z-80	in carton	25 pcs
643-Z120	ø 156 mm	green	Z-120	in carton	25 pcs
643-Z150	ø 156 mm	green	Z-150	in carton	25 pcs
643-Z180	ø 156 mm	green	Z-180	in carton	25 pcs
643-Z220	ø 156 mm	green	Z-220	in carton	25 pcs
643-C320	ø 156 mm	green	C-320	in carton	25 pcs
643-C400	ø 156 mm	green	C-400	in carton	25 pcs
643-C500	ø 156 mm	green	C-500	in carton	25 pcs
643-C600	ø 156 mm	green	C-600	in carton	25 pcs
643-C1200	ø 156 mm	green	C-1200	in carton	25 pcs
643-C1500	ø 156 mm	green	C-1500	in carton	25 pcs
643-C2000	ø 156 mm	green	C-2000	in carton	25 pcs
643-C2500	ø 156 mm	green	C-2500	in carton	25 pcs
643-C3000	ø 156 mm	green	C-3000	in carton	25 pcs
644-Z 40	ø 210 mm	green	Z-40	in carton	25 pcs
644-Z 60	ø 210 mm	green	Z-60	in carton	25 pcs
644-Z 80	ø 210 mm	green	Z-80	in carton	25 pcs
644-Z120	ø 210 mm	green	Z-120	in carton	25 pcs
644-Z150	ø 210 mm	green	Z-150	in carton	25 pcs
644-Z180	ø 210 mm	green	Z-180	in carton	25 pcs
644-Z220	ø 210 mm	green	Z-220	in carton	25 pcs
644-C320	ø 210 mm	green	C-320	in carton	25 pcs
644-C400	ø 210 mm	green	C-400	in carton	25 pcs
644-C500	ø 210 mm	green	C-500	in carton	25 pcs
644-C600	ø 210 mm	green	C-600	in carton	25 pcs
644-C1200	ø 210 mm	green	C-1200	in carton	25 pcs
644-C1500	ø 210 mm	green	C-1500	in carton	25 pcs
644-C2000	ø 210 mm	green	C-2000	in carton	25 pcs
644-C2500	ø 210 mm	green	C-2500	in carton	25 pcs
644-C3000	ø 210 mm	green	C-3000	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ STONE
- ✓ MARBLE
- ✓ HARD COVERINGS
- ✓ SCREED




useit® Abrafilm® for Jöst eccentric machines

Thanks to the zircon and ceramic grains used, the useit®-Abrafilm® is particularly suitable for processing hard coatings, scratch-resistant paint systems and natural stone such as marble when used in combination with Jöst orbit sanders. It can be used to remove epoxy resin impurities and to remove PU coatings from hard coverings. Thanks to the useit® Abrafilm®'s wide range of available grit sizes, marble floors and screed coverings can be processed easily. The useit® Abrafilm® is also suitable for wet and dry sanding.

part no.	dimension	color	grit	delivery form	PU
649-Z 40	190x340 mm	green	Z-40	in polybag	10 pcs
649-Z 60	190x340 mm	green	Z-60	in polybag	10 pcs
649-Z 80	190x340 mm	green	Z-80	in polybag	10 pcs
649-Z100	190x340 mm	green	Z-100	in polybag	10 pcs
649-Z120	190x340 mm	green	Z-120	in polybag	10 pcs
649-Z150	190x340 mm	green	Z-150	in polybag	10 pcs
649-Z180	190x340 mm	green	Z-180	in polybag	10 pcs
649-C240	190x340 mm	green	C-240	in polybag	10 pcs
649-C320	190x340 mm	green	C-320	in polybag	10 pcs
649-C400	190x340 mm	green	C-400	in polybag	10 pcs
649-C500	190x340 mm	green	C-500	in polybag	10 pcs
649-C600	190x340 mm	green	C-600	in polybag	10 pcs
649-C800	190x340 mm	green	C-800	in polybag	10 pcs
649-C1200	190x340 mm	green	C-1200	in polybag	10 pcs
649-C1500	190x340 mm	green	C-1500	in polybag	10 pcs
649-C2000	190x340 mm	green	C-2000	in polybag	10 pcs
649-C2500	190x340 mm	green	C-2500	in polybag	10 pcs
649-C3000	190x340 mm	green	C-3000	in polybag	10 pcs
648-Z 40	335x485 mm	green	Z-40	in polybag	10 pcs
648-Z 60	335x485 mm	green	Z-60	in polybag	10 pcs
648-Z 80	335x485 mm	green	Z-80	in polybag	10 pcs
648-Z100	335x485 mm	green	Z-100	in polybag	10 pcs
648-Z120	335x485 mm	green	Z-120	in polybag	10 pcs
648-Z150	335x485 mm	green	Z-150	in polybag	10 pcs
648-Z180	335x485 mm	green	Z-180	in polybag	10 pcs
648-C240	335x485 mm	green	C-240	in polybag	10 pcs
648-C320	335x485 mm	green	C-320	in polybag	10 pcs
648-C400	335x485 mm	green	C-400	in polybag	10 pcs
648-C500	335x485 mm	green	C-500	in polybag	10 pcs
648-C600	335x485 mm	green	C-600	in polybag	10 pcs
648-C800	335x485 mm	green	C-800	in polybag	10 pcs
648-C1200	335x485 mm	green	C-1200	in polybag	10 pcs
648-C1500	335x485 mm	green	C-1500	in polybag	10 pcs
648-C2000	335x485 mm	green	C-2000	in polybag	10 pcs
648-C2500	335x485 mm	green	C-2500	in polybag	10 pcs
648-C3000	335x485 mm	green	C-3000	in polybag	10 pcs





ABRASIVE FILM

Crystal Green

Thanks to its special stearate coating, the Crystal Green is ideally suited for thermo-sensitive paint systems. The full-surface multi-perforation immediately transports any dust to the rear of the sanding disc. The Velcro system is used for the safe and fast removal of the sanding dust to the suction openings of the sanding plate. A special coating prevents the formation of specks and guarantees the best possible surface quality. Its high cutting speed and long service life saves costs, especially in the case of complex paint jobs. The fine finish significantly reduces the amount of polishing work required. Crystal Green can be used both dry and wet.

Crystal Green 50 - 150 mm diameter

part no.	dimension	color	grit	delivery form	PU
607-CG800	ø 50 mm	green	800	in carton	25 pcs
607-CG1000	ø 50 mm	green	1000	in carton	25 pcs
607-CG1200	ø 50 mm	green	1200	in carton	25 pcs
607-CG1500	ø 50 mm	green	1500	in carton	25 pcs
607-CG2000	ø 50 mm	green	2000	in carton	25 pcs
619-CG800	ø 80 mm	green	800	in carton	25 pcs
619-CG1000	ø 80 mm	green	1000	in carton	25 pcs
619-CG1200	ø 80 mm	green	1200	in carton	25 pcs
619-CG1500	ø 80 mm	green	1500	in carton	25 pcs
619-CG2000	ø 80 mm	green	2000	in carton	25 pcs
616-CG800	ø 128 mm	green	800	in carton	25 pcs
616-CG1000	ø 128 mm	green	1000	in carton	25 pcs
616-CG1200	ø 128 mm	green	1200	in carton	25 pcs
616-CG1500	ø 128 mm	green	1500	in carton	25 pcs
616-CG2000	ø 128 mm	green	2000	in carton	25 pcs
617-CG800	ø 150 mm	green	800	in carton	25 pcs
617-CG1000	ø 150 mm	green	1000	in carton	25 pcs
617-CG1200	ø 150 mm	green	1200	in carton	25 pcs
617-CG1500	ø 150 mm	green	1500	in carton	25 pcs
617-CG2000	ø 150 mm	green	2000	in carton	25 pcs



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE
- ✓ MARBLE

HIGH-PERFORMANCE ABRASIVE

useit® Superfinishing Pad SG

useit® Superfinishing Pad SG for long-neck sander

A special construction combined with state-of-the-art production techniques make the useit® Superfinishing Pad SG a reliable product for obtaining the highest surface quality. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. A wide variety of materials such as mineral materials, GRP, paints, lacquers and high-gloss surfaces can be processed in the shortest possible time. The useit® Superfinishing Pad SG is a high-performance abrasive with up to six times the surface finishing performance of conventional abrasives. This pad fits on every sanding machine available on the market, regardless of the perforation configuration in the suction pads – and it's also ideal for wet and dry sanding.

part no.	dimension	color	grit	delivery form	PU
131-S/G320	ø 225 mm	grey	SG-320	in carton	25 pcs
131-S/G600	ø 225 mm	grey	SG-600	in carton	25 pcs
131-S/G1200	ø 225 mm	grey	SG-1200	in carton	25 pcs
131-S/G1500	ø 225 mm	grey	SG-1500	in carton	25 pcs



The useit®-Superfinishing Pad SG is a high-performance abrasive with up to six times the surface finishing performance of conventional abrasives. It is excellently suited for fine, finish and polish grinding of stainless steel, non-ferrous metals, minerals and many other materials. Dust inclusions can be removed quickly and easily. The useit®-Superfinishing Pad SG is also suitable for wet and dry sanding – and this pad fits every sanding machine that is available on the market, regardless of the perforation configuration in the suction plates.

useit®-Superfinishing Pad SG 75 - 430 mm diameter

part no.	dimension	color	grit	delivery form	PU
114-S/G 240	ø 75 mm	grey	SG-240	in carton	25 pcs
114-S/G 320	ø 75 mm	grey	SG-320	in carton	25 pcs
114-S/G600	ø 75 mm	grey	SG-600	in carton	25 pcs
114-S/G800	ø 75 mm	grey	SG-800	in carton	25 pcs
114-S/G1200	ø 75 mm	grey	SG-1200	in carton	25 pcs
114-S/G1500	ø 75 mm	grey	SG-1500	in carton	25 pcs
110-S/G240	ø 90 mm	grey	SG-240	in carton	25 pcs
110-S/G320	ø 90 mm	grey	SG-320	in carton	25 pcs
110-S/G600	ø 90 mm	grey	SG-600	in carton	25 pcs
110-S/G800	ø 90 mm	grey	SG-800	in carton	25 pcs
110-SG1500	ø 90 mm	grey	SG-1500	in carton	25 pcs



part no.	dimension	color	grit	delivery form	PU
127-S/G240	ø 128 mm	grey	SG-240	in carton	25 pcs
127-S/G320	ø 128 mm	grey	SG-320	in carton	25 pcs
127-S/G600	ø 128 mm	grey	SG-600	in carton	25 pcs
127-S/G600/SB	ø 128 mm	grey	SG-600	Blister	5 pcs
127-S/G800	ø 128 mm	grey	SG-800	in carton	25 pcs
127-S/G1200	ø 128 mm	grey	SG-1200	in carton	25 pcs
127-S/G1200/SB	ø 128 mm	grey	SG-1200	Blister	5 pcs
127-S/G1500	ø 128 mm	grey	SG-1500	in carton	25 pcs
127-S/G1500/SB	ø 128 mm	grey	SG-1500	Blister	5 pcs
128-S/G240	ø 150 mm	grey	SG-240	in carton	25 pcs
128-S/G320	ø 150 mm	grey	SG-320	in carton	25 pcs
128-S/G600	ø 150 mm	grey	SG-600	in carton	25 pcs
128-S/G600/SB	ø 150 mm	grey	SG-600	Blister	5 pcs
128-S/G800	ø 150 mm	grey	SG-800	in carton	25 pcs
128-S/G1200	ø 150 mm	grey	SG-1200	in carton	25 pcs
128-S/G1200/SB	ø 150 mm	grey	SG-1200	Blister	5 pcs
128-S/G1500	ø 150 mm	grey	SG-1500	in carton	25 pcs
128-S/G1500/SB	ø 150 mm	grey	SG-1500	Blister	5 pcs
132-S/G240	ø 200 mm	grey	SG-240	in carton	25 pcs
132-S/G320	ø 200 mm	grey	SG-320	in carton	25 pcs
132-S/G600	ø 200 mm	grey	SG-600	in carton	25 pcs
132-S/G800	ø 200 mm	grey	SG-800	in carton	25 pcs
132-S/G1200	ø 200 mm	grey	SG-1200	in carton	25 pcs
132-S/G1500	ø 200 mm	grey	SG-1500	in carton	25 pcs
134-S/G 240	ø 280 mm	grey	SG-240	in carton	25 pcs
134-S/G 320	ø 280 mm	grey	SG-320	in carton	25 pcs
134-S/G600	ø 280 mm	grey	SG-600	in carton	25 pcs
134-S/G 800	ø 280 mm	grey	SG-800	in carton	25 pcs
134-S/G1200	ø 280 mm	grey	SG-1200	in carton	25 pcs
134-S/G1500	ø 280 mm	grey	SG-1500	in carton	25 pcs
138-S/G240	ø 375 mm	grey	SG-240	in carton	15 pcs
138-SG240/SB	ø 375 mm	grey	SG-240	in carton	10 pcs
138-S/G320	ø 375 mm	grey	SG-320	in carton	15 pcs
138-SG320/SB	ø 375 mm	grey	SG-320	in carton	10 pcs
138-S/G600	ø 375 mm	grey	SG-600	in carton	15 pcs
138-SG600/SB	ø 375 mm	grey	SG-600	in carton	10 pcs
138-S/G800	ø 375 mm	grey	SG-800	in carton	15 pcs
138-S/G1200	ø 375 mm	grey	SG-1200	in carton	15 pcs
138-SG1200/SB	ø 375 mm	grey	SG-1200	in carton	10 pcs
138-S/G1500	ø 375 mm	grey	SG-1500	in carton	15 pcs
138-SG1500/SB	ø 375 mm	grey	SG-1500	in carton	10 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ HARD COVERINGS



part no.	dimension	color	grit	delivery form	PU
139-S/G240	ø 410 mm	grey	SG-240	in carton	15 pcs
139-SG240/SB	ø 410 mm	grey	SG-240	in carton	10 pcs
139-S/G320	ø 410 mm	grey	SG-320	in carton	15 pcs
139-SG320/SB	ø 410 mm	grey	SG-320	in carton	10 pcs
139-S/G600	ø 410 mm	grey	SG-600	in carton	15 pcs
139-SG600/SB	ø 410 mm	grey	SG-600	in carton	10 pcs
139-S/G800	ø 410 mm	grey	SG-800	in carton	15 pcs
139-SG800/SB	ø 410 mm	grey	SG-800	in carton	10 pcs
139-SG1200/SB	ø 410 mm	grey	SG-1200	in carton	10 pcs
139-S/G1200	ø 410 mm	grey	SG-1200	in carton	15 pcs
139-S/G1500	ø 410 mm	grey	SG-1500	in carton	15 pcs
139-SG1500/SB	ø 410 mm	grey	SG-1500	in carton	10 pcs



140-S/G240	ø 430 mm	grey	SG-240	in carton	15 pcs
140-SG240/SB	ø 430 mm	grey	SG-240	in carton	10 pcs
140-S/G320	ø 430 mm	grey	SG-320	in carton	15 pcs
140-SG320/SB	ø 430 mm	grey	SG-320	in carton	10 pcs
140-S/G600	ø 430 mm	grey	SG-600	in carton	15 pcs
140-SG600/SB	ø 430 mm	grey	SG-600	in carton	10 pcs
140-S/G800	ø 430 mm	grey	SG-800	in carton	15 pcs
140-SG800/SB	ø 430 mm	grey	SG-800	in carton	10 pcs
140-S/G1200	ø 430 mm	grey	SG-1200	in carton	15 pcs
140-SG1200/SB	ø 430 mm	grey	SG-1200	in carton	10 pcs
140-S/G1500	ø 430 mm	grey	SG-1500	in carton	15 pcs
140-SG1500/SB	ø 430 mm	grey	SG-1500	in carton	10 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ HARD COVERINGS

useit® Superfinishing Pad SG stripe

part no.	dimension	color	grit	delivery form	PU
123-S/G 240	80x133 mm	grey	SG-240	in carton	25 pcs
123-S/G 320	80x133 mm	grey	SG-320	in carton	25 pcs
123-S/G600	80x133 mm	grey	SG-600	in carton	25 pcs
123-S/G800	80x133 mm	grey	SG-800	in carton	25 pcs
123-S/G1200	80x133 mm	grey	SG-1200	in carton	25 pcs
123-S/G1500	80x133 mm	grey	SG-1500	in carton	25 pcs
120-S/G240	93x178 mm	grey	SG-240	in carton	25 pcs
120-S/G320	93x178 mm	grey	SG-320	in carton	25 pcs
120-S/G600	93x178 mm	grey	SG-600	in carton	25 pcs
120-S/G800	93x178 mm	grey	SG-800	in carton	25 pcs
120-S/G1200	93x178 mm	grey	SG-1200	in carton	25 pcs
120-S/G1500	93x178 mm	grey	SG-1500	in carton	25 pcs
122-S/G240	100x147 mm	grey	SG-240	in carton	25 pcs
122-S/G320	100x147 mm	grey	SG-320	in carton	25 pcs
122-S/G600	100x147 mm	grey	SG-600	in carton	25 pcs
122-S/G800	100x147 mm	grey	SG-800	in carton	25 pcs
122-S/G1200	100x147 mm	grey	SG-1200	in carton	25 pcs
122-S/G1500	100x147 mm	grey	SG-1500	in carton	25 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL

part no.	dimension	color	grit	delivery form	PU
124-S/G240	115x115 mm	grey	SG-240	in carton	25 pcs
124-S/G320	115x115 mm	grey	SG-320	in carton	25 pcs
124-S/G600	115x115 mm	grey	SG-600	in carton	25 pcs
124-S/G800	115x115 mm	grey	SG-800	in carton	25 pcs
124-S/G1200	115x115 mm	grey	SG-1200	in carton	25 pcs
124-S/G1500	115x115 mm	grey	SG-1500	in carton	25 pcs
125-S/G240	115x228 mm	grey	SG-240	in carton	25 pcs
125-S/G320	115x228 mm	grey	SG-320	in carton	25 pcs
125-S/G600	115x228 mm	grey	SG-600	in carton	25 pcs
125-S/G800	115x228 mm	grey	SG-800	in carton	25 pcs
125-S/G1200	115x228 mm	grey	SG-1200	in carton	25 pcs
125-S/G1500	115x228 mm	grey	SG-1500	in carton	25 pcs



useit® Superfinishing Pad SG delta shape

part no.	dimension	color	grit	delivery form	PU
121-S/G240	93x93x93 mm	grey	SG-240	in carton	25 pcs
121-S/G320	93x93x93 mm	grey	SG-320	in carton	25 pcs
121-S/G600	93x93x93 mm	grey	SG-600	in carton	25 pcs
121-S/G800	93x93x93 mm	grey	SG-800	in carton	25 pcs
121-S/G1200	93x93x93 mm	grey	SG-1200	in carton	25 pcs
121-S/G1500	93x93x93 mm	grey	SG-1500	in carton	25 pcs

useit® Superfinishing Pad SG for P1 sanding system

When used with the Jöst P1 dust-free Sanding System, the useit®-Superfinishing Pad SG will give you an outstanding surface finish time and time again, thanks to its special construction and Jöst's state-of-the-art production techniques. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. A wide variety of materials such as mineral materials, GRP, paints, lacquers and high-gloss surfaces can be processed in the shortest possible time. It is suitable for wet and dry grinding.

part no.	dimension	color	grit	delivery form	PU
133-S/G 600	ø 136 mm	grey	SG-600	in carton	25 pcs
133-S/G1500	ø 136 mm	grey	SG-1500	in carton	25 pcs
143-S/G600	ø 156 mm	grey	SG-600	in carton	25 pcs
143-S/G1500	ø 156 mm	grey	SG-1500	in carton	25 pcs
144-S/G600	ø 210 mm	grey	SG-600	in carton	25 pcs
144-S/G1500	ø 210 mm	grey	SG-1500	in carton	25 pcs



useit® Superfinishing Pad SG for Jöst eccentric machines

A special construction combined with state-of-the-art production techniques make the useit®-Superfinishing Pad SG a reliable product for obtaining the highest surface quality. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. The useit®-Superfinishing Pad SG can process hard coverings such as PVC, linoleum, vinyl, 2K-coated industrial floors and sealed, oiled & waxed wooden floors. The above floor coverings can be cleaned, polished and freed from coatings and micro-scratches without damaging the surface. Differences in the degree of gloss on floors can also be quickly and easily harmonized, eliminating the need for time-consuming post-processing. On tiles and fine stone floors, soiling caused by cement and epoxy resin can be removed quickly, reliably and easily without the need for cleaning chemicals

part no.	dimension	color	grit	delivery form	PU/Stück
149-S/G240	190x340 mm	grey	SG-240	in polybag	10 pcs
149-S/G320	190x340 mm	grey	SG-320	in polybag	10 pcs
149-S/G600	190x340 mm	grey	SG-600	in polybag	10 pcs
149-S/G800	190x340 mm	grey	SG-800	in polybag	10 pcs
149-S/G1200	190x340 mm	grey	SG-1200	in polybag	10 pcs
149-S/G1500	190x340 mm	grey	SG-1500	in polybag	10 pcs
148-S/G240	335x485 mm	grey	SG-240	in polybag	10 pcs
148-S/G320	335x485 mm	grey	SG-320	in polybag	10 pcs
148-S/G600	335x485 mm	grey	SG-600	in polybag	10 pcs
148-S/G800	335x485 mm	grey	SG-800	in polybag	10 pcs
148-S/G1200	335x485 mm	grey	SG-1200	in polybag	10 pcs
148-S/G1500	335x485 mm	grey	SG-1500	in polybag	10 pcs

- ✓ PARQUET
- ✓ SOLID SURFACE
- ✓ STRUCTURED FLOORS
- ✓ MARBLE
- ✓ HARD COVERINGS



useit®-Superfinishing Pad SG brushes

The useit® Superfinishing Pad SG finishing and polishing brushes give you high gloss surfaces quickly and easily – with no need for polishing paste. They are particularly suitable for machining curves and profiled surfaces. Excellent gloss levels can be achieved on stainless steel sheets – without felt and polishing paste. Thanks to the flexibility of the abrasive, the brushes adapt perfectly to the surface contour and prevent sanding through at the edges. When processing mineral materials, especially in the wash basin area, the surfaces can be perfectly adapted to the entire installation without visible transitions in gloss and structure.

part no.	dimension	color	grit	delivery form	PU
115-S/G240	50x30x6 mm	grey	SG-240	in foil	5 pcs
115-S/G320	50x30x6 mm	grey	SG-320	in foil	5 pcs
115-S/G600	50x30x6 mm	grey	SG-600	in foil	5 pcs
115-S/G800	50x30x6 mm	grey	SG-800	in foil	5 pcs
115-S/G1200	50x30x6 mm	grey	SG-1200	in foil	5 pcs
115-S/G1500	50x30x6 mm	grey	SG-1500	in foil	5 pcs
115-S/G2500	50x30x6 mm	grey	SG-2500	in foil	5 pcs
115-S/G3000	50x30x6 mm	grey	SG-3000	in foil	5 pcs
117-S/G240	ø 80x50x6 mm	grey	SG-240	in foil	5 pcs
117-S/G320	ø 80x50x6 mm	grey	SG-320	in foil	5 pcs
117-S/G600	ø 80x50x6 mm	grey	SG-600	in foil	5 pcs
117-S/G 800	ø 80x50x6 mm	grey	SG-800	in foil	5 pcs
117-S/G1200	ø 80x50x6 mm	grey	SG-1200	in foil	5 pcs
117-S/G1500	ø 80x50x6 mm	grey	SG-1500	in foil	5 pcs
117-S/G2500	ø 80x50x6 mm	grey	SG-2500	in foil	5 pcs
117-S/G3000	ø 80x50x6 mm	grey	SG-3000	in foil	5 pcs
118-S/G240	ø 100x50x8 mm	grey	SG-240	in foil	5 pcs
118-S/G320	ø 100x50x8 mm	grey	SG-320	in foil	5 pcs
118-S/G600	ø 100x50x8 mm	grey	SG-600	in foil	5 pcs
118-S/G800	ø 100x50x8 mm	grey	SG-800	in foil	5 pcs
118-S/G1200	ø 100x50x8 mm	grey	SG-1200	in foil	5 pcs
118-S/G1500	ø 100x50x8 mm	grey	SG-1500	in foil	5 pcs
118-S/G2500	ø 100x50x8 mm	grey	SG-2500	in foil	5 pcs
118-S/G3000	ø 100x50x8 mm	grey	SG-3000	in foil	5 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL




HIGH-PERFORMANCE ABRASIVE

useit® Superfinishing Pad SG2

The useit®-Superfinishing Pad SG2 differs from the useit®-Superfinishing Pad SG in that its abrasive grain backing consists of a closed fabric and not a fine sanding mesh. Thanks to its more stable surface, the useit® Superfinishing-Pad SG2 is also better suited for final filler finishing, for removing color sagging and dust inclusions, for processing and smoothing orange peel for spot repairs, for smoothing transitions, preparing vehicles and grinding stainless steel and NF metals. Like the SG, the useit® Superfinishing Pad SG2 is also suitable for wet and dry sanding – and it fits on every sanding machine available on the market, regardless of the perforation configuration in the suction plates. If surfaces with a very high amount of dust are to be dry sanded, the useit® Superfinishing Pad SG should be used, because the structure of the abrasive surface (the sanding mesh) is open, ensuring that all the dust is continuously extracted through the entire pad.

useit® Superfinishing Pad SG2 75 - 430 mm diameter

part no.	dimension	color	grit	delivery form	PU
114-SG2 800	ø 75 mm	grey	SG-800	in carton	25 pcs
114-SG2 1600	ø 75 mm	grey	SG-1600	in carton	25 pcs
114-SG2 1800	ø 75 mm	grey	SG-1800	in carton	25 pcs
114-SG2 2000	ø 75 mm	grey	SG-2000	in carton	25 pcs
114-SG2 2500	ø 75 mm	grey	SG-2500	in carton	25 pcs
114-SG2 3000	ø 75 mm	grey	SG-3000	in carton	25 pcs
114-SG2 4000	ø 75 mm	grey	SG-4000	in carton	25 pcs



part no.	dimension	color	grit	delivery form	PU
130-SG2 800	ø 77 mm	grey	SG-800	in carton	25 pcs
130-SG2 1600	ø 77 mm	grey	SG-1600	in carton	25 pcs
130-SG2 1800	ø 77 mm	grey	SG-1800	in carton	25 pcs
130-SG2 2000	ø 77 mm	grey	SG-2000	in carton	25 pcs
130-SG2 2500	ø 77 mm	grey	SG-2500	in carton	25 pcs
130-SG2 3000	ø 77 mm	grey	SG-3000	in carton	25 pcs
130-SG2 4000	ø 77 mm	grey	SG-4000	in carton	25 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL

part no.	dimension	color	grit	delivery form	PU
119-SG2 800	ø 115 mm	grey	SG-800	in carton	25 pcs
119-SG2 1600	ø 115 mm	grey	SG-1600	in carton	25 pcs
119-SG2 1800	ø 115 mm	grey	SG-1800	in carton	25 pcs
119-SG2 2000	ø 115 mm	grey	SG-2000	in carton	25 pcs
119-SG2 2500	ø 115 mm	grey	SG-2500	in carton	25 pcs
119-SG2 3000	ø 115 mm	grey	SG-3000	in carton	25 pcs
119-SG2 4000	ø 115 mm	grey	SG-4000	in carton	25 pcs
116-SG2 800	ø 118 mm	grey	SG-800	in carton	25 pcs
116-SG2 1600	ø 118 mm	grey	SG-1600	in carton	25 pcs
116-SG2 1800	ø 118 mm	grey	SG-1800	in carton	25 pcs
116-SG2 2000	ø 118 mm	grey	SG-2000	in carton	25 pcs
116-SG2 2500	ø 118 mm	grey	SG-2500	in carton	25 pcs
116-SG2 3000	ø 118 mm	grey	SG-3000	in carton	25 pcs
116-SG2 4000	ø 118 mm	grey	SG-4000	in carton	25 pcs
127-SG2 800	ø 128 mm	grey	SG-800	in carton	25 pcs
127-SG2 1600	ø 128 mm	grey	SG-1600	in carton	25 pcs
127-SG2 1800	ø 128 mm	grey	SG-1800	in carton	25 pcs
127-SG2 2000	ø 128 mm	grey	SG-2000	in carton	25 pcs
127-SG2 2500	ø 128 mm	grey	SG-2500	in carton	25 pcs
127-SG2 3000	ø 128 mm	grey	SG-3000	in carton	25 pcs
127-SG2 4000	ø 128 mm	grey	SG-4000	in carton	25 pcs
128-SG2 800	ø 150 mm	grey	SG-800	in carton	25 pcs
128-SG2 1600	ø 150 mm	grey	SG-1600	in carton	25 pcs
128-SG2 1800	ø 150 mm	grey	SG-1800	in carton	25 pcs
128-SG2 2000	ø 150 mm	grey	SG-2000	in carton	25 pcs
128-SG2 2500	ø 150 mm	grey	SG-2500	in carton	25 pcs
128-SG2 3000	ø 150 mm	grey	SG-3000	in carton	25 pcs
128-SG2 4000	ø 150 mm	grey	SG-4000	in carton	25 pcs
132-SG2 800	ø 200 mm	grey	SG-800	in carton	25 pcs
132-SG2 1600	ø 200 mm	grey	SG-1600	in carton	25 pcs
132-SG2 1800	ø 200 mm	grey	SG-1800	in carton	25 pcs
132-SG2 2000	ø 200 mm	grey	SG-2000	in carton	25 pcs
132-SG2 2500	ø 200 mm	grey	SG-2500	in carton	25 pcs
132-SG2 3000	ø 200 mm	grey	SG-3000	in carton	25 pcs
132-SG2 4000	ø 200 mm	grey	SG-4000	in carton	25 pcs
134-SG2 800	ø 280 mm	grey	SG-800	in carton	25 pcs
134-SG2 1600	ø 280 mm	grey	SG-1600	in carton	25 pcs
134-SG2 1800	ø 280 mm	grey	SG-1800	in carton	25 pcs
134-SG2 2000	ø 280 mm	grey	SG-2000	in carton	25 pcs
134-SG2 2500	ø 280 mm	grey	SG-2500	in carton	25 pcs
134-SG2 3000	ø 280 mm	grey	SG-3000	in carton	25 pcs
134-SG2 4000	ø 280 mm	grey	SG-4000	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ GYPSUM
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE





part no.	dimension	color	grit	delivery form	PU
138-SG2 800	ø 375 mm	grey	SG-800	in carton	15 pcs
138-SG2 1600	ø 375 mm	grey	SG-1600	in carton	15 pcs
138-SG2 1800	ø 375 mm	grey	SG-1800	in carton	15 pcs
138-SG2 1800/SB	ø 375 mm	grey	SG-1800	in carton	10 pcs
138-SG2 2000	ø 375 mm	grey	SG-2000	in carton	15 pcs
138-SG2 2000/SB	ø 375 mm	grey	SG-2000	in carton	10 pcs
138-SG2 2500	ø 375 mm	grey	SG-2500	in carton	15 pcs
138-SG2 2500/SB	ø 375 mm	grey	SG-2500	in carton	10 pcs
138-SG2 3000	ø 375 mm	grey	SG-3000	in carton	15 pcs
138-SG2 3000/SB	ø 375 mm	grey	SG-3000	in carton	10 pcs
139-SG2 800	ø 410 mm	grey	SG-800	in carton	15 pcs
139-SG2 1600	ø 410 mm	grey	SG-1600	in carton	15 pcs
139-SG2 1800	ø 410 mm	grey	SG-1800	in carton	15 pcs
139-SG2 1800/SB	ø 410 mm	grey	SG-1800	in carton	10 pcs
139-SG2 2000	ø 410 mm	grey	SG-2000	in carton	15 pcs
139-SG2 2000/SB	ø 410 mm	grey	SG-2000	in carton	10 pcs
139-SG2 2500	ø 410 mm	grey	SG-2500	in carton	15 pcs
139-SG2 2500/SB	ø 410 mm	grey	SG-2500	in carton	10 pcs
139-SG2 3000	ø 410 mm	grey	SG-3000	in carton	15 pcs
139-SG2 3000/SB	ø 410 mm	grey	SG-3000	in carton	10 pcs
140-SG2 800	ø 430 mm	grey	SG-800	in carton	15 pcs
140-SG2 1600	ø 430 mm	grey	SG-1600	in carton	15 pcs
140-SG2 1800	ø 430 mm	grey	SG-1800	in carton	15 pcs
140-SG2 1800/SB	ø 430 mm	grey	SG-1800	in carton	10 pcs
140-SG2 2000/SB	ø 430 mm	grey	SG-2000	in carton	10 pcs
140-SG2 2000	ø 430 mm	grey	SG-2000	in carton	10 pcs
140-SG2 2500	ø 430 mm	grey	SG-2500	in carton	15 pcs
140-SG2 2500/SB	ø 430 mm	grey	SG-2500	in carton	10 pcs
140-SG2 3000	ø 430 mm	grey	SG-3000	in carton	15 pcs
140-SG2 3000/SB	ø 430 mm	grey	SG-3000	in carton	10 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ HARD COVERINGS



useit® Superfinishing Pad SG2 stripes

part no.	dimension	color	grit	delivery form	PU
123-SG2 800	80x133 mm	grey	SG-800	in carton	25 pcs
123-SG2 1600	80x133 mm	grey	SG-1600	in carton	25 pcs
123-SG2 1800	80x133 mm	grey	SG-1800	in carton	25 pcs
123-SG2 2000	80x133 mm	grey	SG-2000	in carton	25 pcs
123-SG2 2500	80x133 mm	grey	SG-2500	in carton	25 pcs
123-SG2 3000	80x133 mm	grey	SG-3000	in carton	25 pcs
123-SG2 4000	80x133 mm	grey	SG-4000	in carton	25 pcs

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ HARD COVERINGS

useit® Superfinishing Pad SG2 delta shape

part no.	dimension	color	grit	delivery form	PU
121-SG2 800	93x93x93 mm	grey	SG-800	in carton	25 pcs
121-SG2 1600	93x93x93 mm	grey	SG-1600	in carton	25 pcs
121-SG2 1800	93x93x93 mm	grey	SG-1800	in carton	25 pcs
121-SG2 2000	93x93x93 mm	grey	SG-2000	in carton	25 pcs
121-SG2 2500	93x93x93 mm	grey	SG-2500	in carton	25 pcs
121-SG2 3000	93x93x93 mm	grey	SG-3000	in carton	25 pcs
121-SG2 4000	93x93x93 mm	grey	SG-4000	in carton	25 pcs
120-SG2 800	93x178 mm	grey	SG-800	in carton	25 pcs
120-SG2 1600	93x178 mm	grey	SG-1600	in carton	25 pcs
120-SG2 1800	93x178 mm	grey	SG-1800	in carton	25 pcs
120-SG2 2000	93x178 mm	grey	SG-2000	in carton	25 pcs
120-SG2 2500	93x178 mm	grey	SG-2500	in carton	25 pcs
120-SG2 3000	93x178 mm	grey	SG-3000	in carton	25 pcs
120-SG2 4000	93x178 mm	grey	SG-4000	in carton	25 pcs
122-SG2 800	100x147 mm	grey	SG-800	in carton	25 pcs
122-SG2 1600	100x147 mm	grey	SG-1600	in carton	25 pcs
122-SG2 1800	100x147 mm	grey	SG-1800	in carton	25 pcs
122-SG2 2000	100x147 mm	grey	SG-2000	in carton	25 pcs
122-SG2 2500	100x147 mm	grey	SG-2500	in carton	25 pcs
122-SG2 3000	100x147 mm	grey	SG-3000	in carton	25 pcs
122-SG2 4000	100x147 mm	grey	SG-4000	in carton	25 pcs
124-SG2 800	115x115 mm	grey	SG-800	in carton	25 pcs
124-SG2 1600	115x115 mm	grey	SG-1600	in carton	25 pcs
124-SG2 1800	115x115 mm	grey	SG-1800	in carton	25 pcs
124-SG2 2000	115x115 mm	grey	SG-2000	in carton	25 pcs
124-SG2 2500	115x115 mm	grey	SG-2500	in carton	25 pcs
124-SG2 3000	115x115 mm	grey	SG-3000	in carton	25 pcs
124-SG2 4000	115x115 mm	grey	SG-4000	in carton	25 pcs
125-SG2 800	115x228 mm	grey	SG-800	in carton	25 pcs
125-SG2 1600	115x228 mm	grey	SG-1600	in carton	25 pcs
125-SG2 1800	115x228 mm	grey	SG-1800	in carton	25 pcs
125-SG2 2000	115x228 mm	grey	SG-2000	in carton	25 pcs
125-SG2 2500	115x228 mm	grey	SG-2500	in carton	25 pcs
125-SG2 3000	115x228 mm	grey	SG-3000	in carton	25 pcs
125-SG2 4000	115x228 mm	grey	SG-4000	in carton	25 pcs
135-SG2 800	115x140 mm	grey	SG-800	in carton	25 pcs
135-SG2 1600	115x140 mm	grey	SG-1600	in carton	25 pcs
135-SG2 1800	115x140 mm	grey	SG-1800	in carton	25 pcs
135-SG2 2000	115x140 mm	grey	SG-2000	in carton	25 pcs
135-SG2 2500	115x140 mm	grey	SG-2500	in carton	25 pcs
135-SG2 3000	115x140 mm	grey	SG-3000	in carton	25 pcs
135-SG2 4000	115x140 mm	grey	SG-4000	in carton	25 pcs



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ HARD COVERINGS

useit® Superfinishing Pad SG2 for P1 sanding system

The useit® Superfinishing Pad SG2 for the Jöst P1 dust-free sanding system differs from our useit® Superfinishing Pad SG in that the abrasive grain backing consists of a closed fabric, not a fine sanding net. The useit®-Superfinishing Pad SG2 is excellently suited for the processing of mineral surface materials, stainless steel, NF metals, GRP and wood surfaces thanks to its more stable surface. Depending on the grain size used, different degrees of gloss can be achieved in a very short time. Like the SG, the useit® Superfinishing Pad SG2 is also ideal for wet and dry sanding.

part no.	dimension	color	grit	delivery form	PU
133-SG2 800	ø 136 mm	grey	SG-800	in carton	25 pcs
133-SG2 1600	ø 136 mm	grey	SG-1600	in carton	25 pcs
133-SG2 1800	ø 136 mm	grey	SG-1800	in carton	25 pcs
133-SG2 2500	ø 136 mm	grey	SG-2500	in carton	25 pcs
133-SG2 3000	ø 136 mm	grey	SG-3000	in carton	25 pcs
143-SG2 800	ø 156 mm	grey	SG-800	in carton	25 pcs
143-SG2 1600	ø 156 mm	grey	SG-1600	in carton	25 pcs
143-SG2 1800	ø 156 mm	grey	SG-1800	in carton	25 pcs
143-SG2 2500	ø 156 mm	grey	SG-2500	in carton	25 pcs
143-SG2 3000	ø 156 mm	grey	SG-3000	in carton	25 pcs
144-SG2 800	ø 210 mm	grey	SG-800	in carton	25 pcs
144-SG2 1600	ø 210 mm	grey	SG-1600	in carton	25 pcs
144-SG2 1800	ø 210 mm	grey	SG-1800	in carton	25 pcs
144-SG2 2500	ø 210 mm	grey	SG-2500	in carton	25 pcs
144-SG2 3000	ø 210 mm	grey	SG-3000	in carton	25 pcs



useit® Superfinishing Pad SG2 for Jöst eccentric floor machines

The useit®-Superfinishing Pad SG2 for Jöst orbital sanding machines is ideally suited for processing hard floor coverings such as PVC, linoleum, vinyl, 2K-coated industrial floors and sealed, oiled & waxed wooden floors. The above floor coverings can be cleaned, polished and freed from coatings and micro scratches without damaging the surface. Even differences in the degree of gloss in floors can be quickly and easily harmonized, eliminating the need for time-consuming post-processing. Like the SG, the useit®-Superfinishing Pad SG2 is also suitable for wet and dry sanding. When used on solid surface material, the useit® Superfinishing Pad SG2 guarantees the highest gloss levels without clouding or shadow formation.

part no.	dimension	color	grit	delivery form	PU
149-S/G2 800	190x340 mm	grey	SG-800	in polybag	10 pcs
149-S/G2 1600	190x340 mm	grey	SG-1600	in polybag	10 pcs
149-S/G2 1800	190x340 mm	grey	SG-1800	in polybag	10 pcs
149-S/G2 2000	190x340 mm	grey	SG-2000	in polybag	10 pcs
149-S/G2 2500	190x340 mm	grey	SG-2500	in polybag	10 pcs
149-S/G2 3000	190x340 mm	grey	SG-3000	in polybag	10 pcs
148-SG2 800	335x485 mm	grey	SG-800	in polybag	10 pcs
148-SG2 1600	335x485 mm	grey	SG-1600	in polybag	10 pcs
148-SG2 1800	335x485 mm	grey	SG-1800	in polybag	10 pcs
148-SG2 2000	335x485 mm	grey	SG-2000	in polybag	10 pcs
148-SG2 2500	335x485 mm	grey	SG-2500	in polybag	10 pcs
148-SG2 3000	335x485 mm	grey	SG-3000	in polybag	10 pcs



useit®-Superfinishing Pad SG2 brushes

The useit®-Superfinishing Pad SG Finishing and Polishing Brushes give you high gloss surfaces quickly and easily – with no need for polishing paste. They are particularly suitable for machining curves and profiled surfaces. Excellent gloss levels can be achieved on stainless steel sheets – without felt and polishing paste. Thanks to the flexibility of the abrasive, the brushes adapt perfectly to the surface contour and prevent sanding through at the edges. When processing solid surface material, especially in the wash basin area, the surfaces can be perfectly adapted to the entire installation without visible transitions in gloss and structure.

part no.	dimension	color	grit	delivery form	PU
115-SG2 800	50x30x6 mm	grey	SG-800	in foil	5 pcs
115-SG2 1600	50x30x6 mm	grey	SG-1600	in foil	5 pcs
115-SG2 1800	50x30x6 mm	grey	SG-1800	in foil	5 pcs
115-SG2 2000	50x30x6 mm	grey	SG-2000	in foil	5 pcs
115-SG2 2500	50x30x6 mm	grey	SG-2500	in foil	5 pcs
115-SG2 3000	50x30x6 mm	grey	SG-3000	in foil	5 pcs
117-SG2 800	ø 80x50x6 mm	grey	SG-800	in foil	5 pcs
117-SG2 1600	ø 80x50x6 mm	grey	SG-1600	in foil	5 pcs
117-SG2 1800	ø 80x50x6 mm	grey	SG-1800	in foil	5 pcs
117-SG2 2000	ø 80x50x6 mm	grey	SG-2000	in foil	5 pcs
117-SG2 2500	ø 80x50x6 mm	grey	SG-2500	in foil	5 pcs
117-SG2 3000	ø 80x50x6 mm	grey	SG-3000	in foil	5 pcs
118-SG2 800	ø 100x50x8 mm	grey	SG-800	in foil	5 pcs
118-SG2 1600	ø 100x50x8 mm	grey	SG-1600	in foil	5 pcs
118-SG2 1800	ø 100x50x8 mm	grey	SG-1800	in foil	5 pcs
118-S/G2 2000	ø 100x50x8 mm	grey	SG-2000	in foil	5 pcs
118-S/G2 2500	ø 100x50x8 mm	grey	SG-2500	in foil	5 pcs
118-S/G3000	ø 100x50x8 mm	grey	SG-3000	in foil	5 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL



HIGH-PERFORMANCE ABRASIVE

useit® Superfinishing Pad SG3

The useit® Superfinishing Pad SG3 offers an enormous savings potential compared to conventional polishing processes when processing high-gloss lacquers, GRP surfaces, metals and mineral materials. This saves a lot of working time and considerably reduces your costs. Sanding through beads and edges is prevented thanks to the abrasive grains which are applied with a special coating method: the special construction of the pad forces the grains to automatically align themselves during sanding. The pad adapts itself perfectly to curves and profiled surfaces.

useit® Superfinishing Pad SG3 77 - 200 mm diameter

part no.	dimension	color	grit	delivery form	PU
130-SG3 360	ø 77 mm	grey	SG-360	in carton	20 pcs
130-SG3 500	ø 77 mm	grey	SG-500	in carton	20 pcs
130-SG3 600	ø 77 mm	grey	SG-600	in carton	20 pcs
130-SG3 1000	ø 77 mm	grey	SG-1000	in carton	20 pcs
130-SG3 2000	ø 77 mm	grey	SG-2000	in carton	20 pcs
130-SG3 3000	ø 77 mm	grey	SG-3000	in carton	20 pcs
130-SG3 4000	ø 77 mm	grey	SG-4000	in carton	20 pcs
110-SG3 360	ø 90 mm	grey	SG-360	in carton	20 pcs
110-SG3 500	ø 90 mm	grey	SG-500	in carton	20 pcs
110-SG3 600	ø 90 mm	grey	SG-600	in carton	20 pcs
110-SG3 1000	ø 90 mm	grey	SG-1000	in carton	20 pcs
110-SG3 2000	ø 90 mm	grey	SG-2000	in carton	20 pcs
110-SG3 3000	ø 90 mm	grey	SG-3000	in carton	20 pcs
110-SG3 4000	ø 90 mm	grey	SG-4000	in carton	20 pcs



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL

part no.	dimension	color	grit	delivery form	PU
127-SG3 360	ø 128 mm	grey	SG-360	in carton	20 pcs
127-SG3 500	ø 128 mm	grey	SG-500	in carton	20 pcs
127-SG3 600	ø 128 mm	grey	SG-600	in carton	20 pcs
127-SG3 1000	ø 128 mm	grey	SG-1000	in carton	20 pcs
127-SG3 2000	ø 128 mm	grey	SG-2000	in carton	20 pcs
127-SG3 3000	ø 128 mm	grey	SG-3000	in carton	20 pcs
127-SG3 4000	ø 128 mm	grey	SG-4000	in carton	20 pcs
128-SG3 360	ø 150 mm	grey	SG-360	in carton	20 pcs
128-SG3 500	ø 150 mm	grey	SG-500	in carton	20 pcs
128-SG3 600	ø 150 mm	grey	SG-600	in carton	20 pcs
128-SG3 1000	ø 150 mm	grey	SG-1000	in carton	20 pcs
128-SG3 2000	ø 150 mm	grey	SG-2000	in carton	20 pcs
128-SG3 3000	ø 150 mm	grey	SG-3000	in carton	20 pcs
128-SG3 4000	ø 150 mm	grey	SG-4000	in carton	20 pcs
132-SG3 360	ø 200 mm	grey	SG-360	in carton	20 pcs
132-SG3 500	ø 200 mm	grey	SG-500	in carton	20 pcs
132-SG3 600	ø 200 mm	grey	SG-600	in carton	20 pcs
132-SG3 1000	ø 200 mm	grey	SG-1000	in carton	20 pcs
132-SG3 2000	ø 200 mm	grey	SG-2000	in carton	20 pcs
132-SG3 3000	ø 200 mm	grey	SG-3000	in carton	20 pcs
132-SG3 4000	ø 200 mm	grey	SG-4000	in carton	20 pcs

- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NF-METAL



useit® Superfinishing Pad SG3 stripes

part no.	dimension	color	grit	delivery form	PU
113-SG3 360	115x140 mm	grey	SG-360	in carton	20 pcs
113-SG3 500	115x140 mm	grey	SG-500	in carton	20 pcs
113-SG3 600	115x140 mm	grey	SG-600	in carton	20 pcs
113-SG3 1000	115x140 mm	grey	SG-1000	in carton	20 pcs
113-SG3 2000	115x140 mm	grey	SG-2000	in carton	20 pcs
113-SG3 3000	115x140 mm	grey	SG-3000	in carton	20 pcs
113-SG3 4000	115x140 mm	grey	SG-4000	in carton	20 pcs



useit® Superfinishing Pad SG3 for P1 sanding system

Thanks to its increased foam thickness, the useit®-Superfinishing Pad SG3 for the Jöst P1 dust-free grinding System adapts itself superbly to curved and shaped surfaces. Like the useit®-Superfinishing Pad SG2, it is ideally suited for processing solid surface material, stainless steel, non-ferrous metals and GRP & wood surfaces.

part no.	dimension	color	grit	delivery form	PU
133-SG3 360	ø 136 mm	grey	SG-360	in carton	20 pcs
133-SG3 500	ø 136 mm	grey	SG-500	in carton	20 pcs
133-SG3 600	ø 136 mm	grey	SG-600	in carton	20 pcs
133-SG3 1000	ø 136 mm	grey	SG-1000	in carton	20 pcs
133-SG3 2000	ø 136 mm	grey	SG-2000	in carton	20 pcs
133-SG3 3000	ø 136 mm	grey	SG-3000	in carton	20 pcs
133-SG3 4000	ø 136 mm	grey	SG-4000	in carton	20 pcs
143-SG3 360	ø 156 mm	grey	SG-360	in carton	20 pcs
143-SG3 500	ø 156 mm	grey	SG-500	in carton	20 pcs
143-SG3 600	ø 156 mm	grey	SG-600	in carton	20 pcs
143-SG3 1000	ø 156 mm	grey	SG-1000	in carton	20 pcs
143-SG3 2000	ø 156 mm	grey	SG-2000	in carton	20 pcs
143-SG3 3000	ø 156 mm	grey	SG-3000	in carton	20 pcs
143-SG3 4000	ø 156 mm	grey	SG-4000	in carton	20 pcs
144-SG3 360	ø 210 mm	grey	SG-360	in carton	20 pcs
144-SG3 500	ø 210 mm	grey	SG-500	in carton	20 pcs
144-SG3 600	ø 210 mm	grey	SG-600	m Karton	20 pcs
144-SG3 1000	ø 210 mm	grey	SG-1000	in carton	20 pcs
144-SG3 2000	ø 210 mm	grey	SG-2000	in carton	20 pcs
144-SG3 3000	ø 210 mm	grey	SG-3000	in carton	20 pcs
144-SG3 4000	ø 210 mm	grey	SG-4000	in carton	20 pcs



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ GYPSUM
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE
- ✓ MARBLE



ABRAFLEX® NON-WOVEN

Abraflex® High Performance is often used for further processing tasks, thanks to its uniform fiber structure and total impregnation. The constant weight and consistent strength of this nonwoven make it ideal for the manufacture of non-woven abrasive tools like tubes, brushes, belts and sanding wheels.

Abraflex® High Performance rolls

part no.	dimension	color	grit	delivery form	PU
08-A100	115mm x 10 lfm	red	A-100	in foil	1 pcs
08-A280	115mm x 10 lfm	red	A-280	in foil	1 pcs
08-S400	115mm x 10 lfm	grey	S-400	in foil	1 pcs
08-S1000	115mm x 10 lfm	grey	S-1000	in foil	1 pcs
08-S1200	115mm x 10 lfm	grey	S-1200	in foil	1 pcs
08-FX WEIß	115mm x 10 lfm	white	without	in foil	1 pcs
08-HF GRÜN	115mm x 10 lfm	green	undefined	in foil	1 pcs




Abraflex® High Performance discs

part no.	dimension	color	grit	delivery form	PU
SR-A 100/128	Ø 128 mm	red	A-100	in foil	10 pcs
SR-A 180/128	Ø 128 mm	red	A-180	in foil	10 pcs
SR-A 280/128	Ø 128 mm	red	A-280	in foil	10 pcs
SR-S 400/128	Ø 128 mm	grey	S-400	in foil	10 pcs
SR-S1000/128	Ø 128 mm	grey	S-1000	in foil	10 pcs
SR-FX WEIß/128	Ø 128 mm	white	without	in foil	10 pcs
SR-HF GRÜN/128	Ø 128 mm	green	undefined	in foil	10 pcs
SR-A 100/150	Ø 150 mm	red	A-100	in foil	10 pcs
SR-A 180/150	Ø 150 mm	red	A-180	in foil	10 pcs
SR-A 280/150	Ø 150 mm	red	A-280	in foil	10 pcs
SR-S 400/150	Ø 150 mm	grey	S-400	in foil	10 pcs
SR-S1000/150	Ø 150 mm	grey	S-1000	in foil	10 pcs
SR-FX WEIß/150	Ø 150 mm	white	without	in foil	10 pcs
SR-HF GRÜN/150	Ø 150 mm	green	undefined	in foil	10 pcs



Other sizes on request



non-woven - adaptable. fast cutting. flexible.

Abraflex® High Performance pads

part no.	dimension	color	grit	delivery form	PU
14-A100	83x150 mm	red	A-100	in foil	10 pcs
14-A280	83x150 mm	red	A-280	in foil	10 pcs
14-S400	83x150 mm	grey	S-400	in foil	10 pcs
14-S1000	83x150 mm	grey	S-1000	in foil	10 pcs
15-A100	93x175 mm	red	A-100	in foil	10 pcs
15-A280	93x175 mm	red	A-280	in foil	10 pcs
15-S400	93x175 mm	grey	S-400	in foil	10 pcs
15-S1000	93x175 mm	grey	S-1000	in foil	10 pcs
02-A100	hand shape	red	A-100	in foil	10 pcs
02-A280	hand shape	red	A-280	in foil	10 pcs
02-S400	hand shape	grey	S-400	in foil	10 pcs
02-S1000	hand shape	grey	S-1000	in foil	10 pcs
01-A100	100x150 mm	red	A-100	in foil	10 pcs
01-A280	100x150 mm	red	A-280	in foil	10 pcs
01-S400	100x150 mm	grey	S-400	in foil	10 pcs
01-S1000	100x150 mm	grey	S-1000	in foil	10 pcs
16-A100	115x230 mm	red	A-100	in foil	10 pcs
16-A280	115x230 mm	red	A-280	in foil	10 pcs
16-S400	115x230 mm	grey	S-400	in foil	10 pcs
16-S1000	115x230 mm	grey	S-1000	in foil	10 pcs
22-A100	115x290 mm	red	A-100	in foil	10 pcs
22-A280	115x290 mm	red	A-280	in foil	10 pcs
22-S400	115x290 mm	grey	S-400	in foil	10 pcs
22-S1000	115x290 mm	grey	S-1000	in foil	10 pcs
21-A100	150x210 mm	red	A-100	in foil	10 pcs
21-A280	150x210 mm	red	A-280	in foil	10 pcs
21-S400	150x210 mm	grey	S-400	in foil	10 pcs
21-S1000	150x210 mm	grey	S-1000	in foil	10 pcs
3010	150x210 mm	green	undefined	in foil	10 pcs
4010	150x210 mm	white	without	in foil	10 pcs



Abraflex® High Performance - Others

Abraflex® High Performance nonwoven abrasive in various designs and forms, from combined non-woven brushes with abrasive inlays to circular brushes, from lamellar brushes to cuts with integrated liquid reservoirs for zinc substrate pre-treatment.

part no.	dimension	color	grit	delivery form	PU
17-RS A-80	ø 80x50x6 mm	red	A-80	in foil	5 pcs
17-A100	ø 80x50x6 mm	red	A-100	in foil	5 pcs
17-A180	ø 80x50x6 mm	red	A-180	in foil	5 pcs
17-A280	ø 80x50x6 mm	red	A-280	in foil	5 pcs
17-RS A-180	ø 80x50x6 mm	red	A-180	in foil	5 pcs
17-RS S-400	ø 80x50x6 mm	grey	S-400	in foil	5 pcs
17-S400	ø 80x50x6 mm	green	S-400	in foil	5 pcs
18-A100	ø 60x50x6 mm	red	A-100	in foil	10 pcs
18-A180	ø 60x50x6 mm	red	A-180	in foil	10 pcs
18-A280	ø 60x50x6 mm	red	A-280	in foil	10 pcs
18-S400	ø 60x50x6 mm	grey	S-400	in foil	10 St
19-A100	ø 80x50x6 mm	red	A-100	in foil	5 pcs
19-A180	ø 80x50x6 mm	red	A-180	in foil	5 pcs
19-A280	ø 80x50x6 mm	red	A-280	in foil	5 pcs
19-S400	ø 80x50x6 mm	grey	S-400	in foil	5 pcs
20-A100	ø 60x50x6 mm	red	A-100	in foil	10 pcs
20-A180	ø 60x50x6 mm	red	A-180	in foil	10 pcs
20-A280	ø 60x50x6 mm	red	A-280	in foil	10 pcs
20-S400	ø 60x50x6 mm	grey	S-400	in foil	10 pcs
07-A100	140x70x40 mm	red	A-100	in foil	1 pc
07-A280	140x70x40 mm	red	A-280	in foil	1 pc
07-S400	140x70x40 mm	grey	S-400	in foil	1 pc
07-S1000	140x70x40 mm	grey	S-1000	in foil	1 pc
SP 100/280	80x133 mm	red	A-100/ A-280	in foil	10 pcs
SP 280/400	80x133 mm	red	A-280/ S-400	in foil	10 pcs
SP 2000/100	80x133 mm	grey	A-280/ G-100	in foil	10 pcs
SP 2000/400	80x133 mm	grey	S-400/ G-320	in foil	10 pcs



Abraflex® Soft Automotive rolls

Abraflex® soft Automotive is a cutting-friendly universal non-woven with a high level of sanding performance. It distinguishes itself through its high degree of flexibility and adaptability. It is particularly suitable for sanding hard-to-reach areas such as narrow seams, beads, edges and door locks. It is also ideal for finishing base and clear lacquers in the automotive industry and in the wood and plastics processing industries. An innovative coating system ensures an even distribution of the abrasive grain along the fiber, offering the perfect solution for the highest quality requirements.

part no.	dimension	color	grit	delivery form	PU
08-A/F-SOFT/100	100mm x 10 rm	red	A-fine	in foil	1 pc
08-A/F-GREEN/100	100mm x 10 rm	green	A-fine green	in foil	1 pc
08-A/VF-SOFT/100	100mm x 10 rm	red	A-very fine	in foil	1 pc
08-A/F-SOFT	115mm x 10 rm	red	A-fine	in foil	1 pc
08-A/F-GREEN	115mm x 10 rm	green	A-fine green	in foil	1 pc
08-A/VF-SOFT	115mm x 10 rm	red	A-very fine	in foil	1 pc



Abraflex® Soft Automotive pads

part no.	dimension	color	grit	delivery form	PU
21-A/F-SOFT	150x210 mm	red	A-fine	in foil	10 pcs
21-A/F-GREEN	150x210 mm	green	A-fine green	in foil	10 pcs
21-A/VF-SOFT	150x210 mm	red	A-very fine	in foil	10 pcs

Abraflex® E-Type rolls

The Abraflex® E-Type nonwoven abrasive is particularly suitable for manual use. It is usually used as a narrow roll, hand pad or cut. Uniform and continuous impregnation guarantees the highest levels of quality and service life. In addition to a substantial standard program, we also offer solutions for individual customer demands, e.g. with regard to color and grain.

part no.	dimension	color	grit	delivery form	PU
08-A100/E/100	100mm x 10 rm	red	A-100	in foil	1 pc
08-A180/E/100	100mm x 10 rm	red	A-180	in foil	1 pc
08-A280/E/100	100mm x 10 rm	red	A-280	in foil	1 pc
08-S400/E/100	100mm x 10 rm	grey	S-400	in foil	1 pc
08-S1000/E/100	100mm x 10 rm	grey	S-1000	in foil	1 pc
08-S1200/E/100	100mm x 10 rm	grey	S-1200	in foil	1 pc
08-A100/E	115mm x 10 rm	red	A-100	in foil	1 pc
08-A180/E	115mm x 10 rm	red	A-180	in foil	1 pc
08-A280/E	115mm x 10 rm	red	A-280	in foil	1 pc
08-S400/E	115mm x 10 rm	grey	S-400	in foil	1 pc
08-S1000/E	115mm x 10 rm	grey	S-1000	in foil	1 pc
08-S1200/E	115mm x 10 rm	grey	S-1200	in foil	1 pc



Abraflex® E-Type pads

The Abraflex® E-Type non-woven abrasive is particularly suitable for manual use. It is usually used as a narrow roll, hand pad or cut. Uniform and continuous impregnation guarantees the highest levels of quality and service life. In addition to a substantial standard program, we also offer solutions for individual customer demands, e.g. with regard to color and grain.

part no.	dimension	color	grit	delivery form	PU
21-A100/E	150x210 mm	red	A-100	in foil	10 pcs
21-A180/E	150x210 mm	red	A-180	in foil	10 pcs
21-A280/E	150x210 mm	red	A-280	in foil	10 pcs
21-S400/E	150x210 mm	grey	S-400	in foil	10 pcs
21-S1000/E	150x210 mm	grey	S-1000	in foil	10 pcs
21-S1200/E	150x210 mm	grey	S-1200	in foil	10 pcs
50-A100	335x485 mm	red	A-100	in polybag	10 pcs
50-A280	335x485 mm	red	A-280	in polybag	10 pcs
50-S400	335x485 mm	grey	S-400	in polybag	10 pcs
52-A100	190x340 mm	red	A-100	in polybag	5 pcs
52-A280	190x340 mm	red	A-280	in polybag	5 pcs
52-S400	190x340 mm	grey	S-400	in polybag	5 pcs



TEXFLEX® pads

Fabric-reinforced non-woven discs for angle grinders

part no.	dimension	color	grit	delivery form	PU
11-V 80	ø 115 mm	brown	A-80	in carton	10 pcs
11-V 80/SB	ø 115 mm	brown	A-80	in foil	3 pcs
11-V100	ø 115 mm	brown	A-100	in carton	10 pcs
11-V100/SB	ø 115 mm	brown	A-100	in foil	3 pcs
11-V180	ø 115 mm	brown	A-180	in carton	10 pcs
11-V180/SB	ø 115 mm	brown	A-180	in foil	3 pcs
11-V 80/178	ø 178 mm	brown	A-80	in carton	10 pcs
11-V100/178	ø 178 mm	brown	A-100	in carton	10 pcs
11-V180/178	ø 178 mm	brown	A-180	in carton	10 pcs



non-woven for long-neck sander

part no.	dimension	color	grit	delivery form	PU
225-A100	ø 225 mm	red	A-100	in foil	5 pcs
225-A180	ø 225 mm	red	A-180	in foil	5 pcs





MESH ABRASIVE

A high level of inherent rigidity combined with innovative grain bonding make the Jöst abrasive mesh cloth the ideal product for every craftsman. The 225 mm diameter discs are equipped with an innovative Velcro system. The abrasive mesh can be used on every long-neck sander available on the market. Optimal dust removal is guaranteed thanks to the Velcro system. The innovative, open backing structure enables even heavily soiled surfaces to be cleaned and soft fillers that would normally produce a high level of dust to be sanded.

mesh abrasive pads

part no.	dimension	color	grit	delivery form	PU
41-K 80	93x280 mm	grey	K-80	in foil	10 pcs
41-K100	93x280 mm	grey	K-100	in foil	10 pcs
41-K120	93x280 mm	grey	K-120	in foil	10 pcs
41-K150	93x280 mm	grey	K-150	in foil	10 pcs
41-K180	93x280 mm	grey	K-180	in foil	10 pcs
41-K220	93x280 mm	grey	K-220	in foil	10 pcs
41-K320	93x280 mm	grey	K-320	in foil	10 pcs
40-K 80	115x290 mm	grey	K-80	in foil	10 pcs
40-K100	115x290 mm	grey	K-100	in foil	10 pcs
40-K120	115x290 mm	grey	K-120	in foil	10 pcs
40-K150	115x290 mm	grey	K-150	in foil	10 pcs
40-K180	115x290 mm	grey	K-180	in foil	10 pcs
40-K220	115x290 mm	grey	K-220	in foil	10 pcs
40-K320	115x290 mm	grey	K-320	in foil	10 pcs



useit Superpad G for long-neck sander

part no.	dimension	color	grit	delivery form	PU
40-K 80/225	ø 225 mm	grey	K-80	in foil	25 pcs
40-K 80/225/SB	ø 225 mm	grey	K-80	in foil	10 pcs
40-K100/225	ø 225 mm	grey	K-100	in foil	25 pcs
40-K100/225/SB	ø 225 mm	grey	K-100	in foil	10 pcs



Green Cut® abrasive mesh

The newly developed GreenCut® abrasive mesh sets new standards in material removal performance, dust removal and flat sanding results. Thanks to its special backing structure and the bonding of the abrasive grain, Green Cut® is also available in coarse grain sizes such as 40 and 60. The high inherent rigidity ensures a flat surface finish. Virtually dust-free working is possible in combination with the open backing structure and clogging of the sanding disc is prevented.

part no.	dimension	color	grit	delivery form	PU
323-S 40	ø 225 mm	green	40	in carton	25 pcs
323-S 60	ø 225 mm	green	60	in carton	25 pcs
323-S 80	ø 225 mm	green	80	in carton	25 pcs
323-S100	ø 225 mm	green	100	in carton	25 pcs
323-S120	ø 225 mm	green	120	in carton	25 pcs
323-S150	ø 225 mm	green	150	in carton	25 pcs
323-S180	ø 225 mm	green	180	in carton	25 pcs
323-S220	ø 225 mm	green	220	in carton	25 pcs
339-S 40	ø 410 mm	green	40	in carton	10 pcs
339-S 60	ø 410 mm	green	60	in carton	10 pcs
339-S 80	ø 410 mm	green	80	in carton	10 pcs
339-S100	ø 410 mm	green	100	in carton	10 pcs
339-S120	ø 410 mm	green	120	in carton	10 pcs
339-S150	ø 410 mm	green	150	in carton	10 pcs
339-S180	ø 410 mm	green	180	in carton	10 pcs
339-S220	ø 410 mm	green	220	in carton	10 pcs





SANDING BELTS

Pioneering new standards for sanding on manual belt, long-belt and wide-belt sanding machines! The globally-unique useit® Superfinishing belts and -tubes from JÖST abrasives are revolutionizing industrial surface treatment processes.

For the first time ever, the sanding dust can be directly suctioned off through the abrasive belt or tube, and thanks to this innovative design, abrasives belts and drums can no longer become clogged. Dust pollution at the workplace and at the machine is drastically reduced - and sanding performance is significantly increased. The useit® Superfinishing belts and -tubes can be used to remove dust inclusions and other impurities from painted surfaces in a dry sanding process, for example - without having to repaint the treated surfaces. Plastered surfaces can be smoothed or polished to a high gloss. NF metals, stainless steel and solid surface materials can be sanded to a high gloss in two or three stages at most, or polished without paste.

We also offer tailor-made solutions according to your requirements. Please ask for details.

useit® -Superfinishing sanding and polishing belts

part no.	dimension	color	grit	delivery form	PU
SGG2 1800 1 9	6x520 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 1 9	6x520 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 1 9	6x520 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 1 9	6x520 mm	grey	SG2 3000	in foil	5 pcs
SGG2 1800 2 9	12x520 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 2 9	12x520 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 2 9	12x520 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 2 9	12x520 mm	grey	SG2 3000	in foil	5 pcs
SGG2 1800 3 9	16x520 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 3 9	16x520 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 3 9	16x520 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 3 9	16x520 mm	grey	SG2 3000	in foil	5 pcs
SGG2 1800 6 10	30x533 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 6 10	30x533 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 6 10	30x533 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 6 10	30x533 mm	grey	SG2 3000	in foil	5 pcs



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ GYPSUM
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NF-METAL
- ✓ COMPOSITE
- ✓ MARBLE

useit® Superfinishing sanding and polishing belts

part no.	dimension	color	grit	delivery form	PU
SGG2 1800 6 9	30x520 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 6 9	30x520 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 6 9	30x520 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 6 9	30x520 mm	grey	SG2 3000	in foil	5 pcs
SGG2 1800 8 10	40x675 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 8 10	40x675 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 8 10	40x675 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 8 10	40x675 mm	grey	SG2 3000	in foil	5 pcs
SGG2 1800 8 24	40x820 mm	grey	SG2 1800	in foil	5 pcs
SGG2 2000 8 24	40x820 mm	grey	SG2 2000	in foil	5 pcs
SGG2 2500 8 24	40x820 mm	grey	SG2 2500	in foil	5 pcs
SGG2 3000 8 24	40x820 mm	grey	SG2 3000	in foil	5 pcs



Abrasive drums

Available in several versions with different abrasives - with paper or fabric backing, fabric-reinforced nonwoven abrasive, and for the finish of the useit® Superfinishing SG.

part no.	dimension	color	grit	delivery form	PU
TF 80 55 105	ø 90x100 mm	brown	A-80	in carton	5 pcs
TF 100 55 105	ø 90x100 mm	brown	A-100	in carton	5 pcs
TF 180 55 105	ø 90x100 mm	brown	A-180	in carton	5 pcs
TF 80 16 105	ø 100x100 mm	brown	A-80	in carton	5 pcs
TF 100 16 105	ø 100x100 mm	brown	A-100	in carton	5 pcs
TF 180 16 105	ø 100x100 mm	brown	A-180	in carton	5 pcs
SG2 800 16 105	ø 100x100 mm	grey	SG-800	in carton	5 pcs
SG2 1800 16 105	ø 100x100 mm	grey	SG-1800	in carton	5 pcs
SG2 2000 16 105	ø 100x100 mm	grey	SG-2000	in carton	5 pcs
SG2 2500 16 105	ø 100x100 mm	grey	SG-2500	in carton	5 pcs
SG2 3000 16 105	ø 100x100 mm	grey	SG-3000	in carton	5 pcs
SG2 800 55 105	ø 90x100 mm	grey	SG-800	in carton	5 pcs
SG2 1800 55 105	ø 90x100 mm	grey	SG-1800	in carton	5 pcs
SG2 2000 55 105	ø 90x100 mm	grey	SG-2000	in carton	5 pcs
SG2 2500 55 105	ø 90x100 mm	grey	SG-2500	in carton	5 pcs
SG2 3000 55 105	ø 90x100 mm	grey	SG-3000	in carton	5 pcs





Abranopp®

The truly exceptional Abranopp®-cleaning system gets right into the heart of every single pore. Its unique design solves the problems involved in cleaning and maintaining structured floor coverings, a task for which it was specially developed. The Abranopp® cleaning pads deep-clean hard floor coverings thoroughly, penetrating the deeper zones of the structured surfaces, beyond the limits of our renowned non-woven discs and cleaning brushes. The size and shape of the Abranopp® cleaning pads' nubs and abrasive particles can also be adapted to match your structured flooring, so the system will meet your cleaning requirements perfectly time after time.

part no.	dimension	color	grit	delivery form	PU
AN-WHITE/115	ø 115 mm	white	without	in carton	25 pcs
AN-PURPLE/115	ø 115 mm	purple	fine	in carton	25 pcs
AN-GREY/115	ø 115 mm	grey	medium	in carton	25 pcs
AN-GREEN/115	ø 115 mm	green	coarse	in carton	25 pcs
AN-SPEZIAL/115	ø 115 mm	black	very coarse	in carton	25 pcs
AN-WHITE/150	ø 150 mm	white	without	in carton	20 pcs
AN-PURPLE/150	ø 150 mm	purple	fine	in carton	20 pcs
AN-GREY/150	ø 150 mm	grey	medium	in carton	20 pcs
AN-GREEN/150	ø 150 mm	green	coarse	in carton	20 pcs
AN-SPEZIAL/150	ø 150 mm	black	very coarse	in carton	20 pcs
AN-WHITE/200	ø 200 mm	white	without	in carton	5 pcs
AN-PURPLE/200	ø 200 mm	purple	fine	in carton	5 pcs
AN-GREY/200	ø 200 mm	grey	medium	in carton	5 pcs
AN-GREEN/200	ø 200 mm	green	coarse	in carton	5 pcs
AN-SPEZIAL/200	ø 200 mm	black	very coarse	in carton	5 pcs
AN-WHITE/375	ø 375 mm	white	without	in carton	5 pcs
AN-PURPLE/375	ø 375 mm	purple	fine	in carton	5 pcs
AN-GREY/375	ø 375 mm	grey	medium	in carton	5 pcs
AN-GREEN/375	ø 375 mm	green	coarse	in carton	5 pcs
AN-SPEZIAL/375	ø 375 mm	black	very coarse	in carton	5 pcs





part no.	dimension	color	grit	delivery form	PU
AN-WHITE/410	ø 410 mm	white	-	in carton	5 pcs
AN-PURPLE/410	ø 410 mm	purple	fine	in carton	5 pcs
AN-GREY/410	ø 410 mm	grey	medium	in carton	5 pcs
AN-GREEN/410	ø 410 mm	green	coarse	in carton	5 pcs
AN-SPEZIAL/410	ø 410 mm	black	very coarse	in carton	5 pcs
AN-WHITE/430	ø 430 mm	white	-	in carton	5 pcs
AN-PURPLE/430	ø 430 mm	purple	fine	in carton	5 pcs
AN-GREY/430	ø 430 mm	grey	medium	in carton	5 pcs
AN-GREEN/430	ø 430 mm	green	coarse	in carton	5 pcs
AN-SPEZIAL/430	ø 430 mm	black	very coarse	in carton	5 pcs
AN-WHITE/460	ø 460 mm	white	-	in carton	5 pcs
AN-PURPLE/460	ø 460 mm	purple	fine	in carton	5 pcs
AN-GREY/460	ø 460 mm	grey	medium	in carton	5 pcs
AN-GREEN/460	ø 460 mm	green	coarse	in carton	5 pcs
AN-SPEZIAL/460	ø 460 mm	black	very coarse	in carton	5 pcs
AN-WHITE/500	ø 500 mm	white	-	in carton	5 pcs
AN-PURPLE/500	ø 500 mm	purple	fine	in carton	5 pcs
AN-GREY/500	ø 500 mm	grey	medium	in carton	5 pcs
AN-GREEN/500	ø 500 mm	green	coarse	in carton	5 pcs
AN-SPEZIAL/500	ø 500 mm	black	very coarse	in carton	5 pcs



Abranopp cleaning pads for Jöst eccentric floor machines

949-WHITE	190x340 mm	white	-	in polybag	5 pcs
949-PURPLE	190x340 mm	purple	fine	in polybag	5 pcs
949-GREY	190x340 mm	grey	medium	in polybag	5 pcs
949-GREEN	190x340 mm	green	coarse	in polybag	5 pcs
AN-SPEZIAL	190x340 mm	black	sehr coarse	in polybag	5 pcs
948-WHITE	335x485 mm	white	-	in polybag	5 pcs
948-PURPLE	335x485 mm	purple	fine	in polybag	5 pcs
948-GREY	335x485 mm	grey	medium	in polybag	5 pcs
948-GREEN	335x485 mm	green	coarse	in polybag	5 pcs
AN-SPEZIAL	335x485 mm	black	sehr coarse	in polybag	5 pcs





CLEANING PADS

Blue Wave melamine pad

The difference between the Blue Wave sponge and conventional sponges is in the Blue Wave's unique structure. This reinforced structure is significantly extending its service life. Thanks to its rubber eraser effect, all kinds of stubborn stains and dirt such as: heel marks on floors, pen marks on desks, calcified surfaces, car windows and much more can be removed easily from smooth and hard surfaces - and no chemical agents are needed, only water! The Blue Wave cleaning sponge must always be used wet.

It is not suitable for high-gloss surfaces and lacquer.

part no.	dimension	color	grit	delivery form	PU
BW 70X110	70x110 mm	white	-	on request	on request
BW-200	ø 200 mm	white	-	in polybag	2 pcs
BW-280	ø 280 mm	white	-	in polybag	5 pcs
BW-370	ø 370 mm	white	-	in carton	5 pcs
BW-410	ø 410 mm	white	-	in carton	5 pcs
BW-430	ø 430 mm	white	-	in carton	5 pcs
BW-485	ø 485 mm	white	-	in carton	5 pcs
BW-530	ø 530 mm	white	-	in carton	5 pcs

Blue Wave melamine pad for Jöst eccentric floor machines

BW-190X340	190x340 mm	white	-	in polybag	5 pcs
BW-335X485	335x485 mm	white	-	in polybag	5 pcs





Micro fiber pads

The high-quality micro fiber pads - made in Germany - give you outstanding cleaning results with an unsurpassed price-performance ratio. When the pads are used in combination with the JÖST Floor Sander and Floor Sander Junior eccentric cleaning machines, the treatment is intensive and results in a very clean surface. You can clean different materials using only water - no chemical agents!

The Micro Fiber Pad **"Blue Melange"** is the all-rounder among the pads. It's fantastic for cleaning carpets. The "Blue Melange" is also suitable for removing marks on linoleum, parquet, rubber, stone and laminate floors - even the most stubborn surface stains surrender to the talents of this pad!

The Micro Fiber Pad **"White Blue"** - this is the one that's ideal for treating lighter stains on smooth surfaces, like linoleum, rubber and stone floors.

Micro Fiber Pad **"White"** - this pad is tailor-made for cleaning tiles and glass surfaces. It has the best possible performance in cleaning and dirt retention. Micro Fiber Pad **"Grey"** - this pad's structure makes it ideal for cleaning structured surfaces and safety tiles.



part no.	dimension	color	delivery form	PU
MF-BM190X340	190x340 mm	blue/melange	in polybag	5 pcs
MF-P190X340	190x340 mm	white/blue	in polybag	5 pcs
MF-W190X340	190x340 mm	white	in polybag	5 pcs
MF-G190X340	190x340 mm	grey with bristles	in polybag	5 pcs
MF-BM335X485	335x485 mm	blue/melange	in polybag	5 pcs
MF-P335X485	335x485 mm	white/blue	in polybag	5 pcs
MF-W335X485	335x485 mm	white	in polybag	5 pcs
MF-G335X485	335x485 mm	grey with bristles	in polybag	5 pcs




Blue Magic dust-cloth

Due to its special coating the Blue Magic dust-binding cloth is perfectly suitable for the collection of dust and loose dirt. In combination with a floor wiper it is ideally suitable for the dedusting and cleaning of parquet and hard floors.

part no.	dimension	color	delivery form	PU
08-BM/115	115mmx25m	blue	in carton	1 pcs
BM-210X150	210x150 mm	blue	in foil	10 pcs
BM-210X280	210x280 mm	blue	in foil	10 pcs
BM-400X120	400x120 mm	blue	in foil	10 pcs
BM-400X145	400x145 mm	blue	in foil	10 pcs
BM-400X200	400x200 mm	blue	in foil	10 pcs
BM-450X150	450x150 mm	blue	in foil	10 pcs
BM-600X200	600x200 mm	blue	in foil	10 pcs
BM-800X200	800x200 mm	blue	in foil	10 pcs
BM-1000X200	1000x200 mm	blue	in foil	10 pcs





takeit® normal pads

A pad with many application possibilities: On the one hand, the takeit® normal pad has an extremely high dirt and dust absorption capacity thanks to its open structure, so it's ideally suited as a dust storage pad for our multi-perforation Superpad P sanding discs on single-disc machines without dust extraction. It's also the ideal product for applying oil and wax to wooden surfaces. The oil or wax is evenly distributed on the surface during the procedure, minimizing staining, while the abrasive grain smooths the wood surface during the sanding process, ensuring the best possible results.

takeit® normal pads

part no.	dimension	color	grit	delivery form	PU
46 ultra-fine	ø 410 mm	purple	ultra-fine	in carton	10 pcs
46 coarse	ø 410 mm	green	coarse	in carton	10 pcs
47 ultra-fine	ø 430 mm	purple	ultra-fine	in carton	10 pcs
47 coarse	ø 430 mm	green	coarse	in carton	10 pcs
48 ultra-fine	ø 460 mm	purple	ultra-fine	in carton	10 pcs
48 coarse	ø 460 mm	green	coarse	in carton	10 pcs
52-ultra-fine	190x340 mm	purple	ultra-fine	in polybag	10 pcs
52-coarse	190x340 mm	green	coarse	in polybag	10 pcs
50 ultra-fine	335x485 mm	purple	ultra-fine	in polybag	5 pcs
50 coarse	335x485 mm	green	coarse	in polybag	5 pcs






Sheep wool pads

The sheep wool pad is suitable for polishing sealed oiled parquet, marble, granite and vinyl and for working polishing paste into matt marble, granite lacquer and wood surfaces to achieve a high gloss after polishing. It is made of pure new wool and is free of binding agents and synthetic fibers. Our sheep wool pad is bio-degradable and compostable. It creates a fantastic gloss and shiny surfaces. It is only to be used for finishing.

Sheep wool pads

part no.	dimension	color	delivery form	PU
WP-150	ø 150 mm	beige	in carton	15 pcs
WP-300	ø 300 mm	beige	in carton	15 pcs
WP-330	ø 330 mm	beige	in carton	15 pcs
WP-375	ø 375 mm	beige	in carton	15 pcs
WP-410	ø 410 mm	beige	in carton	15 pcs
WP-430	ø 430 mm	beige	in carton	15 pcs
WP-190/340	190x340 mm	beige	in polybag	15 pcs
WP-335X485	335x485 mm	beige	in polybag	15 pcs






useit® dust-disc

Thanks to the useit® dust disc, the dust goes where it belongs in the vacuum cleaner! Although our useit® abrasives provide a virtually dust-free environment in combination with a dust extraction system, antistatic charging can cause a very small amount of residual dust to be attracted to the sanded surfaces. Our useit® dust disc removes this dust completely - yet another dust-free sanding process - thanks to JÖST abrasives.

part no.	dimension	color	delivery form	PU
STS-128	ø 128 mm	white	in carton	25 pcs
STS-136	ø 136 mm	white	in carton	25 pcs
STS-150	ø 150 mm	white	in carton	25 pcs
STS-156	ø 156 mm	white	in carton	25 pcs
STS-200	ø 200 mm	white	in carton	25 pcs
STS-210	ø 210 mm	white	in carton	25 pcs
STS-225	ø 225 mm	white	in carton	25 pcs
STS-280	ø 280 mm	white	in carton	25 pcs
STS-375	ø 375 mm	white	in carton	25 pcs
STS-375/SB	ø 375 mm	white	in carton	10 pcs
STS-410	ø 410 mm	white	in carton	30 pcs
STS-410/SB	ø 410 mm	white	in carton	10 pcs
STS-430	ø 430 mm	white	in carton	30 pcs
STS-460	ø 460 mm	white	in carton	30 pcs
STS-460/SB	ø 460 mm	white	in carton	10 pcs
STS-190X340	190x340 mm	white	in polybag	10 pcs
STS-315X460	335x485 mm	white	in polybag	10 pcs





Abraflex® Superpad cleaning pads

Whether basic cleaning or maintenance cleaning, the Superpad cleaning non-woven abrasives comes in several versions with different sizes. Longer lasting, faster in the application and an extended life of floor coverings.

part no.	dimension	color	delivery form	PU
SUP-410/W	ø 410 mm	white	in carton	5 pcs
SUP-410/B	ø 410 mm	beige	in carton	5 pcs
SUP-410/R	ø 410 mm	red	in carton	5 pcs
SUP-410/G	ø 410 mm	green	in carton	5 pcs
SUP-410/S	ø 410 mm	black	in carton	5 pcs
SUP-430/W	ø 430 mm	white	in carton	5 pcs
SUP-430/B	ø 430 mm	beige	in carton	5 pcs
SUP-430/R	ø 430 mm	red	in carton	5 pcs
SUP-430/G	ø 430 mm	green	in carton	5 pcs
SUP-430/S	ø 430 mm	black	in carton	5 pcs
SUP-190X340/W	190x340mm	white	in polybag	5 pcs
SUP-190X340/B	190x340mm	beige	in polybag	5 pcs
SUP-190X340/R	190x340mm	red	in polybag	5 pcs
SUP-190X340/G	190x340mm	green	in polybag	5 pcs
SUP-190X340/S	190x340mm	black	in polybag	5 pcs
SUP-335X485/W	335x485 mm	white	in polybag	5 pcs
SUP-335X485/R	335x485 mm	red	in polybag	5 pcs
SUP-335X485/B	335x485 mm	beige	in polybag	5 pcs
SUP-335X485/G	335x485 mm	green	in polybag	5 pcs
SUP-335X485/S	335x485 mm	black	in polybag	5 pcs



Abraflex® Maroon pads

part no.	dimension	color	delivery form	PU
MP-190/340	190x340 mm	brown	in polybag	10 pcs
MP-335/485	335x485 mm	brown	in polybag	10 pcs



Abraflex® FX white cleaning pads

part no.	dimension	color	delivery form	PU
449-FX WEIß	190x340 mm	white	in polybag	10 pcs
448-FX WEIß	335x485 mm	white	in polybag	10 pcs





Abraflex Nopp® cleaning pad

AbraflexNopp® has been specially developed to carry out basic cleaning on structured surfaces, using almost any cleaning chemistry. This patented, robust pad even penetrates into the deep zones of structured surface coverings and - just like the Abranopp® cleaning pads - gives you a truly thorough and deep cleaning of all hard coverings.

part no.	dimension	color	delivery form	PU
AFN-B410	ø 410 mm	beige	in carton	5 pcs
AFN-G410	ø 410 mm	green	in carton	5 pcs
AFN-R410	ø 410 mm	red	in carton	5 pcs
AFN-S410	ø 410 mm	black	in carton	5 pcs
AFN-W410	ø 410 mm	white	in carton	5 pcs
AFN-B430	ø 430 mm	beige	in carton	5 pcs
AFN-G430	ø 430 mm	green	in carton	5 pcs
AFN-R430	ø 430 mm	red	in carton	5 pcs
AFN-S430	ø 430 mm	black	in carton	5 pcs
AFN-W430	ø 430 mm	white	in carton	5 pcs
AFN-B190x340	190x340mm	beige	in polybag	5 pcs
AFN-G190x340	190x340mm	green	in polybag	5 pcs
AFN-R190x340	190x340mm	red	in polybag	5 pcs
AFN-S190x340	190x340mm	black	in polybag	5 pcs
AFN-W190x340	190x340mm	white	in polybag	5 pcs
AFN-B335x485	335x485 mm	beige	in polybag	5 pcs
AFN-G335x485	335x485 mm	green	in polybag	5 pcs
AFN-R335x485	335x485 mm	red	in polybag	5 pcs
AFN-S335x485	335x485 mm	black	in polybag	5 pcs
AFN-W335x485S	335x485 mm	white	in polybag	5 pcs

SANDING & CLEANING SYSTEMS

The JÖST Floor Sander - the sanding and cleaning system of JÖST abrasives - is extremely easy to use. With its dust-free sanding and high-performance level thanks to its full-surface extraction system, the Floor Sander makes light work of edge sanding jobs, right into the corners. It is especially suitable for the treatment of structured surfaces - and the Floor Sander also excels in the processing of design floor coverings with lengthwise structures. The ultra-versatile Floor Sander can be used for both wet and dry sanding tasks. It combines five machines in one: a drum sander, an edge sander, a single-disc machine, a cleaning machine and a brushing machine. The Floor Sander is ideal for processing the smallest rooms and will give you the highest-quality surface finishing. This is a system you simply must get to know!

Jöst Floor Sander

part no.	dimension	delivery form	PU
FS-315/460	335x485 mm	pallet	1 pc

Part No.:	FS-315/460
Power consumption:	1500 Watt
vacuum cleaner:	1000 Watt
Motor speed:	2800 1/min
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	57 - 83 kg
Additional weight each:	6,5 kg
Sanding stroke:	7 mm

***4 additional weights 6.5 kg are included with delivery.
Can upgraded with up to 6 weights.**



Jöst Floor Sander MULTI

The Floor Sander Multi is a combination of our Floor Sander and cleaning machine. It is equipped with an integrated suction cup for wet and dry suction Tasks. Whether you have to sand down old wooden Floors, remove coatings, or wet-clean elastic hard coverings, the JÖST Floor Sander Multi cuts a fine figure no matter what you throw at it.

An additional water tank supports the wet cleaning operation, which is often indispensable when basic cleaning or a high degree of soiling is involved. A suction lip is also available as an accessory for retrofitting. It transforms the Floor Sander Multi into a multi-functional machine that can be used for both wet and dry tasks.

part no.	dimension	delivery form	PU
FSCM-315/460	335x485 mm	pallet	1 pc

Part No.:	FSCM-315/460
Power consumption:	1500 Watt
Motor speed:	2800 min-1
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Filling capacity of water tank:	10 l
Weight:	57 - 83 kg
Additional weight each:	6,5 kg
Sanding stroke:	7 mm

****4 additional weights 6.5 kg are included with delivery.
Can upgraded with up to 6 weights.***



Jöst Floor Sander Junior

The junior version of the JÖST Floor Sander is a true multifunctional solution for perfect floor treatment. With no integrated vacuum cleaner, the Floor Sander Junior is perfectly suited for narrow and low areas where space is tight. Edges, corners and stairs can be sanded with almost no effort. The machine for floor treatment is equipped with a tube connection for an external vacuum cleaner. Used in conjunction with the JÖST abrasives, the Floor Sander Junior guarantees dust-free working.

part no.	dimension	delivery form	PU
FSJ-180/330	190x340	pallet	1 pc

Part No.:	FSJ-180/330
Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190 x 340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	21 -26 kg
Additional weight:	5 kg
Sanding stroke:	5 mm
Tube connection:	27 mm



Jöst Floor Cleaner

After the successful introduction of the Floor Sander and the Floor Sander Junior series, both versions are now available with an integrated water tank to wet down the surfaces to be cleaned. One of the outstanding features of these machines is their simple operation. One-step cleaning can be done right up to edges and into corners. The Floor Cleaner and Floor Cleaner Junior offer a wide range of applications - from simple maintenance work to basic cleaning and the removal of old coating.

part no.	dimension	delivery form	PU
FC-315/460	335x485	pallet	1 pc

Part No.:	FC-315/460
Power consumption:	1500 Watt
Motor speed:	2800 1/min
Supply Voltage:	230 V
Cleaning area:	335x485 mm
Network voltage frequency:	50 Hz
Weight:	48 kg
Sanding stroke:	7 mm
Filling capacity of water tank:	10 l
Additional weight:	6,5 kg (not included)



Jöst Floor Cleaner Junior

part no.	dimension	delivery form	PU
FCJ-180/330	190x340	pallet	1 pcs

Part No.:	FCJ-180/330
Power consumption:	350 Watt
Motor speed:	2800 1/min
Cleaning area:	190x340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	22 - 27 kg
Sanding stroke:	5 mm
Filling capacity of water tank:	3 l
Additional weight:	5 kg



Big Boy

The Big Boy orbital sander: the efficient, dust-free sanding system especially for large surfaces and stairs. Its sanding surface is 8 times higher than that of conventional 150 mm-diameter orbital sanders. It is perfectly suited for the efficient and high-quality sanding of large worktops, door panels and even small rooms. Thanks to the machine's own weight, hardly any energy is needed to run it easily over an entire surface. Its innovative suction system together with the useit® abrasives gives you a fast, cost-saving and dust-free sanding and the full processing is possible, from coarse sanding to polishing. We offer a large range of innovative abrasives for the sanding of many different materials, such as solid surface material, wood, lacquer, stainless steel and NF-metals

part no.	dimension	delivery form	PU
BB-315/460	335x485	in Karton	1 pc

Part no.:	BB-315/460
Power consumption:	1100 Watt
Motor speed:	2800 1/min
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	22 kg
Sanding stroke:	7 mm
hose connection:	27 mm



Big Boy Junior

Like its big brother the Big Boy Junior offers the full processing spectrum, from coarse sanding and polishing to the cleaning of almost any surface. It is especially suitable for the cleaning of stairs and the sanding of smaller surfaces. As for all other machines developed by JÖST, we offer a wide range of innovative sanding and cleaning pads. Processing solid surface materials, wood, lacquer, stainless steel, NF-metals, parquet/laminate surfaces and hard flooring is a breeze with the Big Boy Junior. Structured surfaces can also be worked effortlessly with the patented Abranopp® pads.

part no.	dimension	delivery form	PU
BBJ-180/330 (leicht)	190x340	Karton	1 pc
BBJ-180/330/2 (schwer)	190x340	Karton	1 pc

Part No. (light):	BBJ-180/330
Part No. (heavy):	BBJ-180/330/2
Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190 x 340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Sanding Stroke:	5 mm
hose connection:	27 mm
Weight version I:	10 kg
Weight version II:	18 kg



machines accessories

suction hose for Floor Sander

part no.	delivery form	PU
SD-315/460	in foil	1 pc

Velcro base for Floor Sander/Floor Cleaner

part no.	delivery form	PU
KP-FS/neu	in carton	1 pc
KP-FS	in carton	1 pc

Discharge hose for Floor Sander/Floor Cleaner

part no.	delivery form	PU
AL-315/460	in foil	1 pc

Paper bag for Floor Sander

part no.	delivery form	PU
STB-315/460	in foil	10 pcs

Grinding wheel Floor Sander / Floor Cleaner

part no.	delivery form	U
FS-SR	in carton	1 pc

Additional weight for Floor Sander/Floor Cleaner (6,5 kg)

part no.	delivery form	PU
448-GEWICHT	in carton	1 set (2 pcs)

Water tank for Floor Cleaner

part no.	delivery form	PU
WT-FC	in carton	1 pc

Additional weight for Floor Sander Junior /Floor Cleaner Junior (5 kg)

part no.	delivery form	PU
449-GEWICHT	in carton	1 pc

Water tank for Floor Cleaner Junior

part no.	delivery form	PU
WT-FCJ	in carton	1 pc

Velcro base for Floor Sander Junior/Floor Cleaner Junior

part no.	delivery form	PU
KP-FSJ/neu	in carton	1 pc
KP-FSJ	in carton	1 pc (exchange)

Retraining plate water tank for Floor Sander/Floor Cleaner

part no.	delivery form	PU
FS-HP	in carton	1 pc



SANDING- & CLEANING SYSTEMS

P1 dust-free sanding system

With the P1 dust-free sanding system, you can sand paints, varnishes and wood, you can process metals, plastics and solid surface material using any process from coarse sanding to high-gloss finishes, you can remove rust and also polish a wide variety of materials in combination with the useit® Superpads P and the Superfinishing Pads – and all in the shortest possible time, with no dust pollution for humans and the environment. The unique design of the sanding plate unit guarantees a dust-free and high removal rate – with the best possible surface quality. The P1 dust-free Sanding System for angle grinders offers a whole range of real advantages: can be used on any electronically-adjustable angle grinders and angle polishers dust-free working in every sanding position precise edge sanding with a perfect view of the workpiece extremely high dust removal rate compared to orbital sanders and vibration grinding machines. The strengths of the P1 dust-free Sanding System lie in the sanding of varnishes, paints and wood, and in the processing of metals, plastics and solid surface material in every process from coarse sanding to high-gloss shines – and the dust-free removal of rust is child's play thanks to the system's innovative design.

Set MAX

Sanding large areas is a special challenge for any sanding machine – but thanks to its powerful motor and transmission, the MAX adjustable angular grinder is the ideal partner for the toughest jobs. And like its little brother MORITZ, it also has a constant electronic system with 'soft start'. The motor and gearbox bearings are dustproof and the additional anti-vibration handle reduces vibration by up to 45%.

part no.	delivery form	PU
P1-MAX/3	in case	1 pc

Set MAX: angle grinder MAX, P1 backing plate 136 mm Ø
P1- Schleifteller 156 mm Ø, P1-Schleifteller 210 mm Ø



Set MORITZ

Thanks to its special gearbox support, the MORITZ gives you high torque, even in the lower rpm range. Equipped with a constant electronics system with "soft start", it maintains a constant speed even under load. The restart predection prevents unintentional switching on after a power outage. MORITZ is equipped with a spindle lock for quick and easy tool changing. Its dustproof engine and gearbox bearing gives it a long service life, and the vibration-damped additional handle reduces vibration by up to 45% thanks to thermoplastic elastomers and a special ergonomic grip.

Set MORITZ: angle grinder MORITZ, P1 backing plate 136mm Ø
P1- backing plate 156mm Ø

part no.	delivery form	PU
P1-MORITZ/2	in case	1 pc



EP 2 611 573
US 9,132,527

backing plate for P1 sanding system

part no.	dimension	color	delivery form	PU
P1-136	ø 136 mm	grey	in carton1	
P1-156	ø 156 mm	grey	in carton1	
P1-210	ø 210 mm	grey	in carton1	



Angle grinder MAX

Electrical power: 1200 W, Idle speed: 600 - 2800 min⁻¹, weight: 2,9 kg, shaft turns: M14

part no.	color	delivery form	PU
MAX	blue	in carton	1 pcs



Angle grinder MORITZ

Electrical power: 1200 W, Idle speed: 800 - 3600 min⁻¹, weight: 2,1 kg shaft turns: M14

part no.	color	delivery form	PU
MORITZ	blue	in carton	1 pcs



**delivery without backing plate*

Angle grinder MORITZ 2

Electrical power: 1400 W, Idle speed: 700 - 3300 min⁻¹, weight: 2,4 kg shaft turns: M14 - max. ø 156 mm

part no.	color	delivery form	PU
MORITZ 2	blue	in carton	1 pc





Pipe sanding system 2000

The machining performance of the Pipe Sanding System 2000 of JÖST abrasives is unique in the world of sanders. Pipes and cylindrical bodies up to a diameter of 76 mm can be sanded all around in a cost-saving procedure that is fast, seamless and rational. Perfect for cleaning, rust and paint removal, smoothing, roughening, fine sanding and the satin finishing and polishing of stainless steel and NF metals. Operating the Pipe Sanding System 2000 is simple, fast and comfortable - compared to other systems, the workload is reduced by up to 50%. The cost of the abrasive materials is also reduced, generating major savings for the entire pipe sanding process.

The sanding tool is placed around the workpiece and rotated by an electrically or pneumatically-driven drive unit. The propulsive force required to rotate the sanding collar is transmitted by a toothed belt, also developed by JÖST abrasives. The belt can be easily and quickly opened and closed by means of a patented locking system - absolutely essential when working on closed pipe systems.

Kit with complete set with sanding collars size 1 + 2

part no.	delivery form	PU
2000-1	set	1 pc

Kit with complete set with sanding collars size 2

part no.	delivery form	PU
2000-2	set	1 pc

Protective cover for driving machine

part no.	delivery form	PU
2010	in polybag	1 pc



Sanding collars

part no.	dimension	delivery form	PU
2001-1	Größe 1 für 48 - 76 mm Rohrdurchmesser	in polybag	1 pc
2001-2	Größe 2 für 25 - 48 mm Rohrdurchmesser	in polybag	1 pc



Sanding segments

Sanding segments suitable for both sanding collars

part no.	dimension	delivery form	PU
2002	35 - 76 mm pipe diameter	in polybag	1 pcs
2003	25 - 65 mm pipe diameter	in polybag	1 pcs



Cog belt

Cog belt for driving wheel

part no.	delivery form	PU
2004	in polybag	1 pc



Driving wheel

part no.	dimension	delivery form	PU
2005	with M14 bushing	in polybag	1 pc
2005-1	with 5/8 inch bushing	in polybag	1 pc
2006	with borehole for satin finisher	in polybag	1 pc



Spacing tube for driving wheel

Suitable for satin finishing machine

part no.	delivery form	PU
2006-1	in polybag	1 pc



Spiral spring for sanding segments

Suitable for satin finishing machine

part no.	delivery form	PU
2007	in polybag	4 pc



Fastening segments for sanding collar

part no.	delivery form	PU
2008	in polybag	1 pc



Sanding collar Set size 1

For pipes of 50-76 mm diameter, comprising sanding collar (2001-1), sanding segment (2002), sanding segment (2003), spiral springs (2007), fastening segment (2008), cog belt (2004)

part no.	delivery form	PU
2011-1	in polybag	1 pc



Sanding collar set size 2

For pipes of 25-48 mm diameter, comprising sanding collar (2001-2), sanding segment (2002), sanding segment (2003), spiral springs (2007), fastening segment (2008), cog belt (2004).

part no.	delivery form	PU
2011-2	in polybag	1 pc



Spare Velcro fastener for sanding collar, self-adhesive

For fixing the abrasives

part no.	delivery form	PU
2009	in polybag	2 x 4 = 8 pcs



Cleaning and finishing abrasive S-1000 fitting black sanding segments

Fitting the black sanding segments, suitable for satin finishing and polishing stainless steel pipes.

part no.	dimension	delivery form	PU
2002/1000	35x40 mm	in polybagl	40 pcs



Texflex® Schleifvlies A-80, fitting black sanding segments

Suitable to remove rust and to clean pipes, to smooth grated hand rails, to smooth and to satin finish black pipes.

part no.	dimension	delivery form	PU
2002T80	35x40 mm	in polybag	40 pcs



Texflex® Schleifvlies A-180, fitting black sanding segments

Suitable to remove rust and to clean pipes, for smoothing grated hand rails, to clean aluminium pipes and for finish sanding.

part no.	dimension	delivery form	PU
2002T180	35x40 mm	in polybag	40 pcs



Schleifpapier K40, fitting black sanding segments

Suitable to remove paint and varnish from pipes, and to smooth and to satin finish black pipes.

part no.	dimension	delivery form	PU
2002K40	35x40 mm	in polybag	40 pcs



useit® Superfinishing Pad SG 1500, fitting black sanding segments

Suitable to satin and polish stainless steel pipes, to clean and to finish aluminium pipes.

part no.	dimension	delivery form	PU
2002SG	35x40 mm	in polybag	40 pcs



Cleaning and finishing abrasives A-100 + A180, for grey sanding segments

For derusting and cleaning of pipes, to smooth and to satin black pipes, to clean aluminium pipes, for fine sanding and smoothing grated hand rails.

part no.	dimension	delivery form	PU
2003/100	27x40 mm	in polybag	40 pcs
2003/180	27x40 mm	in polybag	40 pcs



Cleaning and finishing abrasives S-1000, for grey sanding segments

For satin finishing and polishing of high grade steel pipes and for smoothing grated hand rails.

part no.	dimension	delivery form	PU
2003/1000	27x40 mm	in polybag	40 pcs



Texflex® Surface conditioning pads A-80, fitting grey sanding segments

For derusting and cleaning of pipes, for sanding welds, for smoothing grated hand rails, for smoothing and satinizing black pipes.

part no.	dimension	delivery form	PU
2003T80	27x40 mm	in polybag	40 pcs



Texflex® Surface conditioning A-180, fitting grey sanding segments

Suitable to derust and clean pipes, to smooth grated hand rails, to clean and to finish aluminium pipes.

part no.	dimension	delivery form	PU
2003T180	27x40 mm	in polybag	40 pcs



Sanding paper K40, fitting grey sanding segments

Suitable to remove varnish from pipes, to sand welds and to smooth and satin block pipes.

part no.	dimension	delivery form	PU
2003K40	27x40 mm	in polybag	40 pcs



useit® Superfinishing Pad SG 1500, fitting grey sanding segments

Suitable to satin and polish stainless steel pipes, to clean and to finish aluminium pipes.

part no.	dimension	delivery form	PU
2003SG	27x40 mm	in polybag	40 pcs



pipe sanding system - a brilliant solution





ABRASIVE ACCESSORIES

For the application of our innovative abrasives we offer a wide range of accessories, for example the CLINI abrasive pad holder, the HANDI sanding glove, the JÖST profile sander, etc.

CLINI abrasive pad holder

The CLINI abrasive holder for surface sanding. The CLINI is equipped with a Haftfix® Velcro fastener for the fast application of nonwoven abrasive or suitable sandpaper. Its handy shape and the low weight makes it easy and pleasant to handle.

part no.	dimension	color	delivery form	PU
05-10	80x140 mm	blue	in foil	10 pcs
05-20	80x140 mm	blue	in foil	1 pc
05-11	80x230 mm	white	in foil	2 pcs



HANDI sanding glove

With Haftfix® Velcro fastener for nonwoven abrasive and hand-sized sandpapers. It is particularly suitable for the sensitive sanding of curved surfaces, profiles, curves, edges, etc. The abrasive is easily guided, is gentle on the hand and protects against injuries.

part no.	dimension	color	delivery form	PU
05-30/l	hand shape	yellow	in foil	10 pcs
05-30/r	hand shape	yellow	in foil	10 pcs



Haftfix® sanding plate

Haftfix® sanding plate with Velcro fastener for angle grinders and drills.

part no.	dimension	color	delivery form	PU
05-60	Ø 115 mm Schaft 6 mm	black	in foil	10 pcs
05-50	Ø 115 mm M10	black	in foil	10 pcs
05-51	Ø 115 mm M14	black	in foil	10 pcs
05-52	Ø 115 mm M5/8	black	in foil	10 pcs
05-53	Ø 150 mm M14	black	in foil	10 pcs
05-54	Ø 178 mm M14	black	in foil	10 pcs



Haftfix® polishing cap

Polishing caps for polishing machines.

part no.	dimension	color	delivery form	PU
PK-120	Ø 120 mm	white	in foil	10 pcs
PK-160	Ø 160 mm	white	in foil	10 pcs
PK-200	Ø 200 mm	white	in foil	10 pcs



Haftfix® polishing sponge

Haftfix polishing sponge. High-quality polishing sponge with a very high density.

part no.	dimension	color	delivery form	PU
P-120/30	Ø 120 mm	white	in foil	10 pcs
P-160/30	Ø 160 mm	white	in foil	10 pcs
P-200/30	Ø 200 mm	white	in foil	10 pcs
P-225/5	Ø 225x5 mm	white	in foil	2 pc



Adapter (Interface Pad) for long-neck sanders

The adapter disc for long-neck sanders ensures the best possible adaptation of the abrasive to curved and shaped surfaces.

part no.	dimension	color	delivery form	PU
05-55	Ø 215 mm x 15 mm hoch	white	in foil	1 pc

Pad holder with Velcro fastener

For Velcro sanding discs, and especially for sanding surfaces, edges and curves – a very good supplement for the random orbital sander.

part no.	dimension	color	grit	delivery form	PU
05-12/125	ø 125 mm	yellow		in foil	1 pc
05-12/150	ø 150 mm	yellow		in foil	1 pc
05-15/125	ø 125 mm	black		in foil	1 pc
05-15/150	ø 150 mm	black		in foil	1 pc



Corian® sponge

The Jöst Corian sponge consists of an easy-grip foam block, laminated with a useit® Superfinishing Pad SG or an Abraflex® nonwoven abrasive A-very fine. It can be used to remove slight damage or scratches from panels made of solid surface material and to adjust gloss levels.

part no.	dimension	color	grit	delivery form	PU
CS-A280	60x130 mm	white	A-280	in foil	1 pc
CS-S/G1200	60x130 mm	white	SG-1200	in foil	1 pc
CS-S/G1500	60x130 mm	white	SG-1500	in foil	1 pc
CS-S1000	60x130 mm	white	S-1000	in foil	1 pc



Velcro fastener self-adhesive

Velcro fastener, self-adhesive

part no.	dimension	color	delivery form	PU
06-10/1	115x225 mm	black	in foil	10 pcs
06-10/2	93x175 mm	black	in foil	10 pcs
06-10/3	ø 150 mm	black	in foil	10 pcs



Adapter (Interface Pad) for Jöst eccentric floor machines

Adapter/Interface Pads in various designs and thicknesses. For Jöst random orbital sanders, the P1 dust-free sanding system and the edging system. The adapters are available in a range of different thicknesses to better adapt the abrasive to curved, textured and uneven surfaces.

part no.	dimension	color	grit	delivery form	PU
AD-136/15	ø 136 mm, height 15 mm			in polybag	1 pc
AD-136/5	ø 136 mm, height 5 mm			in polybag	1 pc
AD-156/15	ø 156 mm, height 15 mm			in polybag	1 pc
AD-156/5	ø 156 mm, height 5 mm			in polybag	1 pc
AD-210/15	ø 210 mm, 15 mm height			in polybag	1 pc
AD-210/5	ø 210 mm, 5 mm height			in polybag	1 pc
AD-160/20	160x20 mm			in polybag	1 pc
AD-190/15	190x340 mm height 15 mm			in polybag	1 pc
AD-190/5	190x340 mm height 5 mm			in polybag	1 pc
AD-335/15	335x485 mm height 15 mm			in polybag	1 pc
AD-335/5	335x485 mm height 5 mm			in polybag	1 pc



Starter kit for Jöst eccentric floor machines

Starter sets for Jöst random orbital sanders. Depending on the application and your requirements, you can choose between starter sets for wood, renovation, cleaning, hard surfaces and mineral materials.

Starter kit hard surfaces

Abrafilm® Z40, Z60, Z80, Z150, Z220, C500, C800, C1500, C2000, dust-disc

part no.	dimension	delivery form	PU
449-HART	190x340 mm	in polybag	1 pc
448-HART	335x485 mm	in polybag	1 pc



Starter Kit wood

Superpad P yellow 40, 60, 80, 120, 150. useit® dust-disc
takeit® Pad purple (ultra-fine)
Superfinishing Pad SG 600

part no.	dimension	delivery form	PU
449-WOOD	190x340 mm	in polybag	1 pc
448-WOOD	335x485 mm	in polybag	1 pc



Starter kit renovate

Superfinishing Pad SG 240, SG 600, SG 1500, SG2 1800, dust-disc, Abrafilm®, C240, C500


part no.	dimension	delivery form	PU
449-RENO	190x340 mm	in polybag	1 pc
448-RENO	335x485 mm	in polybag	1 pc



Starter kit cleaning

Abranopp® purple, white, green, grey
Abraflex® Superpad cleaning pad red 25 mm thickness,
Blue Wave melamin pad

part no.	dimension	delivery form	PU
449-REINIGEN	190x340 mm	in polybag	1 pc
448-REINIGEN	335x485 mm	in polybag	1 pc



Starter kit solid surface material

Superpad P gold 150, 220, 320, 400. Superfinishing Pad SG 600, 1500, SG 2 1800, 2500, useit® dust-disc

part no.	dimension	delivery form	PU
449-CORIAN	190x340 mm	in polybag	1 pc
448-CORIAN	335x485 mm	in polybag	1 pc





TECHNICAL DATA

USEIT® SUPERPAD P YELLOW

Carrier material: D / E-paper, superior
 Abrasive grain: aluminium oxide
 Coating: semi-open
 Grains: P40-P220

Bonding agent: synthetic
 Resin paint: yellow
 Backing: special velcro coating

USEIT® SUPERPAD P GOLD

Carrier material: C-paper, extra strong
 Abrasive grain: aluminium oxide
 Coating: half-open
 Grain: P40 -P800

Bonding agent: synthetic resin stearate-coated
 Resin paint: gold
 Backing : foam / velours

USEIT® ABRAFILM

Carrier material: Film
 Abrasive grain: Zircon, ceramic
 Coating: extra open stearate
 Grain: Zircon Z40 - Z220, ceramic C240 - C3000

Bonding agent: synthetic
 Resin paint: green
 Backing: special foam / velours coating

CRYSTAL GREEN

Carrier material: Film
 Grains: 800, 1000, 1200, 1500, 2000
 Coating: extra-open

Bonding agent: resin
 Resin paint: green
 Backing : Velours coating
 Abrasive grain: ceramic

Jöst GmbH


Beerfeldener Str. 77
D-69483 Wald-Michelbach

+49 (0) 6207 / 9410-0

+49 (0) 6207 / 2463

www.joest-abrasives.de

info@joest-abrasives.de



useit-abrasives®
made by JÖST

takeit®

Haftfix®

Abraflex soft®

Texflex®

Green Cut®

Rohrschleifsystem 2000

Abranopp®

www.joest-abrasives.de

online shop

www.joest-abrasives-shop.com