

## SANDING AND CLEANING SYSTEMS



Top products with the  
highest added value

# FLOOR SANDER

## THE ALLROUNDER - FROM DRY SANDING TO WET CLEANING

The JÖST Floor Sander combines high-quality workmanship with easy handling. Thanks to its quiet running performance and the ergonomically adjustable steering handle, it can be used continuously without any shoulder or arm tension afterwards. Other benefits include its rectangular shape and off-centre effect, which allows sanding into any edge or corner and saves more laborious work steps. Despite the high removal rate, the full-surface extraction system gives users practically dust-free grinding. The ultra-versatile Floor Sander can be used for both wet and dry sanding tasks. It combines five machines in one – a drum sander, an edge sander, a single-disc machine, a cleaning machine and a brushing machine. An all-rounder designed to give users the best possible surface results.



Art. No. FS-315/460

Power consumption:	1500 watts
Vacuum cleaner:	1000 watts
Engine speed:	2800 1/min
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Weight:	57 - 83 kg
Additional weights, each:	6,5 kg*
Stroke:	7 mm

*\*4 additional weights of 6.5 kg each are included in the scope of delivery. Up to 6 weight can be used*

- Easy to use
- Dust-free sanding with a high removal rate
- Exact edge sanding possible, right into the corners
- Removes old paint and coatings
- Ideal for processing structured surfaces
- Variable machine weight
- Ergonomically adjustable

# FLOOR SANDER MULTI

## MULTIFUNCTIONAL - SIMPLY INGENIOUS

The combination of Floor Sander and Floor Cleaner resulted in an extraordinary all-rounder. Equipped with an integrated suction unit for wet and dry suction, a 10 l water tank and a suction lip. This combination will successfully tackle any task. Whether you have to sand down old wooden floors, remove coatings, or wet-clean elastic hard floor coverings, the Floor Sander Multi cuts a fine figure no matter how tricky the task might be.

Art. No. FSCM-315/460



Power consumption:	2500 watts
Engine speed:	2800 1/min.
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Water tank filling volume:	10 l
Weight:	57 - 83 Kg
Additional weight, each:	6,5 Kg
Stroke:	7 mm
(Suction lip (optionally available))	


*\*4 additional weights of 6.5 kg each are included in the scope of delivery. Up to 6 weight can be used*

- All-in-one for grinding and cleaning
- Easy to use
- Exact edge sanding possible, right into the corners
- Removes old paint and coatings
- Ideal for processing structured surfaces
- Variable machine weight
- Ergonomically adjustable

# FLOOR SANDER JUNIOR

## THE MULTIFUNCTIONAL SOLUTION FOR FLOOR PROCESSING AND MAINTENANCE

The multifunctional solution for floor cleaning, processing and maintenance. Thanks to its compact dimensions, the Floor Sander Junior is particularly suitable for working on smaller surfaces, steps and the areas under radiators and stairways. Equipped with an additional weight of 5 kg, it has an excellent removal rate. Virtually dust-free working is possible when an external vacuum cleaner is connected to the integrated suction nozzles.



Art. No. FSJ-180/330

Power consumption:	350 watts
Engine speed:	2800 1/min
Sanding area:	190 x 340 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Weight:	21 -26 kg
Additional weight:	5 kg
Stroke:	5 mm
Hose connection:	27 mm

- Easy to use
- Perfect processing of the smallest rooms and areas
- Exact edge sanding possible, right into the corners
- Ideal for processing structured surfaces
- Suitable for dry sanding and wet cleaning

# FLOOR CLEANER JUNIOR 18

## THE BATTERY-POWERED MULTIFUNCTIONAL SOLUTION

The Floor Cleaner Junior 18 catches the eye with its robust and handy design. Designed for daily use in hard-to-reach areas and on a wide variety of surfaces. The powerful rechargeable battery system (used all over the world) allows you to work without a power source – and it's also compatible with many other battery-powered devices. With the cross-manufacturer METABO Cordless Alliance System (CAS), Jöst has not only found a high-quality battery system, we have also gained a reliable and genuine partner with whom we will continue to develop more cordless grinding and cleaning systems in the future.



**METABO CAS Battery Technology**  
18V LiHD 8.0 Ah



**Art. No. FCJ-18**  
**Art. No. FCJ-18 / 2**



Power consumption:	300 watts
Engine speed:	2800 1/min
Cleaning area:	190 x 340 mm
Battery voltage:	230 V
Battery life:	45 - 60 min.
<small>(depending on the floor condition and the pad used)</small>	
Weight:	17,5 kg
Weight heavy:	20 kg
Battery:	1 kg
Stroke:	5 mm
Hose connection:	27 mm
Water tank filling volume:	3 l

- Enables wireless working
- Easy to use
- Ideally suited for cleaning stairs
- Exact edge sanding possible, right into the corners
- Ideal for processing structured surfaces
- Suitable for dry sanding and wet cleaning

# FLOOR CLEANER

## THE OPTIMAL SOLUTION FOR WET CLEANING

In addition to the Floor Sander and Floor Sander Junior, we also have two other models with integrated water tanks for wetting or pre-wetting the surface to be cleaned – The Floor Cleaner and Floor Cleaner Junior. The machines' main feature is their ease of operation – edge cleaning can be done right into really tight corners in one single operation. The Floor Cleaner and Floor Cleaner Junior offer a wide range of uses, from simple maintenance cleaning to basic cleaning and the removal of old coatings.



Art. No. FC-315/460

Power consumption:	1500 watts
Engine speed:	2800 1/min
Cleaning area:	335x485 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Total weight:	48 kg
Stroke:	7 mm
Water tank filling volume:	10 l
Additional weight:	6,5 kg
(optional set of 2 x 6.5 kg available)	

- Easy to use
- Exact edge sanding possible, right into the corners
- Integrated water tank with 10 l filling volume
- Large area coverage

# FLOOR CLEANER JUNIOR

## THE OPTIMAL SOLUTION FOR WET CLEANING

In addition to the Floor Cleaner and Floor Cleaner Junior, the ideal supplement for cleaning soiled surfaces. Here too, an integrated water tank offers the possibility of wetting or pre-wetting the surface to be cleaned. Easy handling and professional processing are two of these machines' outstanding features. The Floor Cleaner Junior offers a wide range of uses, from simple maintenance cleaning to basic cleaning and the removal of old coatings. It is also particularly suitable for the smallest rooms, stairs and low working heights.



Art. No. FCJ-180/330

Power consumption:	350 watts
Engine speed:	2800 1/min
Cleaning area:	190x340 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Total weight:	22 - 27 kg
Stroke:	5 mm
Water filling volume:	3 l
Additional weight: (optionally available)	5 kg

- Easy to use
- Exact edge sanding possible, right into the corners
- Integrated water tank with 3 l filling volume
- Ideal for small rooms and stairs

# BIG BOY

## A STRONG PARTNER FOR LARGE AREAS - POWERFUL, EFFICIENT & RELIABLE

The Big Boy random orbital sander is particularly suitable for machining large-area surfaces. Thanks to its abrasive surface, which is more than 8 times larger than the 150 mm of a conventional random orbital sander, large worktops, door panels, stairs and small rooms can be processed efficiently while maintaining a high surface quality.

The machine's weight alone is sufficient to guide it effortlessly over surfaces with a minimum of effort. Its innovative suction system used together with useit® abrasives makes fast, cost-saving and dust-free processing possible, from coarse sanding to polishing. A wide range of sanding and polishing abrasives is available for sanding many different materials, such as mineral materials, wood, varnish, paints, stainless steel and non-ferrous metals.

Art. No. BB-315/460



Power consumption:	1500 watts
Engine speed:	2800 1/min
Sanding area:	335 x 485 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Weight:	22 kg
Height:	7 mm
Connection:	27 mm

- Fast and cost saving
- From coarse sanding to final polishing
- Sanding of a wide range of different materials possible
- Ideal for processing structured surfaces
- Practically dust-free grinding
- When tused on solid surfaces, the result is always shadow-free



# BIG BOY JUNIOR

## THE COMPACT CLASS FOR PERFECT SURFACES

The Big Boy Junior random orbital sander is ideal for processing solid surfaces. As in the case of its big brother, this sander's work spectrum ranges from coarse to fine sanding and to cleaning almost any surface. A wide range of abrasives and cleaning agents is available for all Jöst machines. Processing solid (mineral) materials, wood, lacquer, stainless steel, non-ferrous metals, parquet & laminate surfaces and hard floor coverings is child's play for the Big Boy Junior. Available in two weight classes: The "light" version of 10 kg is particularly suitable for cleaning work. At 18 kg, the "heavy" version delivers excellent surface sanding results.

Art. No. BBJ-180/330  
 Art. No. BBJ-180/330/2 (h)



Power consumption:	350 Watt
Engine speed:	2800 1/min
Sanding area:	190 x 340 mm
Supply voltage:	230 V
Main power voltage frequency:	50 Hz
Stroke:	5 mm
Hose connection:	27 mm
Weight version I:	10 kg
Weight version II:	18 kg

- Fast and efficient
- From coarse sanding to final polishing
- Processing of smaller surfaces also possible
- Ideal for processing structured surfaces
- Outstanding for working on stairs

# P1 DUST-FREE SANDING SYSTEM MAX

## A POWERFUL PARTNER

The patented P1 dust-free sanding system can sand varnishes, paints and wood, process metals, plastics and solid mineral materials, tackling every task from coarse sanding to polishing, the removal of rust and the polishing of a wide variety of materials in the shortest possible time – with the lowest level of exposure to dust for users and the environment. The unique design of the sanding plate unit guarantees practically dust-free working and a high removal rate – and produces the best possible surface quality.

**MAX angle grinder**  
**P1 sanding plate Ø 136 mm**  
**P1 sanding plate Ø 156 mm**  
**P1 sanding plate Ø 210 mm**

**Art. No. P1-MAX/3**

**EP 2 611 573**  
**US 9,132,527**



Power consumption: 1200 watts  
 Idle speed: 600 - 2800 1/min  
 Spindle thread: M14  
 Weight: 2,9 kg

Processing large areas is a special challenge for every grinding machine. Thanks to its powerful gear and motor, the MAX adjustable angle grinder is the ideal partner for the toughest applications. And like its little brother MORITZ, it also has a constant electronics system with soft start. The motor and gearbox bearings are also dustproof and the additional anti-vibration handle reduces vibration by up to 45%.

# P1 DUST-FREE SANDING SYSTEM MORITZ

LIGHT, COMPACT AND INDISPENSABLE



**MORITZ angle grinder**  
**P1 sanding plate Ø 136 mm**  
**P1 sanding plate Ø 156 mm**

Art. No. P1-MORITZ/2

EP 2 611 573  
 US 9,132,527



Power consumption: 1200 watts  
 Idle speed: 800 - 3600 1/min  
 Spindle thread: M14  
 Weight: 2,1 kg

Thanks to its special gearbox support, the MORITZ gives you high torque, even in the lower rpm range. Equipped with a constant electronic with soft start, it will maintain a constant speed even under load. The restart protection prevents unintentional switching on after a power outage. The MORITZ is equipped with a spindle lock for quick and easy tool changing. Its dust-proof engine and gearbox bearing contribute to its long service life.




GIVES  
DUST  
**NO**  
**CHANCE**




# P1 DUST-FREE SANDING SYSTEM FOR NATURAL STONE

EP 2 611 573  
US 9,132,527

- P1 dust-free sanding system for processing granite, marble and ceramics – without exposing people and the environment to dust.
- The unique design of the grinding disc ensures a dust-free and high removal rate
- Edge-precise sanding/grinding with a perfect view of the workpiece
- Optimum dry sanding results are achieved in combination with the perforated useit®-Multi-Perforation abrasives
- Diamond sanding discs guarantee best results with a maximum service life



**The P1 dust-free sanding system has been included in the promotion of the BG Bau (German employer's liability insurance association) for manual sanding/grinding machines. The purchase of a system is subsidised with a grant of 25% of the purchase price**



# MACHINE ACCESSORIES

## Suction lip for Floor Sander

Part-no.	Delivery form	PU
SD-315/460	in foil	1 pc.

## Velcro plate for Floor Sander/Floor Cleaner

Part-no.	Delivery form	PU
KP-FS/neu	in carton	1 pc.
KP-FS	in carton	1 pc.

## Discharge hose for Floor Sander/Floor Cleaner

Part-no.	Delivery form	PU
AL-315/460	in foil	1 pc.

## Paper dust bag for Floor Sander

Part-no.	Delivery form	PU
STB-315/460	in Folie	10 pcs.

## Guide wheel for Floor Sander/Floor Cleaner

Part-no.	Delivery form	PU
FS-SR	in carton	1 pc.

## Additional weight for Floor Sander/Floor Cleaner (6,5 kg)

Part-no.	Delivery form	PU
448-GEWICHT	in carton	1 Set (2 pcs.)

## Water tank for Floor Cleaner

Part-no.	Delivery form	PU
WT-FC	in carton	1 pc.

## Additional weight for Floor Sander Junior/Floor Cleaner Junior (5 kg)

Part-no.	Delivery form	PU
449-GEWICHT	in carton	1 pc.

## Water tank for Floor Cleaner Junior

Part-no.	Delivery form	PU
WT-FCJ	in carton	1 pc.

## Velcro plate for Floor Sander Junior/Floor Cleaner Junior

Part-no.	Delivery form	PU
KP-FSJ/neu	in carton	1 pc.
KP-FSJ	in carton	1 pc. (exchange)

## Mounting bracket water tank for Floor Sander/Floor Cleaner

Part-no.	Delivery form	PU
FS-HP	in carton	1 pc.



## Single sanding plate - for the P1 dust-free sanding system

Part-no.	Dimensions	Colour	Delivery form	PU
P1-136	ø 136 mm	grey	in carton	1 pc.
P1-156	ø 156 mm	grey	in carton	1 pc.
P1-210	ø 210 mm	grey	in carton	1 pc.



## MAX angle grinder

Electrical power: 1200 W, variable speed: 600 - 2800 min<sup>-1</sup>, weight: 2,9 kg,  
Spindle thread: M14

Part-no.	Colour	Delivery form	PU
MAX	blue	in carton	1 pc.



## MORITZ angle grinder

Electrical power: 1200 W, variable speed: 800 - 3600 min<sup>-1</sup>, weight: 2,1 kg,  
Spindle thread: M14

Part-no.	Colour	Delivery form	PU
MORITZ	blue	in carton	1 pc.



## Accessories for FCJ-18

Battery for Jöst Floor Cleaner Junior 18

Part-no.	Colour	Delivery form	PU
AK-18	black	in carton	1 pc.



Fast battery charger for Floor Cleaner Junior 18

Part-no.	Colour	Delivery form	PU
LA18	black	in carton	1 pc.



## Scangrip SoundLED Arbeitsleuchte

v 600 lumen construction spotlight, with built-in bluetooth speaker  
Battery life up to 5 hours, dimensions: 92x86x74mm

Part-no.	Colour	Delivery form	PU
03.5900	blue	in carton	1 pc.



# SANDING AND CLEANING PADS

## useit® Superpad P gold


Part-no.	Dimensions	Colour	Grain	Delivery form	PU
549-A40	190x340 mm	red	P-40	in polybag	10 pcs.
549-A60	190x340 mm	red	P-60	in polybag	10 pcs.
549-A80	190x340 mm	gold	P-80	in polybag	10 pcs.
549-A100	190x340 mm	gold	P-100	in polybag	10 pcs.
549-A120	190x340 mm	gold	P-120	in polybag	10 pcs.
549-A150	190x340 mm	gold	P-150	in polybag	10 pcs.
549-A180	190x340 mm	gold	P-180	in polybag	10 pcs.
549-A220	190x340 mm	gold	P-220	in polybag	10 pcs.
549-A240	190x340 mm	gold	P-240	in polybag	10 pcs.
549-A280	190x340 mm	gold	P-280	in polybag	10 pcs.
549-A320	190x340 mm	gold	P-320	in polybag	10 pcs.
549-A400	190x340 mm	gold	P-400	in polybag	10 pcs.
549-A500	190x340 mm	gold	P-500	in polybag	10 pcs.
549-A600	190x340 mm	gold	P-600	in polybag	10 pcs.
549-A800	190x340 mm	gold	P-800	in polybag	10 pcs.
548-A40	335x485 mm	rot	P-40	in polybag	10 pcs.
548-A60	335x485 mm	rot	P60	in polybag	10 pcs.
548-A80	335x485 mm	gold	P-80	in polybag	10 pcs.
548-A100	335x485 mm	gold	P-100	in polybag	10 pcs.
548-A120	335x485 mm	gold	P-120	in polybag	10 pcs.
548-A150	335x485 mm	gold	P-150	in polybag	10 pcs.
548-A180	335x485 mm	gold	P-180	in polybag	10 pcs.
548-A220	335x485 mm	gold	P-220	in polybag	10 pcs.
548-A240	335x485 mm	gold	P-240	in polybag	10 pcs.
548-A280	335x485 mm	gold	P-280	in polybag	10 pcs.
548-A320	335x485 mm	gold	P-320	in polybag	10 pcs.
548-A400	335x485 mm	gold	P-400	in polybag	10 pcs.
548-A500	335x485 mm	gold	P-500	in polybag	10 pcs.
548-A600	335x485 mm	gold	P-600	in polybag	10 pcs.
548-A800	335x485 mm	gold	P-800	in polybag	10 pcs.



## useit® Superpad P yellow

Part-no.	Dimensions	Colour	Grain	Deilivery form	PU
449-K 36	190x340 mm	blue	K-36	in polybag	10 pcs.
449-A 40	190x340 mm	yellow	P-40	in polybag	10 pcs.
449-A 60	190x340 mm	yellow	P-60	in polybag	10 pcs.
449-A 80	190x340 mm	yellow	P-80	in polybag	10 pcs.
449-A100	190x340 mm	yellow	P-100	in polybag	10 pcs.
449-A120	190x340 mm	yellow	P-120	in polybag	10 pcs.
449-A150	190x340 mm	yellow	P-150	in polybag	10 pcs.
449-A180	190x340 mm	yellow	P-180	in polybag	10 pcs.
449-A220	190x340 mm	yellow	P-220	in polybag	10 pcs.

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
448-K 36	335x485 mm	blue	K-36	in polybag	10 pcs.
448-A 40	335x485 mm	yellow	P-40	in polybag	10 pcs.
448-A 60	335x485 mm	yellow	P-60	in polybag	10 pcs.
448-A 80	335x485 mm	yellow	P-80	in polybag	10 pcs.
448-A100	335x485 mm	yellow	P-100	in polybag	10 pcs.
448-A120	335x485 mm	yellow	P-120	in polybag	10 pcs.
448-A150	335x485 mm	yellow	P-150	in polybag	10 pcs.
448-A180	335x485 mm	yellow	P-180	in polybag	10 pcs.
448-A220	335x485 mm	yellow	P-220	in polybag	10 pcs.



## useit® Abrafilm®

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
649-Z 40	190x340 mm	green	Z-40	in polybag	10 pcs.
649-Z 60	190x340 mm	green	Z-60	in polybag	10 pcs.
649-Z 80	190x340 mm	green	Z-80	in polybag	10 pcs.
649-Z100	190x340 mm	green	Z-100	in polybag	10 pcs.
649-Z120	190x340 mm	green	Z-120	in polybag	10 pcs.
649-Z150	190x340 mm	green	Z-150	in polybag	10 pcs.
649-Z180	190x340 mm	green	Z-180	in polybag	10 pcs.
649-C240	190x340 mm	green	C-240	in polybag	10 pcs.
649-C320	190x340 mm	green	C-320	in polybag	10 pcs.
649-C400	190x340 mm	green	C-400	in polybag	10 pcs.
649-C500	190x340 mm	green	C-500	in polybag	10 pcs.
649-C600	190x340 mm	green	C-600	in polybag	10 pcs.
649-C800	190x340 mm	green	C-800	in polybag	10 pcs.
649-C1200	190x340 mm	green	C-1200	in polybag	10 pcs.
649-C1500	190x340 mm	green	C-1500	in polybag	10 pcs.
649-C2000	190x340 mm	green	C-2000	in polybag	10 pcs.
649-C2500	190x340 mm	green	C-2500	in polybag	10 pcs.
649-C3000	190x340 mm	green	C-3000	in polybag	10 pcs.
648-Z 40	335x485 mm	green	Z-40	in polybag	10 pcs.
648-Z 60	335x485 mm	green	Z-60	in polybag	10 pcs.
648-Z 80	335x485 mm	green	Z-80	in polybag	10 pcs.
648-Z100	335x485 mm	green	Z-100	in polybag	10 pcs.
648-Z120	335x485 mm	green	Z-120	in polybag	10 pcs.
648-Z150	335x485 mm	green	Z-150	in polybag	10 pcs.
648-Z180	335x485 mm	green	Z-180	in polybag	10 pcs.
648-C240	335x485 mm	green	C-240	in polybag	10 pcs.
648-C320	335x485 mm	green	C-320	in polybag	10 pcs.
648-C400	335x485 mm	green	C-400	in polybag	10 pcs.
648-C500	335x485 mm	green	C-500	in polybag	10 pcs.
648-C600	335x485 mm	green	C-600	in polybag	10 pcs.
648-C800	335x485 mm	green	C-800	in polybag	10 pcs.
648-C1200	335x485 mm	green	C-1200	in polybag	10 pcs.
648-C1500	335x485 mm	green	C-1500	in polybag	10 pcs.
648-C2000	335x485 mm	green	C-2000	in polybag	10 pcs.
648-C2500	335x485 mm	green	C-2500	in polybag	10 pcs.
648-C3000	335x485 mm	green	C-3000	in polybag	10 pcs.



## useit® Superfinishing Pad SG

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
149-S/G240	190x340 mm	grey	SG-240	in polybag	10 pcs.
149-S/G320	190x340 mm	grey	SG-320	in polybag	10 pcs.
149-S/G600	190x340 mm	grey	SG-600	in polybag	10 pcs.
149-S/G800	190x340 mm	grey	SG-800	in polybag	10 pcs.
149-S/G1200	190x340 mm	grey	SG-1200	in polybag	10 pcs.
149-S/G1500	190x340 mm	grey	SG-1500	in polybag	10 pcs.
148-S/G240	335x485 mm	grey	SG-240	in polybag	10 pcs.
148-S/G320	335x485 mm	grey	SG-320	in polybag	10 pcs.
148-S/G600	335x485 mm	grey	SG-600	in polybag	10 pcs.
148-S/G800	335x485 mm	grey	SG-800	in polybag	10 pcs.
148-S/G1200	335x485 mm	grey	SG-1200	in polybag	10 pcs.
148-S/G1500	335x485 mm	grey	SG-1500	in polybag	10 pcs.

## useit® Superfinishing Pad SG2


Part-no.	Dimensions	Colour	Grain	Delivery form	PU
149-S/G2 800	190x340 mm	grey	SG-800	in polybag	10 pcs.
149-S/G2 1600	190x340 mm	grey	SG-1600	in polybag	10 pcs.
149-S/G2 1800	190x340 mm	grey	SG-1800	in polybag	10 pcs.
149-S/G2 2000	190x340 mm	grey	SG-2000	in polybag	10 pcs.
149-S/G2 2500	190x340 mm	grey	SG-2500	in polybag	10 pcs.
149-S/G2 3000	190x340 mm	grey	SG-3000	in polybag	10 pcs.
148-SG2 800	335x485 mm	grey	SG-800	in polybag	10 pcs.
148-SG2 1600	335x485 mm	grey	SG-1600	in polybag	10 pcs.
148-SG2 1800	335x485 mm	grey	SG-1800	in polybag	10 pcs.
148-SG2 2000	335x485 mm	grey	SG-2000	in polybag	10 pcs.
148-SG2 2500	335x485 mm	grey	SG-2500	in polybag	10 pcs.
148-SG2 3000	335x485 mm	grey	SG-3000	in polybag	10 pcs.



## Abranopp® Cleaning pads

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
949-WHITE	190x340 mm	white	without	in polybag	5 pcs.
949-PURPLE	190x340 mm	violet	fine	in polybag	5 pcs.
949-GREY	190x340 mm	grey	medium	in polybag	5 pcs.
949-GREEN	190x340 mm	green	coarse	in polybag	5 pcs.
AN-SPEZIAL	190x340 mm	black	very coarse	in polybag	5 pcs.
948-WHITE	335x485 mm	white	without	in polybag	5 pcs.
948-PURPLE	335x485 mm	violet	fine	in polybag	5 pcs.
948-GREY	335x485 mm	grey	medium	in polybag	5 pcs.
948-GREEN	335x485 mm	green	coarse	in polybag	5 pcs.
AN-SPEZIAL	335x485 mm	black	very coarse	in polybag	5 pcs.

EP 2 353 484




## Blue Wave Melamine pad

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
BW-190X340	190x340 mm	white	-	in polybag	5 pcs.
BW-335X485	335x485 mm	white	-	in polybag	5 pcs.




## Microfiber pads

Part-no.	Dimensions	Colour	Delivery form	PU
MF-BM190X340	190x340 mm	blue/melange	in polybag	5 pcs.
MF-P190X340	190x340 mm	white/blue	in polybag	5 pcs.
MF-W190X340	190x340 mm	white	in polybag	5 pcs.
MF-G190X340	190x340 mm	grey with bristles	in polybag	5 pcs.
MF-BM335X485	335x485 mm	blue/melange	in polybag	5 pcs.
MF-P335X485	335x485 mm	white/blue	in polybag	5 pcs.
MF-W335X485	335x485 mm	white	in polybag	5 pcs.
MF-G335X485	335x485 mm	grey with bristles	in polybag	5 pcs.



## Abraflex® Superpad cleaning pads

Part-no.	Dimensions	Colour	Delivery form	PU
SUP-190X340/W	190x340mm	white	in polybag	5 pcs.
SUP-190X340/B	190x340mm	beige	in polybag	5 pcs.
SUP-190X340/R	190x340mm	red	in polybag	5 pcs.
SUP-190X340/G	190x340mm	green	in polybag	5 pcs.
SUP-190X340/S	190x340mm	black	in polybag	5 pcs.
SUP-335X485/W	335x485 mm	white	in polybag	5 pcs.
SUP-335X485/R	335x485 mm	red	in polybag	5 pcs.
SUP-335X485/B	335x485 mm	beige	in polybag	5 pcs.
SUP-335X485/G	335x485 mm	green	in polybag	5 pcs.
SUP-335X485/S	335x485 mm	black	in polybag	5 pcs.



## takeit® Normal pads

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
46 ultra-fine	ø 410 mm	violet	ultra-fine	in carton	10 pcs.
46 grob	ø 410 mm	green	coarse	in carton	10 pcs.
47 ultra-fine	ø 430 mm	violet	ultra-fine	in carton	10 pcs.
47 grob	ø 430 mm	green	coarse	in carton	10 pcs.
48 ultra-fine	ø 460 mm	violet	ultra-fine	in carton	10 pcs.
48 grob	ø 460 mm	green	coarse	in carton	10 pcs.
52-ultra-fine	190x340 mm	violet	ultra-fine	in polybag	10 pcs.
52-grob	190x340 mm	green	coarse	in polybag	10 pcs.
50 ultra-fine	335x485 mm	violet	ultra-fine	in polybag	5 pcs.
50 grob	335x485 mm	green	coarse	in polybag	5 pcs.



## useit® Dust pad

Part-no.	Dimensions	Colour	Delivery form	PU
STS-190X340	190x340 mm	white	in polybag	10 pcs.
STS-315X460	335x485 mm	white	in polybag	10 pcs.



## Sheep wool pads

Part-no.	Dimensions	Colour	Delivery form	PU
WP-190/340	190x340 mm	beige	in polybag	15 pcs.
WP-335X485	335x485 mm	beige	in polybag	15 pcs.


## Abraflex® Maroon cleaning pads

Part-no.	Dimensions	Colour	Delivery form	PU
MP-190/340	190x340 mm	brown	in polybag	10 pcs.
MP-335/485	335x485 mm	brown	in polybag	10 pcs.




## Abraflex® FX white cleaning pads

Part-no.	Dimensions	Colour	Delivery form	PU
449-FX WEIß	190x340 mm	white	in polybag	10 pcs.
448-FX WEIß	335x485 mm	white	in polybag	10 pcs.



## AbraflexNopp® cleaning pads

Part-no.	Dimensions	Colour	Delivery form	PU
AFN-B190x340	190x340 mm	beige	in polybag	5 pcs.
AFN-G190X340	190x340 mm	green	in polybag	5 pcs.
AFN-R190X340	190x340 mm	red	in polybag	5 pcs.
AFN-S190X340	190x340 mm	black	in polybag	5 pcs.
AFN-W190X340	190x340 mm	white	in polybag	5 pcs.



## AbraflexNopp® Cleaning pads

Part-no.	Dimensions	Colours	Delivery form	PU
AFN-B335X485	335x485 mm	beige	in polybag	5 pcs.
AFN-G335X485	335x485 mm	green	in polybag	5 pcs.
AFN-R335X485	335x485 mm	red	in polybag	5 pcs.
AFN-S335X485	335x485 mm	black	in polybag	5 pcs.
AFN-W335X485	335x485 mm	white	in polybag	5 pcs.

## SANDING PADS - P1 DUST-FREE SANDING SYSTEM

### useit® Superpad P yellow for P1 dust-free sanding system

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
733-A 40	∅ 136 mm	yellow	P-40	in carton	25 pcs.
733-A 60	∅ 136 mm	yellow	P-60	in carton	25 pcs.
733-A 80	∅ 136 mm	yellow	P-80	in carton	25 pcs.
733-A120	∅ 136 mm	yellow	P-120	in carton	25 pcs.
743-A 40	∅ 156 mm	yellow	P-40	in carton	25 pcs.
743-A 60	∅ 156 mm	yellow	P-60	in carton	25 pcs.
743-A 80	∅ 156 mm	yellow	P-80	in carton	25 pcs.
743-A120	∅ 156 mm	yellow	P-120	in carton	25 pcs.
744-A 40	∅ 210 mm	yellow	P-40	in carton	25 pcs.
744-A 60	∅ 210 mm	yellow	P-60	in carton	25 pcs.
744-A 80	∅ 210 mm	yellow	P-80	in carton	25 pcs.
744-A 120	∅ 210 mm	yellow	P-120	in carton	25 pcs.

### useit® Abrafilm® for P1 dust-free sanding system

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
633-Z 40	∅ 136 mm	green	Z-40	in carton	25 pcs.
633-Z 60	∅ 136 mm	green	Z-60	in carton	25 pcs.
633-Z 80	∅ 136 mm	green	Z-80	in carton	25 pcs.
633-Z120	∅ 136 mm	green	Z-120	in carton	25 pcs.
633-Z150	∅ 136 mm	green	Z-150	in carton	25 pcs.
633-Z180	∅ 136 mm	green	Z-180	in carton	25 pcs.
633-Z220	∅ 136 mm	green	Z-220	in carton	25 pcs.
633-C320	∅ 136 mm	green	C-320	in carton	25 pcs.
633-C400	∅ 136 mm	green	C-400	in carton	25 pcs.
633-C500	∅ 136 mm	green	C-500	in carton	25 pcs.
633-C600	∅ 136 mm	green	C-600	in carton	25 pcs.
633-C1200	∅ 136 mm	green	C-1200	in carton	25 pcs.
633-C1500	∅ 136 mm	green	C-1500	in carton	25 pcs.
633-C2000	∅ 136 mm	green	C-2000	in carton	25 pcs.
633-C2500	∅ 136 mm	green	C-2500	in carton	25 pcs.
633-C3000	∅ 136 mm	green	C-3000	in carton	25 pcs.



Part-no.	Dimensions	Colour	Grain	Delivery form	PU
643-Z 40	ø 156 mm	green	Z-40	in carton	25 pcs.
643-Z 60	ø 156 mm	green	Z-60	in carton	25 pcs.
643-Z 80	ø 156 mm	green	Z-80	in carton	25 pcs.
643-Z120	ø 156 mm	green	Z-120	in carton	25 pcs.
643-Z150	ø 156 mm	green	Z-150	in carton	25 pcs.
643-Z180	ø 156 mm	green	Z-180	in carton	25 pcs.
643-Z220	ø 156 mm	green	Z-220	in carton	25 pcs.
643-C320	ø 156 mm	green	C-320	in carton	25 pcs.
643-C400	ø 156 mm	green	C-400	in carton	25 pcs.
643-C500	ø 156 mm	green	C-500	in carton	25 pcs.
643-C600	ø 156 mm	green	C-600	in carton	25 pcs.
643-C1200	ø 156 mm	green	C-1200	in carton	25 pcs.
643-C1500	ø 156 mm	green	C-1500	in carton	25 pcs.
643-C2000	ø 156 mm	green	C-2000	in carton	25 pcs.
643-C2500	ø 156 mm	green	C-2500	in carton	25 pcs.
643-C3000	ø 156 mm	green	C-3000	in carton	25 pcs.
644-Z 40	ø 210 mm	green	Z-40	in carton	25 pcs.
644-Z 60	ø 210 mm	green	Z-60	in carton	25 pcs.
644-Z 80	ø 210 mm	green	Z-80	in carton	25 pcs.
644-Z120	ø 210 mm	green	Z-120	in carton	25 pcs.
644-Z150	ø 210 mm	green	Z-150	in carton	25 pcs.
644-Z180	ø 210 mm	green	Z-180	in carton	25 pcs.
644-Z220	ø 210 mm	green	Z-220	in carton	25 pcs.
644-C320	ø 210 mm	green	C-320	in carton	25 pcs.
644-C400	ø 210 mm	green	C-400	in carton	25 pcs.
644-C500	ø 210 mm	green	C-500	in carton	25 pcs.
644-C600	ø 210 mm	green	C-600	in carton	25 pcs.
644-C1200	ø 210 mm	green	C-1200	in carton	25 pcs.
644-C1500	ø 210 mm	green	C-1500	in carton	25 pcs.
644-C2000	ø 210 mm	green	C-2000	in carton	25 pcs.
644-C2500	ø 210 mm	green	C-2500	in carton	25 pcs.
644-C3000	ø 210 mm	green	C-3000	in carton	25 pcs.

## useit® Superfinishing Pad SG für P1 dust-free sanding system

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
133-S/G 600	ø 136 mm	grey	SG-600	in carton	25 pcs.
133-S/G1500	ø 136 mm	grey	SG-1500	in carton	25 pcs.
143-S/G600	ø 156 mm	grey	SG-600	in carton	25 pcs.
143-S/G1500	ø 156 mm	grey	SG-1500	in carton	25 pcs.
144-S/G600	ø 210 mm	grey	SG-600	in carton	25 pcs.
144-S/G1500	ø 210 mm	grau	SG-1500	in carton	25 pcs.

## useit® Superfinishing Pad SG2 for P1 dust-free sanding system

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
133-SG2 800	ø 136 mm	grey	SG-800	in carton	25 pcs.
133-SG2 1600	ø 136 mm	grey	SG-1600	in carton	25 pcs.
133-SG2 1800	ø 136 mm	grey	SG-1800	in carton	25 pcs.
133-SG2 2500	ø 136 mm	grey	SG-2500	in carton	25 pcs.
133-SG2 3000	ø 136 mm	grey	SG-3000	in carton	25 pcs.
143-SG2 800	ø 156 mm	grey	SG-800	in carton	25 pcs.
143-SG2 1600	ø 156 mm	grey	SG-1600	in carton	25 pcs.
143-SG2 1800	ø 156 mm	grey	SG-1800	in carton	25 pcs.
143-SG2 2500	ø 156 mm	grey	SG-2500	in carton	25 pcs.
143-SG2 3000	ø 156 mm	grey	SG-3000	in carton	25 pcs.
144-SG2 800	ø 210 mm	grey	SG-800	in carton	25 pcs.
144-SG2 1600	ø 210 mm	grey	SG-1600	in carton	25 pcs.
144-SG2 1800	ø 210 mm	grey	SG-1800	in carton	25 pcs.
144-SG2 2500	ø 210 mm	grey	SG-2500	in carton	25 pcs.
144-SG2 3000	ø 210 mm	grey	SG-3000	in carton	25 pcs.





## useit® Superfinishing Pad SG3 for P1 dust-free sanding system

Part-no.	Dimensions	Colour	Grain	Delivery form	PU
133-SG3 360	ø 136 mm	grey	SG-360	in carton	20 psc.
133-SG3 500	ø 136 mm	grey	SG-500	in carton	20 psc.
133-SG3 600	ø 136 mm	grey	SG-600	in carton	20 psc.
133-SG3 1000	ø 136 mm	grey	SG-1000	in carton	20 psc.
133-SG3 2000	ø 136 mm	grey	SG-2000	in carton	20 psc.
133-SG3 3000	ø 136 mm	grey	SG-3000	in carton	20 psc.
133-SG3 4000	ø 136 mm	grey	SG-4000	in carton	20 psc.
143-SG3 360	ø 156 mm	grey	SG-360	in carton	20 psc.
143-SG3 500	ø 156 mm	grey	SG-500	in carton	20 psc.
143-SG3 600	ø 156 mm	grey	SG-600	in carton	20 psc.
143-SG3 1000	ø 156 mm	grey	SG-1000	in carton	20 psc.
143-SG3 2000	ø 156 mm	grey	SG-2000	in carton	20 psc.
143-SG3 3000	ø 156 mm	grey	SG-3000	in carton	20 psc.
143-SG3 4000	ø 156 mm	grey	SG-4000	in carton	20 psc.
144-SG3 360	ø 210 mm	grey	SG-360	in carton	20 psc.
144-SG3 500	ø 210 mm	grey	SG-500	in carton	20 psc.
144-SG3 600	ø 210 mm	grey	SG-600	in carton	20 psc.
144-SG3 1000	ø 210 mm	grey	SG-1000	in carton	20 psc.
144-SG3 2000	ø 210 mm	grey	SG-2000	in carton	20 psc.
144-SG3 3000	ø 210 mm	grey	SG-3000	in carton	20 psc.
144-SG3 4000	ø 210 mm	grey	SG-4000	in carton	20 psc.





**MADE IN  
GERMANY**



**LEARN MORE:**

[www.joest-abrasives.de](http://www.joest-abrasives.de)

**Jöst GmbH**

Beerfeldener Str. 77  
D-69483 Wald-Michelbach

Phone: +49 6207 / 9410-0

Fax: +49 6207 / 2463

[www.joest-abrasives.de](http://www.joest-abrasives.de)

[info@joest-abrasives.de](mailto:info@joest-abrasives.de)



[www.joest-abrasives.de](http://www.joest-abrasives.de)

**Online Shop**

[www.joest-abrasives-shop.com](http://www.joest-abrasives-shop.com)