

USEIT® ABRASIVES FOR LONG NECK SANDER



Drywall sanding

The trademark for highest-quality abrasives

For the first time, Jöst abrasives invention and patenting of the useit® Multi-Perforation abrasives succeeded in solving abrasive issues that cropped up in the processing of a wide range of different materials and surfaces, such as the clogging of the abrasives and the optimization of surface quality.

Innovative structure

In contrast to conventional sanding discs, useit® Multi-Perforation products are perforated over the entire surface. Dust produced during sanding is permanently vacuumed off over the entire surface and sanding is virtually dust-free. The Velcro system on the back of the abrasive - *also an innovation* - enables the removal of the dust between the sanding plate and the sanding disc, considerably reducing pollution at the workplace.

Best possible sanding result

Our innovative Velcro system, consisting of velour and foam, guarantees an even sanding pressure and optimal adaptation to the surface - and also prevents the Velcro plate from being damaged by a sanding temperature that is too high.

Effective work

useit® products have a sanding performance that is up to four times better than conventional perforated abrasives. This optimizes costs and sanding time and enables effective working. In contrast to conventionally perforated abrasives, Jöst abrasives adjust the ratio of the perforation to the surface to be sanded, depending on the material and the amount of dust.



useit®-abrasives: The trademark for highest-quality abrasives

- Full surface extraction
- No clogging
- Better sanding performance
- Cooler sanding

- 100% availability
- Lower storage costs
- optimal surface quality
- Suitable for all machine types

useit® products for long-neck sander

Jöst useit®-Superpad P yellow and gold multi-perforation sanding discs fit ALL the long-neck sanders available on the market today. Their high inherent rigidity ensures a flat and scratch-free finish in wall and ceiling processing. Work can be carried out quickly and safely - and is also dust-free. Clogging of the sanding disc is prevented thanks to the full-surface and innovative perforation and the sanding performance is increased many times over when compared to conventionally perforated sanding discs.

Part-No. Dimension Colour Grain Delivery form PU

423-A 16	ø 225 mm	black	K-16	in foil	10 pcs.
423-A 16/SB	ø 225 mm	black	K-16	in polybag	10 pcs.
423-A 24	ø 225 mm	black	K-24	in carton	25 pcs.
423-A 24/SB	ø 225 mm	black	K-24	in polybag	10 pcs.
423-A 40	ø 225 mm	yellow	P-40	in carton	25 pcs.
423-A 40/SB	ø 225 mm	yellow	P-40	in polybag	10 pcs.
423-A 60	ø 225 mm	yellow	P-60	in carton	25 pcs.
423-A 60/SB	ø 225 mm	yellow	P-60	in polybag	10 pcs.
423-A 80	ø 225 mm	yellow	P-80	in carton	25 pcs.
423-A 80/SB	ø 225 mm	yellow	P-80	in polybag	10 pcs.
423-A100	ø 225 mm	yellow	P-100	in carton	25 pcs.
423-A100/SB	ø 225 mm	yellow	P-100	in polybag	10 pcs.
423-A120	ø 225 mm	yellow	P-120	in carton	25 pcs.
423-A120/SB	ø 225 mm	yellow	P-120	in polybag	10 pcs.
423-A150	ø 225 mm	yellow	P-150	in carton	25 pcs.
423-A150/SB	ø 225 mm	yellow	P-150	in polybag	10 pcs.
423-A180	ø 225 mm	yellow	P-180	in carton	25 pcs.
423-A180/SB	ø 225 mm	yellow	P-180	in polybag	10 pcs.
423-A220	ø 225 mm	yellow	P-220	in carton	25 pcs.
423-A220/SB	ø 225 mm	yellow	P-220	in polybag	10 pcs.
523-A320	ø 225 mm	gold	P-320	in polybag	25 pcs.
523-A320/SB	ø 225 mm	gold	P-320	in polybag	10 pcs.
523-A400	ø 225 mm	gold	P-400	in polybag	25 pcs.
523-A400/SB	ø 225 mm	gold	P-400	in polybag	10 pcs.



useit®-Superfinishing Pad SG for long-neck sander

A special construction combined with state-of-the-art production techniques makes the useit®-Superfinishing Pad SG a reliable product for obtaining the highest surface quality. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. A wide variety of materials such as mineral materials, GRP, paints, lacquers and high-gloss surfaces can be processed in the shortest possible time. The useit®-Superfinishing Pad SG is a high-performance abrasive with up to six times the surface finishing performance of conventional abrasives. This pad fits on every sanding machine available on the market, regardless of the perforation configuration in the suction pads - and it's also ideal for wet and dry sanding.

Part-No. Dimension Colour Grain Delivery form PU

131-S/G320	ø 225 mm	grey	SG-320	in carton	25 pcs.
131-S/G600	ø 225 mm	grey	SG-600	in carton	25 pcs.
131-S/G1200	ø 225 mm	grey	SG-1200	in carton	25 pcs.
131-S/G1500	ø 225 mm	grey	SG-1500	in carton	25 pcs.



useit® Superpad G for long-neck sander

The 225 mm diameter disks are equipped with an innovative Velcro system. The abrasive mesh can be used on every long-neck sander available on the market. Optimal dust removal is guaranteed thanks to the Velcro system. The innovative, open backing structure enables even heavily soiled surfaces to be cleaned and soft fillers that would normally produce a high level of dust to be sanded.

Part-No.	Dimension	Color	Grain	Delivery form	PU
40-K 80/225	ø 225 mm	grey	K-80	in foil	25 pcs.
40-K 80/225/SB	ø 225 mm	grey	K-80	in foil	10 pcs.
40-K100/225	ø 225 mm	grey	K-100	in foil	25 pcs.
40-K100/225/SB	ø 225 mm	grey	K-100	in foil	10 pcs.



Green Cut® mesh abrasive

The newly developed GreenCut® abrasive mesh sets new standards in material removal performance, dust removal and flat sanding results. Thanks to its special backing structure and the bonding of the abrasive grain, GreenCut® is also available in coarse grain sizes such as 40 and 60. The high inherent rigidity ensures a flat surface finishes. Virtually dust-free working is possible in combination with the open backing structure and clogging of the sanding disk is prevented.

Part-No.	Dimension	Color	Grain	Delivery form	PU
323-S 40	ø 225 mm	green	40	in carton	25 pcs.
323-S 60	ø 225 mm	green	60	in carton	25 pcs.
323-S 80	ø 225 mm	green	80	in carton	25 pcs.
323-S100	ø 225 mm	green	100	in carton	25 pcs.
323-S120	ø 225 mm	green	120	in carton	25 pcs.
323-S150	ø 225 mm	green	150	in carton	25 pcs.
323-S180	ø 225 mm	green	180	in carton	25 pcs.
323-S220	ø 225 mm	green	220	in carton	25 pcs.



Abraflex® non-woven abrasive for long-neck sander



Part-No.	Dimension	Color	Grain	Delivery form	PU
225-A100	ø 225 mm	red	A-100	in foil	5 pcs.
225-A180	ø 225 mm	red	A-180	in foil	5 pcs.



Adapterdisc (Interface Pad) for long-neck sander

The Adapter disc for long-neck sanders ensure the best possible adaptation of the abrasive to curved and shaped surfaces.

Part-No.	Dimension	Color	Delivery form	PU
05-55	ø 215mm, 15mm high	white	in foil	1 pc.



LEARN MORE:

www.joest-aquaristic.com

www.joest-multicleansystem.com

Jöst GmbH


Beerfeldener Str. 77
D-69483 Wald-Michelbach

+49 (0) 6207 / 9410-0

+49 (0) 6207 / 2463

www.joest-abrasives.de

info@joest-abrasives.de



www.joest-abrasives.com

Online Shop

www.joest-abrasives-shop.com