

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: JUN 09, 2021

SAMPLE: SOUR PEACH RINGS (EDIBLE SOLID) // CLIENT: ATC // BATCH: PASS



MATRIX: EDIBLE SOLID
 CATEGORY: EDIBLE
 SAMPLE ID: BCL-210525-012
 COLLECTED ON: MAY 25, 2021
 RECEIVED ON: MAY 25, 2021
 BATCH/SAMPLE SIZE: 1 U / 1 U
 SERVING/PACKAGE SIZE: 9.0154 G / 90.1540 G

CANNABINOID OVERVIEW

Δ ⁹ -THC PER SERVING:	0 mg
CBD PER SERVING:	0 mg
TOTAL CANNABINOIDS:	26.17 mg



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JUN 03, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	ND	ND	0.00108/0.02449	N/A
CBCA	ND	ND	0.00309/0.02449	N/A
CBD	ND	ND	0.00152/0.02449	N/A
CBDA	ND	ND	0.00078/0.02449	N/A
CBDV	ND	ND	0.00118/0.02449	N/A
CBDVA	ND	ND	0.00078/0.02449	N/A
CBG	ND	ND	0.00142/0.02449	N/A
CBGA	ND	ND	0.00098/0.02449	N/A
CBN	ND	ND	0.00078/0.02449	N/A
Δ ⁸ -THC	0.29032 %	2.9032 mg/g	0.00284/0.02449	N/A
Δ ⁹ -THC	ND	ND	0.00206/0.02449	N/A
THCA	ND	ND	0.00147/0.02449	N/A
THCV	ND	ND	0.00162/0.02449	N/A
THCVA	ND	ND	0.00113/0.02449	N/A
TOT THC **	ND	ND		N/A
TOT CBD **	ND	ND		N/A
CBD/SRV	ND			N/A
Δ ⁹ -THC/SRV	ND			PASS
CBD/PKG	ND			N/A
Δ ⁹ -THC/PKG	ND			PASS

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD

* BEYOND SCOPE OF ACCREDITATION

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 JUN 09, 2021



BCL-13: PESTICIDE TESTING BY GC/MS // MAY 28, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	5 µg/g	ND	0.01977/0.06	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A
CHLORDANE TRANS		ND	0.01082/0.03	N/A
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
PENTACHLORONI-TROBENZENE	0.2 µg/g	ND	0.01282/0.06	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // MAY 29, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.3 µg/g	ND	0.01153/0.04	PASS
ACEPHATE	5 µg/g	ND	0.00368/0.02	PASS
ACEQUINOCYL	4 µg/g	ND	0.00417/0.02	PASS
ACETAMIPRID	5 µg/g	ND	0.00464/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS
AZOXYSTROBIN	40 µg/g	ND	0.00639/0.02	PASS
BIFENAZATE	5 µg/g	ND	0.00355/0.02	PASS
BIFENTHRIN	0.5 µg/g	ND	0.00473/0.04	PASS
BOSCALID	10 µg/g	ND	0.00494/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS
CHLORANTRANIL-IPROLE	40 µg/g	ND	0.00697/0.04	PASS
CLOFENTEZINE	0.5 µg/g	ND	0.0054/0.02	PASS
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS
CYFLUTHRIN	1 µg/g	ND	0.05508/0.2	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS
DIAZINON	0.2 µg/g	ND	0.00487/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS
DIMETHOMORPH	20 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A
DIMETHOMORPH II		ND	0.0015/0.0122	N/A
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS
ETOXAZOLE	1.5 µg/g	ND	0.00385/0.02	PASS
FENHEXAMID	10 µg/g	ND	0.01055/0.02	PASS
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS
FENPYROXIMATE	2 µg/g	ND	0.00481/0.02	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS
FLONICAMID	2 µg/g	ND	0.00398/0.02	PASS
FLUDIOXONIL	30 µg/g	ND	0.01369/0.04	PASS
HEXYTHIAZOX	2 µg/g	ND	0.00297/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS
IMIDACLOPRID	3 µg/g	ND	0.00645/0.02	PASS
KRESOXIM-METHYL	1 µg/g	ND	0.00339/0.02	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
MALATHION	5 µg/g	ND	0.00472/0.02	PASS
METALAXYL	15 µg/g	ND	0.00503/0.02	PASS
METHIOCARB	Any amt	ND	0.00503/0.02	PASS
METHOMYL	0.1 µg/g	ND	0.00494/0.02	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00163/0.0084	N/A
MEVINPHOS II		ND	0.00542/0.0316	N/A
MYCLOBUTANIL	9 µg/g	ND	0.00867/0.04	PASS
NALED	0.5 µg/g	ND	0.00328/0.02	PASS
OXAMYL	0.2 µg/g	ND	0.00455/0.02	PASS
PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
PERMETHRIN	20 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00237/0.0082	N/A
PERMETHRIN TRANS		ND	0.00245/0.0118	N/A
PHOSMET	0.2 µg/g	ND	0.0043/0.02	PASS
PIPERONYLBUTO-XIDE	8 µg/g	ND	0.00247/0.02	PASS
PRALLETHRIN	0.4 µg/g	ND	0.00392/0.02	PASS
PROPICONAZOLE	20 µg/g	ND	0.0024/0.02	PASS
PROPOXUR	Any amt	ND	0.00374/0.02	PASS
PYRETHRINS	1 µg/g	ND	0.00726/0.04	PASS
PYRIDABEN	3 µg/g	ND	0.0034/0.02	PASS
SPINETORAM	3 µg/g	ND		PASS
SPINETORAM J		ND	0.00329/0.016	N/A
SPINETORAM L		ND	0.00157/0.016	N/A
SPINOSAD	3 µg/g	ND		PASS
SPINOSAD A		ND	0.00205/0.01438	N/A
SPINOSAD D		ND	0.00104/0.00498	N/A
SPIROMESIFEN	12 µg/g	ND	0.00944/0.04	PASS
SPIROTETRAMAT	13 µg/g	ND	0.00208/0.02	PASS
SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
TEBUCONAZOLE	2 µg/g	ND	0.00816/0.04	PASS
THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
THIAMETHOXAM	4.5 µg/g	ND	0.00358/0.02	PASS
TRIFLOXYSTROB-IN	30 µg/g	ND	0.00421/0.02	PASS



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // MAY 27, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.15896/0.55453	PASS
ACETONE	5000 µg/g	ND	17.89279/55.45287	PASS
ACETONITRILE	410 µg/g	ND	15.878/55.45287	PASS
BENZENE	1 µg/g	ND	0.07024/0.55453	PASS
BUTANE	5000 µg/g	ND	16.74307/55.45287	PASS
CHLOROFORM	1 µg/g	ND	0.16266/0.55453	PASS
ETHANOL	5000 µg/g	228.625	13.72643/55.45287	PASS
ETHYL ACETATE	5000 µg/g	ND	16.95009/55.45287	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.17745/0.55453	PASS
ETHYL ETHER	5000 µg/g	ND	14.93161/55.45287	PASS
HEPTANE	5000 µg/g	ND	13.0647/55.45287	PASS
HEXANE	290 µg/g	ND	20.1146/92.42144	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	13.86322/55.45287	PASS
METHANOL	3000 µg/g	ND	12.43253/55.45287	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14048/0.55453	PASS
PENTANE	5000 µg/g	ND	30.57301/92.42144	PASS
PROPANE	5000 µg/g	ND	15.79667/55.45287	PASS
TOLUENE	890 µg/g	ND	8.72828/55.45287	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07394/0.55453	PASS
O-XYLENE		ND	4.13309/27.72643	N/A
P- AND M-XYLENE		ND	3.82994/27.72643	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // MAY 27, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	1.5 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.5 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	3 µg/g	< LOQ	0.0001/0.01	PASS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // MAY 26, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // MAY 29, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // MAY 27, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // MAY 27, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.85 Aw	0.76	PASS

