

Prepared for:  
**Love Punch LLC**

50 W 29th St Suite 7W  
New York, NY United States 10001

## Love Bomb Bath Bomb

Batch ID or Lot Number:	Test: <b>Potency</b>	Reported: <b>03Oct2022</b>	USDA License: N/A
Matrix: Unit	Test ID: T000222777	Started: 01Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Sep2022	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.759	8.810	ND	ND	# of Servings = 1, Sample Weight=150g
Cannabichromenic Acid (CBCA)	2.523	8.058	ND	ND	
Cannabidiol (CBD)	9.223	23.006	78.770	0.50	
Cannabidiolic Acid (CBDA)	9.460	23.596	ND	ND	
Cannabidivarin (CBDV)	2.181	5.441	ND	ND	
Cannabidivarinic Acid (CBDVA)	3.946	9.843	ND	ND	
Cannabigerol (CBG)	1.566	5.002	ND	ND	
Cannabigerolic Acid (CBGA)	6.548	20.910	ND	ND	
Cannabinol (CBN)	2.043	6.525	4.140	0.00	
Cannabinolic Acid (CBNA)	4.468	14.266	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	7.801	24.911	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	7.085	22.624	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	6.277	20.045	ND	ND	
Tetrahydrocannabivarin (THCV)	1.425	4.550	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	5.537	17.680	ND	ND	
<b>Total Cannabinoids</b>			<b>82.910</b>	<b>0.55</b>	
Total Potential THC			ND	ND	
Total Potential CBD			78.770	0.53	

## Final Approval



Daniel Weidensaul  
04Oct2022  
07:33:00 PM MDT

PREPARED BY / DATE



Sam Smith  
04Oct2022  
07:34:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5fc85b94-2a39-44d9-9a97-4866583a0223>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

5fc85b942a3944d99a974866583a0223.1