



POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

FULL BLOOM FLOWER ENHANCER

Plant Growth Regulator

ACTIVE CONSTITUENT:

77GL CHLORHECQUAT PRESENT
AS CHLORHECQUAT CHLORIDE

To increase the berry set and
yield of wine grapes and increase
setting of currants as per the
DIRECTIONS FOR USE table.

IMPORTANT:

READ THE ATTACHED LEAFLET

**CONTENTS:
250ml**

Sevroc Pty. Ltd.

ABN 57 083 984 705 • AON 079 225 880
Corner Stock Rd & Yangebup Rd, Beelar
WA 6164 Telephone (08) 9434 5118

Batch No.:

DOH:

APVMA: 58889/250ml/0306

STORAGE AND DISPOSAL: Store in the closed original container in a cool, dry, well-ventilated area.

Do not store for prolonged periods in direct sunlight. Protect from frost. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposable pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Poisonous if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

FIRST AID: If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET: Additional information is listed in the Medical Safety Data Sheet.

CONDITIONS OF SALE: Sevroc Pty Ltd ('Sevroc') will not accept any responsibility whatsoever and however arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatory imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Sevroc is limited to the replacement of the goods or (at the option of Sevroc) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Sevroc within thirty days of delivery.

In a Transport Emergency Dial
000
Police or Fire Brigade

SPECIALIST ADVICE IN EMERGENCY ONLY
0403 249 414
ALL HOURS - AUSTRALIA WIDE

GENERAL INSTRUCTIONS:

MIXING

Thoroughly mix the product with hard or soft water at the rate shown, then add wetter. The product should be applied only to vigorous vines growing under good conditions and capable of carrying an increased crop. This applies particularly to Muscat Gordo Blanco. As many factors affect yield of grapes, the use of FULL BLOOM FLOWER ENHANCER may not always result in increased fruit production.

PREPARATION OF SPRAY

Half-fill tank with clean water, add the required quantity of product and agitate during the completion of filling. Frequent or constant agitation of the spray is recommended. Wash out spray tank thoroughly after use.

COMPATIBILITY

Do NOT mix FULL BLOOM FLOWER ENHANCER with other chemicals, except non-ionic wetter, unless compatibility has been tested.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do not contaminate streams, rivers or waterways with the product or used container.

STORAGE AND DISPOSAL

Store in the closed original container in a cool, dry, well-ventilated area. Do not store for prolonged periods in direct sunlight. Protect from frosts. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture, and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE:

Sevroc Pty Ltd ('Sevroc') will not accept any responsibility whatsoever and however arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatory imposed by Statues applicable to the sale or supply of these goods. To the extent allowed by such Statues the liability of Sevroc is limited to the replacement of the goods or (at the option of Sevroc) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Sevroc within thirty days of delivery.

In a Transport Emergency
Dial
000
Police or Fire Brigade

SPECIALIST ADVICE
IN EMERGENCY ONLY
0403 249 414
ALL HOURS - AUSTRALIA WIDE

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



FULL BLOOM FLOWER ENHANCER

Plant Growth Regulator

**ACTIVE CONSTITUENT: 77g/L CHLORMEQUAT PRESENT
AS CHLORMEQUAT CHLORIDE**

To increase the berry set and yield of wine grapes and increase setting of currants as per the DIRECTIONS FOR USE table.

IMPORTANT: READ THIS BOOKLET BEFORE USING THE PRODUCT

APVMA Approval No.: 58889/0207

Sevroc Pty Ltd.
ABN 57 093 984 705 • ACN 079 225 880
Cnr Stock Road & Yangebup Rd, Beeliar WA 6164
Telephone (08) 9434 5118

DIRECTIONS FOR USE: REGISTERED IN ALL STATES

**RESTRAINTS: Do NOT water over the top of plants for 24 hours after application.
Do NOT apply to plants under stress.**

**Do NOT use on cut flowers where successive crops are grown in the same soil/compost.
Do NOT re-use potting media from treated plants for subsequent crops.**

VARIETY	RATE PER 100 LITRES WATER	TIMING	CRITICAL COMMENTS
ZANTE CURRANT	100mL	70 - 100% cap full	Wet vines to run-off, using 1700 litres of spray per hectare depending on size.
MUSCAT GORDO BLANCO	30mL	1 - 2 weeks before flowering	Additional of 1mL non-ionic wetter Per Litre of spray is desirable.
CABERNET SAUVIGNON	400mL		
OTHER VARIETIES INCLUDING SHIRAZ, GRENACHE, DORADILLO AND PALOMINO	200mL		



NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.