

Lexmark MS417dn

An affordable mono printer. Higher speed and capacity.

The Lexmark MS417dn is an entry-level overachiever that boasts the speed, capacity and networking to handle small workgroups. With printing up to 40 pages per minute, a 2.4-inch color LCD screen, keypad, advanced security, Gigabit networking and options like High Yield cartridges, wireless printing, higher input capacity and mobile print capability,* you'd expect to pay a lot more.

Faster output, with the same great print quality

Even complex documents print fast. The MS417dn prints laser-sharp graphics, text and images at up to 40 pages per minute. With Gigabit networking and 256MB of memory, your data is transferred and processed before you know it. The first printed page appears in as little as 6.5 seconds. Our exclusive Unison™ Toner delivers rich blacks and smooth grays from the first print to the last, without fading.









Security



Mobility

Security, plus Confidential Print. Mobile print capability.

Extensive network security protects your device, information and network from unauthorized access. Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customized, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.

Comprehensive warranty

The MS417dn laser printer is so well made, we back it with a solid 1-year warranty that offers you multiple ways to obtain help: phone, email, live chat and remote assistance. Plus, if your device ever fails, we'll ship you a replacement device through our Advanced Exchange program so you're up and printing again as quickly as possible. See Statement of Limited Warranty for details.

Monochrome laser printer



High Yield cartridges produce up to 8,500 pages

Available High Yield cartridges can produce up to 8,500 pages and never require shaking—minimizing interruptions and reducing cost per page. Lexmark's print system and exclusive Unison™ Toner also help keep your cost of printing low by ensuring consistent print quality throughout the life of the cartridge to prevent wasted prints.

Easy to use

The MS417dn is simple to install, easy to use and offers full compatibility with nearly every operating system and network. You can quickly monitor the operating status and supply levels on the printer's easy-to-use, 2.4-inch color LCD screen, or from a remote location through its web interface.

Built to last, the MS417dn lets you easily print up to 7,200 pages per month, thanks to our state-of-the-art paper handling technology and long-life consumables. Add an extra paper tray to boost input to 850 pages for fewer interruptions.


Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first page as fast as 6.5 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimize noise and energy consumption.

Product specifications	Lexmark MS417dn
Printing	
Display	2.4-inch (6 cm) color LCD display
Print Speed: Up to⁵	Black: 40 ppm
Time to First Page: As fast as	Black: 6.5 seconds
Print Resolution	Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality
Memory / Processor	Standard: 256 MB / Maximum: 256 MB / Dual Core, 800 MHz
Hard Disk	Not Available
Recommended Monthly Page Volume ²	750 - 7200 pages
Maximum Monthly Duty Cycle: Up to ³	100000 pages per month
Supplies ⁷	
Laser Cartridge Yields (up to) ¹	8,500-page High Yield Cartridge, 2,500-page Cartridge
Imaging Unit Estimated Yield: Up to ⁶	60000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product ¹	3,000-page starter Return Program Toner Cartridge
Paper Handling	
Included Paper Handling	Integrated Duplex, 150-Sheet Output Bin, 50-Sheet Multipurpose Feeder, 250-Sheet Input
Optional Paper Handling	550-Sheet Lockable Tray, 550-Sheet Tray, 250-Sheet Tray
Paper Input Capacity: Up to	Standard: 300 pages 20 lb or 75 gsm bond / Maximum: 850 pages 20 lb or 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 20 lb or 75 gsm bond / Maximum: 150 pages 20 lb or 75 gsm bond
Media Types Supported	Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Envelopes, Card Stock
Media Sizes Supported	A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope
General Information ⁴	
Standard Ports	Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), Centronics IEEE 1284 Bidirectional Parallel
Optional Network Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level: Operating	Print: 54 dBA
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F)
Limited Warranty - See Statement of Limited Warranty	1-Year Exchange, Return-to-Base Service
Size (in H x W x D) / Weight (lb.)	10.3 x 15.7 x 15.0 in. / 31.2 lb.

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MPS. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁶Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁷Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details.





© 2017 Lexmark. All rights reserved.

Lexmark and the Lexmark logo are trademarks or registered trademarks of Lexmark International, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

