# DesignLights Consortium





Premium
High-Bay Luminaires for Commercial and Industrial Buildings
184.5 W
29960 lm
5000 K
80
S-0WFOB9
ZZZFOV
Listed
2022-12-08

# PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-0WFOB9
Manufacturer	ESL Vision
Brand	ESL Vision
Model Number	ESL-ERHB-180W-150-XX-90D(XX can be any letter)-[ALL MOUNTING OPTION]
Parent	No
Classification	Premium
DLC Family Code	ZZZFOV
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

### **CONTROL FEATURES VIEW DETAILS**

Integral Controls	No			
Dimming Capability and Range	Continuous Dimming to 10% or below			
Integral Control Capability	No Control Capability			
Sensor Type	No Sensor			
SSL V5 Wired Communication Protocol	0-10V Analog			
SSL V5 Wireless Communication Protocol	No Wireless Protocol			
Field Adjustable Light Output	No			
White-Tunable	No			
Warm-Dimming	No			
Field Adjustable Light Distribution	Yes			
Field Adjustable Distribution Type	Integral FALD			

## **REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Reported Light Output	29960 lm
Reported Efficacy (AC)	162.37 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	1
Reported IES Rf	83
Reported IES Rg	94
Reported IES Rcs,h1	-13
Reported Default Light Output	29960 lm

### **REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Reported Input Wattage	184.5 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Maximum Input Wattage	180
Reported Default Input Wattage	180 W
Voltage Range	120-277 V

### **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Field Adjustable Light Distribution Setting	Straight Down

## PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

Download File

# VERSION HISTORY VIEW DETAILS

2022-12-08	Listed	5.1	Premium
------------	--------	-----	---------