# **DesignLights Consortium**





Classification	Standard
Primary Use	Internal Driver/Line Voltage (UL Type B) Lamps
Reported Input Wattage	24 W
Reported Light Output	3400 lm
Reported CCT	4000 K
Reported CRI (Ra)	83
Product ID	PLTWH1QN36RN
DLC Family Code	XXXEFI
Listing Status	Listed
Date Qualified	2020-07-07

### PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLTWH1QN36RN
Manufacturer	Eiko Global, LLC
Brand	EiKO
Model Number	LED24WT5HO/46/840-G9D
Parent	No
Classification	Standard
DLC Family Code	XXXEFI
Length	4.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp	
General Application	T5HO Four-Foot	
Primary Use Designation	Internal Driver/Line Voltage (UL Type B) Lamps	

### **CONTROL FEATURES VIEW DETAILS**

Integral Controls	No
-------------------	----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

#### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	230 °
Reported Light Output	3400 lm
Reported Efficacy (AC)	141.67 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	83
Reported R9	7
Reported IES Rf	84
Reported IES Rg	98
Reported IES Rcs,h1	-11
Reported Default Light Output	3400 lm

#### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	24 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Default Input Wattage	24 W
Voltage Range	120-277 V

### **VERSION HISTORY VIEW DETAILS**

2022-09-22	Listed	5.1	Standard
2022-06-30	Delisted	5	Standard
2020-10-13	Listed	5	Standard
2020-07-07	Listed	5	Standard