DesignLights Consortium





Classification	Standard
Primary Use	Internal Driver/Line Voltage (UL Type B) Lamps
Reported Input Wattage	14 W
Reported Light Output	1700 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-SI3T7L
DLC Family Code	QQQVXQ
Listing Status	Listed
Date Qualified	2022-12-13

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-SI3T7L
Manufacturer	Eiko Global, LLC
Brand	EiKO
Model Number	L14WT8/48/BSDG/FCCT
Parent	Yes
Classification	Standard
DLC Family Code	QQQVXQ
Length	4.0 ft
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp	
General Application	T8 Four-Foot	
Primary Use Designation	Internal Driver/Line Voltage (UL Type B) Lamps	

CONTROL FEATURES VIEW DETAILS

trols No

Dimming Capability and Range	Continuous Dimming above 10%
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	Phase Cut
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

° 0 lm Im/W
lm/W
0 K
0 lm
0 lm
0 K
0 K
0 lm
0000

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	14 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Maximum Input Wattage	14
Reported Default Input Wattage	14 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	1804 lm
Tested Efficacy (AC)	126 lm/W

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	14.3 W

VERSION HISTORY VIEW DETAILS

2022-12-13	Listed	5.1	Standard
------------	--------	-----	----------