

maximize your green®

www.GreenElectricalSupply.com





Titanium Series T8 15W, 12W, 10W, 8W DIR

For models: 15T8/4F/xxx/DIR, 12T8/4F/xxx/DIR, 10T8/3F/xxx/DIR, 8T8/2F/xxx/DIR
Where xxx means 824-965 which indicates CRI and color temperature

0-10V Dimmability

	Model Number	Ballast			
Brand		Philips			GE
		IZT-2PSP32-SC	IZT-132-SC	ILV-2S32-SC	GE232MVPSN-V03
Lutron	DVTV	OK w/Noise	OK	OK	OK
Cooper	SF10P	OK w/Noise	OK	OK	OK
Leviton	IP710-DL	OK w/Noise	OK	OK	OK
Legrand	H4FBL3P	OK w/Noise	OK	OK	OK

Triac 120V Dimmability

	-		
		Ballast	
Brand	Model Number	Philips	
		REZ-2S32-SC	
	TGCL-153P	OK	
	D-603PG	100-20%	
	MA-600	X	
	DV-600PR	100-50%, 20-10%	
	CTCL-153P	100-50%, 25-10%	
Lutron	TG-600PR	100-50%, 20-10%	
Lution	DVCL-153P	100-50%, 20-10%	
	AYCL-153P	100-50%, 20-10%	
	D-600R	100-20%	
	D-600PR	100-50%, 20-10%	
	CT-600PR	100-50%, 25-10%	
	S-600PR	100-50%, 25-10%	
Cooper	9540	100-50%, 20-10%	
	VP106	X	
Leviton	6633	100-50%, 20-10%	
	6674	100-50%, 20-10%	

Triac 277V Dimmability

		Ballast		
Brand	Model Number	Philips		
		VEZ-132-SC	VEZ-2S32-SC	
Leviton	VPX12	100-50%, 25-10%	100-30%	
Lithonia	ISD 1200 ADEZ 277 H10	100-50%, 25-10%	100-50%, 25-10%	

*GREEN CREATIVE has provided this dimmer compatibility chart for guidance when selecting a ballast, dimmer and lamp combination. Lamps were tested for compatibility with the above listed ballasts and dimmers. Ballasts and dimmers that do not appear on the chart might still be compatible but have not been tested. All testing has been performed with a stable main supply. The quality of the local main, existing installation and wiring, as well as different manufacturer versions of the above ballasts may affect lamp performance. Since no assurance can be provided regarding these factors, it is a general recommendation to perform a test on-site prior to installing the LED lamps.