

DesignLights Consortium



Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	110 W
Reported Light Output	14652 lm
Reported CCT	4000 K
Reported CRI (Ra)	80
Product ID	PLYRLC0IH5ZD
DLC Family Code	LLLCBT
Listing Status	Listed
Date Qualified	2021-12-10

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLYRLC0IH5ZD
Manufacturer	Halco Lighting Technologies
Brand	HALCO
Model Number	LHB-1-WS-40-U-[Blank,EM]-[Blank,LVMS,PIRMS]
Parent	Yes
Classification	Premium
DLC Family Code	LLLCBT
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	14652 lm
Reported Efficacy (AC)	133.2 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	80
Reported R9	-6
Reported IES Rf	82
Reported IES Rg	92
Reported IES Rcs,h1	-14
Reported Minimum Light Output	9730 lm
Reported Maximum Light Output	14652 lm
Reported Default Light Output	14652 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	110 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	70 W
Reported Default Input Wattage	110 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	14184 lm
Tested Efficacy (AC)	133.25 lm/W
Tested CCT	4025 K
Tested CRI (Ra)	81
Tested R9	-6

Tested IES Rf	82
Tested IES Rg	92
Tested IES Rcs,h1	-14 %
Tested Duv	0.001

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	106 W
Tested Total Harmonic Distortion	7 %
Tested Power Factor	0.971

VERSION HISTORY VIEW DETAILS

2021-12-10	Listed	5.1	Premium
------------	--------	-----	---------