DesignLights Consortium





Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	110 W
Reported Light Output	14850 lm
Reported CCT	5000 K
Reported CRI (Ra)	80
Product ID	PL08R233AANQ
DLC Family Code	LLLCBT
Listing Status	Listed
Date Qualified	2021-12-10

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PL08R233AANQ
Manufacturer	Halco Lighting Technologies
Brand	HALCO
Model Number	LHB-1-WS-50-U-[Blank,EM]-[Blank,LVMS,PIRMS]
Parent	No
Classification	Premium
DLC Family Code	LLLCBT
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires	
General Application	High-Bay	
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings	

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range Integral Control Capability No Control Capability Sensor Type Occupancy Sensing SSL V5 Wired Communication Protocol SSL V5 Wireless Communication Protocol No Wireless Protocol Field Adjustable Light Output Yes White-Tunable No Warm-Dimming No Field Adjustable Light Distribution No				
Sensor Type Occupancy Sensing SSL V5 Wired Communication Protocol 0-10V Analog SSL V5 Wireless Communication Protocol No Wireless Protocol Field Adjustable Light Output Yes White-Tunable No Warm-Dimming No	Dimming Capability and Range	Continuous Dimming to 10% or below		
SSL V5 Wired Communication Protocol SSL V5 Wireless Communication Protocol Field Adjustable Light Output Yes White-Tunable No Warm-Dimming No	Integral Control Capability	No Control Capability		
SSL V5 Wireless Communication Protocol Field Adjustable Light Output Yes White-Tunable No Warm-Dimming No	Sensor Type	Occupancy Sensing		
Field Adjustable Light Output White-Tunable Warm-Dimming No	SSL V5 Wired Communication Protocol	0-10V Analog		
White-Tunable No Warm-Dimming No	SSL V5 Wireless Communication Protocol	No Wireless Protocol		
Warm-Dimming No	Field Adjustable Light Output	Yes		
J	White-Tunable	No		
Field Adjustable Light Distribution No	Warm-Dimming	No		
	Field Adjustable Light Distribution	No		

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	14850 lm
Reported Efficacy (AC)	135 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	-6
Reported IES Rf	82
Reported IES Rg	92
Reported IES Rcs,h1	-14
Reported Minimum Light Output	9800 lm
Reported Maximum Light Output	14850 lm
Reported Default Light Output	14850 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	110 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	70 W
Reported Default Input Wattage	110 W
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2021-12-10	Listed	5.1	Premium