

# DesignLights Consortium



Classification	Premium
Primary Use	Parking Garage Luminaires
Reported Input Wattage	25 W
Reported Light Output	3350 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-TB32DJ
DLC Family Code	<a href="#">YYYYFNV</a>
Listing Status	Listed
Date Qualified	2023-02-24

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-TB32DJ
Manufacturer	Keystone Technologies
Brand	Keystone
Model Number	KT-CLED25PS-S1-8CSB-VDIM [blank, options]
Parent	Yes
Classification	Premium
DLC Family Code	YYYYFNV
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Low Output
Primary Use Designation	Parking Garage Luminaires

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	LLLC
Sensor Type	Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	Bluetooth
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	3350 lm
Reported Efficacy (AC)	134 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	2
Reported IES Rf	84
Reported IES Rg	95
Reported IES Rcs,h1	-12
Reported Minimum Light Output	3385 lm
Reported Maximum Light Output	3504 lm
Reported Minimum CCT	3000.0 K
Reported Maximum CCT	5000.0 K
Reported Default Light Output	3350 lm
Reported BUG Rating	B4 U0 G4

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	25 W
Reported Total Harmonic Distortion	6.6 %
Reported Power Factor	0.997
Reported Minimum Input Wattage	15 W
Reported Maximum Input Wattage	25
Reported Default Input Wattage	25 W
Voltage Range	120-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	3378 lm
---------------------	---------

Tested Efficacy (AC)	133.15 lm/W
Tested CCT	3044 K
Tested CRI (Ra)	82
Tested R9	2
Tested IES Rf	84
Tested IES Rg	95
Tested IES Rcs,h1	-12 %
Tested Duv	-0.0006
Tested Backlight (TM-15 BUG)	4
Tested BUG Rating	B4 U0 G4

## TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	277
Tested Input Wattage	25.4 W
Tested Total Harmonic Distortion	8.3 %
Tested Power Factor	0.956

## PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	<a href="#">Download File</a>
-----------	-------------------------------

## VERSION HISTORY VIEW DETAILS

2023-02-24	Listed	5.1	Premium
------------	--------	-----	---------