DesignLights Consortium





Classification	Premium
Primary Use	Parking Garage Luminaires
Reported Input Wattage	60 W
Reported Light Output	8100 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-TU8M9J
DLC Family Code	YYYFNV
Listing Status	Listed
Date Qualified	2023-02-24

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting		
Technical Requirements Version	5.1		
Product ID	S-TU8M9J		
Manufacturer	Keystone Technologies		
Brand	Keystone		
Model Number	KT-CLED60PS-M1-8CSB-VDIM [blank, -W] [blank, options]		
Parent	No		
Classification	Premium		
DLC Family Code	YYYFNV		
Input Power Type	AC		

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Mid Output
Primary Use Designation	Parking Garage Luminaires

CONTROL FEATURES VIEW DETAILS

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	LLLC
Sensor Type	Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	Bluetooth
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	8100 lm
Reported Efficacy (AC)	135 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	1
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Minimum Light Output	7762 lm
Reported Maximum Light Output	8086 lm
Reported Minimum CCT	3000.0 K
Reported Maximum CCT	5000.0 K
Reported Default Light Output	8100 lm
Reported BUG Rating	B3 U0 G3

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	60 W
Reported Total Harmonic Distortion	11.7 %
Reported Power Factor	0.994
Reported Minimum Input Wattage	40 W
Reported Maximum Input Wattage	60
Reported Default Input Wattage	60 W
Voltage Range	120-277 V

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

VERSION HISTORY VIEW DETAILS

2023-02-24	Listed	5.1	Premium
------------	--------	-----	---------