# **DesignLights Consortium**





Classification	Premium
Primary Use	Architectural Flood and Spot Luminaires
Reported Input Wattage	140 W
Reported Light Output	17500 lm
Reported CCT	3000 K
Reported CRI (Ra)	81
Product ID	P4A12DDM
DLC Family Code	DDDLQU
Listing Status	Listed
Date Qualified	2022-03-23

### **PRODUCT INFORMATION VIEW DETAILS**

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	P4A12DDM
Manufacturer	Keystone Technologies
Brand	Keystone
Model Number	KT-FLED140PSHV-R2B-UNV-8CSB-VDIM [blank, -W]
Parent	No
Classification	Premium
DLC Family Code	DDDLQU
Input Power Type	AC

### PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	High Output
Primary Use Designation	Architectural Flood and Spot Luminaires

#### **CONTROL FEATURES VIEW DETAILS**

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Exterior Photocell,Sensor Receptacle
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	Yes
Field Adjustable Distribution Type	Integral FALD

### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	17500 lm
Reported Efficacy (AC)	125 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	81
Reported R9	0
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Minimum Light Output	13500 lm
Reported Maximum Light Output	20300 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	17500 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	140 W
Reported Total Harmonic Distortion	2.8 %
Reported Power Factor	0.999
Reported Minimum Input Wattage	100 W
Reported Maximum Input Wattage	140
Reported Default Input Wattage	140 W
Voltage Range	277-480 V

### **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Field Adjustable Light Distribution Setting	Pointing Straight Down	Ī
, ,		П

### **VERSION HISTORY VIEW DETAILS**

2022-03-23 Listed 5.1	Premium
-----------------------	---------