DesignLights Consortium





Classification	Standard
Primary Use	Replacement Lamps for Outdoor Pole/Arm-Mounted Decorative Luminaires (Type B)
Reported Input Wattage	67.3 W
Reported Light Output	7663.2 lm
Reported CCT	3000 K
Reported CRI (Ra)	82.8
Product ID	P4V1G1E8
DLC Family Code	RRVWE
Listing Status	Listed
Date Qualified	2020-06-16

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting		
Technical Requirements Version	5.1		
Product ID	P4V1G1E8		
Manufacturer	Keystone Technologies		
Brand	Keystone		
Model Number	KT-LED70HID-ADJ-EX39-830-D [blank, /PIR, /MW, /PS]		
Parent	No		
Classification	Standard		
DLC Family Code	RRRVWE		
Length	0.9 ft		
Input Power Type	AC		

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Mogul (E39) Screw-Base Replacements for HID Lamps
General Application Mid Output	
Primary Use Designation	Replacement Lamps for Outdoor Pole/Arm-Mounted Decorative Luminaires (Type B)

CONTROL FEATURES VIEW DETAILS

Dimming Capability and Range	Continuous Dimming to 10% or below
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	Yes
Field Adjustable Distribution Type	Integral FALD

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	7663.2 lm
Reported Efficacy (AC)	113.8 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82.8
Reported R9	9
Reported IES Rf	93
Reported IES Rg	86
Reported IES Rcs,h1	-12
Reported Default Light Output	7663.2 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	67.3 W
Reported Total Harmonic Distortion	14.2 %
Reported Power Factor	0.915
Reported Default Input Wattage	67.3 W
Voltage Range	100-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Field Adjustable Light Distribution Setting	Straight Down
---	---------------

VERSION HISTORY VIEW DETAILS

2021-03-18	Listed	5.1	Standard
2020-06-16	Listed	5	Standard