

# DesignLights Consortium



Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	90 W
Reported Light Output	11880 lm
Reported CCT	3500 K
Reported CRI (Ra)	80
Product ID	PJQT2B1T
DLC Family Code	<a href="#">FFFJZW</a>
Listing Status	Listed
Date Qualified	2021-10-12

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PJQT2B1T
Manufacturer	Keystone Technologies
Brand	Keystone
Model Number	KT-MSLED90PS-8-8CSA-VDIM [Blank, Options]
Parent	No
Classification	Standard
DLC Family Code	FFFJZW
Length	8.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	LLLC,High End Trim
Sensor Type	Multifunction Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	Bluetooth
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	11880 lm
Reported Efficacy (AC)	132 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	80
Reported R9	6
Reported IES Rf	84
Reported IES Rg	94
Reported IES Rcs,h1	-12
Reported Minimum Light Output	7668 lm
Reported Maximum Light Output	12060 lm
Reported Minimum CCT	3500 K
Reported Maximum CCT	5000 K
Reported Default Light Output	12060 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	90 W
Reported Total Harmonic Distortion	5.1 %
Reported Power Factor	0.991
Reported Minimum Input Wattage	54 W
Reported Maximum Input Wattage	90
Reported Default Input Wattage	90 W
Voltage Range	120-277 V

## VERSION HISTORY VIEW DETAILS

2023-04-07	Listed	5.1	Standard
2023-02-17	Listed	5.1	Standard

2021-10-12	Listed	5.1	Standard
------------	--------	-----	----------