

DesignLights Consortium



Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	200 W
Reported Light Output	29520 lm
Reported CCT	5000 K
Reported CRI (Ra)	83
Product ID	S-AT7MP2
DLC Family Code	BBBGEK
Listing Status	Listed
Date Qualified	2022-10-17

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-AT7MP2
Manufacturer	Keystone Technologies
Brand	Keystone
Model Number	KT-RHLED200-12CB-850-VDIM [blank, Options]
Parent	Yes
Classification	Premium
DLC Family Code	BBBGEK
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	LLLC,High End Trim
Sensor Type	Multifunction Sensor,Sensor Receptacle,Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	Bluetooth
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	29520 lm
Reported Efficacy (AC)	147.6 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	83
Reported R9	3
Reported IES Rf	83
Reported IES Rg	95
Reported IES Rcs,h1	-13
Reported Default Light Output	29520 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	200 W
Reported Total Harmonic Distortion	1.6 %
Reported Power Factor	0.996
Reported Default Input Wattage	200 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	29524 lm
Tested Efficacy (AC)	146.36 lm/W
Tested CCT	5078 K
Tested CRI (Ra)	83
Tested R9	3
Tested IES Rf	83
Tested IES Rg	95

Tested IES Rcs,h1	-13 %
Tested Duv	-0.0003

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	201.7 W
Tested Total Harmonic Distortion	8.7 %
Tested Power Factor	0.923

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	Download File
-----------	-------------------------------

VERSION HISTORY VIEW DETAILS

2022-10-17	Listed	5.1	Premium
------------	--------	-----	---------