

DesignLights Consortium



Classification	Premium
Primary Use	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
Reported Input Wattage	35 W
Reported Light Output	4760 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-V0YXPZ
DLC Family Code	XXXEUG
Listing Status	Listed
Date Qualified	2023-04-20

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-V0YXPZ
Manufacturer	Keystone Technologies
Brand	Keystone
Model Number	KT-WPLED35PS-M4-8CSB-VDIM [blank, -Options]
Parent	Yes
Classification	Premium
DLC Family Code	XXXEUG
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Low Output
Primary Use Designation	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Multifunction Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	4760 lm
Reported Efficacy (AC)	136 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	0
Reported IES Rf	84
Reported IES Rg	97
Reported IES Rcs,h1	-12
Reported Minimum Light Output	2100 lm
Reported Maximum Light Output	4760 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	4760 lm
Reported BUG Rating	B1 U3 G3

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	35 W
Reported Total Harmonic Distortion	13.4 %
Reported Power Factor	0.989
Reported Minimum Input Wattage	15 W
Reported Maximum Input Wattage	35
Reported Default Input Wattage	35 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	4841 lm
---------------------	---------

Tested Efficacy (AC)	134.83 lm/W
Tested CCT	3080 K
Tested CRI (Ra)	82
Tested R9	0
Tested IES Rf	84
Tested IES Rg	97
Tested IES Rcs,h1	-12 %
Tested Duv	-0.0009
Tested Backlight (TM-15 BUG)	1
Tested BUG Rating	B1 U3 G3

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	35.9 W
Tested Total Harmonic Distortion	13.4 %
Tested Power Factor	0.928

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	Download File
-----------	-------------------------------

VERSION HISTORY VIEW DETAILS

2023-04-20	Listed	5.1	Premium
------------	--------	-----	---------