DesignLights Consortium





Premium
Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
55 W
7370 lm
3000 K
81
S-IRMB5P
XXXEUG
Listed
2023-04-20

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting			
Technical Requirements Version	5.1			
Product ID	S-IRMB5P			
Manufacturer	Keystone Technologies			
Brand	Keystone			
Model Number	KT-WPLED55PS-M4-8CSB-VDIM [blank, -Options]			
Parent	No			
Classification	Premium			
DLC Family Code	XXXEUG			
Input Power Type	AC			

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Mid Output
Primary Use Designation	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires

CONTROL FEATURES VIEW DETAILS

Integral Controls

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Multifunction Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	7370 lm
Reported Efficacy (AC)	134 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	81
Reported R9	-1
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Minimum Light Output	4900 lm
Reported Maximum Light Output	7370 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	7370 lm
Reported BUG Rating	B1 U3 G4

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	55 W
Reported Total Harmonic Distortion	14.6 %
Reported Power Factor	0.988
Reported Minimum Input Wattage	35 W
Reported Maximum Input Wattage	55
Reported Default Input Wattage	55 W
Voltage Range	120-277 V

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

VERSION HISTORY VIEW DETAILS

2023-04-20	Listed	5.1	Premium
------------	--------	-----	---------