

DesignLights Consortium



Classification	Premium
Primary Use	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
Reported Input Wattage	15.5 W
Reported Light Output	2129 lm
Reported CCT	3000 K
Reported CRI (Ra)	80
Product ID	S-67K4VY
DLC Family Code	ZZZFGZ
Listing Status	Listed
Date Qualified	2022-03-21

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-67K4VY
Manufacturer	Maxlite Inc.
Brand	MaxLite
Model Number	SECS15UD-CSBPC
Parent	Yes
Classification	Premium
DLC Family Code	ZZZFGZ
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Low Output
Primary Use Designation	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	No Wired Communication Protocol
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	2129 lm
Reported Efficacy (AC)	137.2 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	80
Reported R9	0
Reported IES Rf	83
Reported IES Rg	97
Reported IES Rcs,h1	-12
Reported Minimum Light Output	2129 lm
Reported Maximum Light Output	2385 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported BUG Rating	B1 U3 G1

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	15.5 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	15.5 W
Reported Maximum Input Wattage	16.2
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	2116 lm
Tested Efficacy (AC)	134.85 lm/W
Tested CCT	2988 K

Tested CRI (Ra)	81
Tested R9	-1
Tested IES Rf	83
Tested IES Rg	97
Tested IES Rcs,h1	-12 %
Tested Duv	-0.00204
Tested Backlight (TM-15 BUG)	1
Tested BUG Rating	B1 U3 G1

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	16 W
Tested Total Harmonic Distortion	15 %
Tested Power Factor	0.924

VERSION HISTORY VIEW DETAILS

2022-03-21	Listed	5.1	Premium
------------	--------	-----	---------