DesignLights Consortium





Classification	Premium
Primary Use	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
Reported Input Wattage	27.83 W
Reported Light Output	3334.5 lm
Reported CCT	3000 K
Reported CRI (Ra)	83
Product ID	PLBJPNHX
DLC Family Code	BBBFRO
Listing Status	Listed
Date Qualified	2021-03-10

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting		
Technical Requirements Version	5.1		
Product ID	PLBJPNHX		
Manufacturer	MaxLite Inc.		
Brand	Maxlite, Inc.		
Model Number	WPOP28U-CS[B,S,L,W][BLANK,CR,CN,PN,AV,NN,NC][BLANK,EM0,EM2] [BLANK,PC,MS][BLANK,SP]		
Parent	No		
Classification	Premium		
DLC Family Code	BBBFRO		
Input Power Type	AC		

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires	
General Application	Low Output	
Primary Use Designation	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires	

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes		
Dimming Capability and Range	Continuous Dimming to 10% or below		
Integral Control Capability	High End Trim		
Sensor Type	Occupancy Sensor, Exterior Photocell, Integral Sensor Receptacle		
SSL V5 Wired Communication Protocol	0-10V Analog		
SSL V5 Wireless Communication Protocol	No Wireless Protocol		
Field Adjustable Light Output	No		
White-Tunable	Yes		
Warm-Dimming	No		
Field Adjustable Light Distribution	No		

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	3334.5 lm
Reported Efficacy (AC)	119.82 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	83
Reported R9	7
Reported IES Rf	84
Reported IES Rg	98
Reported IES Rcs,h1	-11
Reported Minimum Light Output	3334.5 lm
Reported Maximum Light Output	3334.5 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	3334 lm
Reported BUG Rating	B0 U3 G3

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	27.83 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	28 W
Reported Maximum Input Wattage	28
Reported Default Input Wattage	28 W
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2021-03-24	Listed	5.1	Premium
2021-03-10	Listed	5.1	Premium