DesignLights Consortium





Classification	Premium
Primary Use	Bollards
Reported Input Wattage	22 W
Reported Light Output	2650 lm
Reported CCT	3000 K
Reported CRI (Ra)	80
Product ID	S-1QX7IG
DLC Family Code	<u>OOOBGF</u>
Listing Status	Listed
Date Qualified	2022-12-21

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-1QX7IG
Manufacturer	Morris Products Inc.
Brand	Morris
Model Number	72302, 72322
Parent	Yes
Classification	Premium
DLC Family Code	OOOBGF
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Low Output
Primary Use Designation	Bollards

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below	
Integral Control Capability	No Control Capability	
Sensor Type	Exterior Photocell	
SSL V5 Wired Communication Protocol	0-10V Analog	
SSL V5 Wireless Communication Protocol	No Wireless Protocol	
Field Adjustable Light Output	Yes	
White-Tunable	Yes	
Warm-Dimming	No	
Field Adjustable Light Distribution	No	

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	2650 lm
Reported Efficacy (AC)	120 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	80
Reported R9	0
Reported IES Rf	83
Reported IES Rg	93
Reported IES Rcs,h1	-12
Reported Minimum Light Output	1440 lm
Reported Maximum Light Output	2650 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	2650 lm
Reported BUG Rating	B1 U3 G1

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	22 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	12 W
Reported Maximum Input Wattage	22
Reported Default Input Wattage	22 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
-------------------------------------	-----

Tested Light Output	2608 lm
Tested Efficacy (AC)	120.34 lm/W
Tested CCT	3017 K
Tested CRI (Ra)	84
Tested R9	14
Tested IES Rf	85
Tested IES Rg	96
Tested IES Rcs,h1	-11 %
Tested Duv	-0.0016
Tested Backlight (TM-15 BUG)	1
Tested BUG Rating	B1 U3 G1

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	21.7 W
Tested Total Harmonic Distortion	10.9 %
Tested Power Factor	0.917

VERSION HISTORY VIEW DETAILS

2022-12-21	Listed	5.1	Premium