

# DesignLights Consortium



Classification	Standard
Primary Use	Outdoor Full-Cutoff Wall-Mounted Area Luminaires
Reported Input Wattage	37 W
Reported Light Output	4824 lm
Reported CCT	3000 K
Reported CRI (Ra)	73
Product ID	S-K6SNWG
DLC Family Code	<a href="#">XXXETG</a>
Listing Status	Listed
Date Qualified	2023-03-21

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-K6SNWG
Manufacturer	Morris Products Inc.
Brand	Morris
Model Number	751(19B, 21B, 23B)
Parent	Yes
Classification	Standard
DLC Family Code	XXXETG
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Low Output
Primary Use Designation	Outdoor Full-Cutoff Wall-Mounted Area Luminaires

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below

Integral Control Capability	No Control Capability
Sensor Type	Exterior Photocell
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	4824 lm
Reported Efficacy (AC)	130 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	73
Reported R9	-37
Reported IES Rf	78
Reported IES Rg	91
Reported IES Rcs,h1	-17
Reported Minimum Light Output	2412 lm
Reported Maximum Light Output	4824 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	4824 lm
Reported BUG Rating	B2 U0 G0

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	37 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	18.5 W
Reported Maximum Input Wattage	37
Reported Default Input Wattage	37 W
Voltage Range	120-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	4842 lm

Tested Efficacy (AC)	130.83 lm/W
Tested CCT	3043 K
Tested CRI (Ra)	73
Tested R9	-37
Tested IES Rf	78
Tested IES Rg	91
Tested IES Rcs,h1	-17 %
Tested Duv	-0.00039
Tested Backlight (TM-15 BUG)	2
Tested BUG Rating	B2 U0 G0

### TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	37 W
Tested Total Harmonic Distortion	13.2 %
Tested Power Factor	0.909

### PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	<a href="#">Download File</a>
-----------	-------------------------------

### VERSION HISTORY VIEW DETAILS

2023-03-21	Listed	5.1	Standard
------------	--------	-----	----------