

DesignLights Consortium



Classification	Premium
Primary Use	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
Reported Input Wattage	93.9 W
Reported Light Output	12194 lm
Reported CCT	4000 K
Reported CRI (Ra)	85
Product ID	PL5AI0EPHH72
DLC Family Code	EMWAJY
Listing Status	Listed
Date Qualified	2021-11-23

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PL5AI0EPHH72
Manufacturer	SATCO Products Inc
Brand	SATCO/NUVO
Model Number	65/860
Parent	Yes
Classification	Premium
DLC Family Code	EMWAJY
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	High Output
Primary Use Designation	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Exterior Photocell, Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	Yes
Field Adjustable Distribution Type	Integral FALD

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	12194 lm
Reported Efficacy (AC)	129.88 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	85
Reported R9	17
Reported IES Rf	85
Reported IES Rg	95
Reported IES Rcs,h1	-11
Reported Default Light Output	12194 lm
Reported BUG Rating	B3 U2 G3

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	93.9 W
Reported Total Harmonic Distortion	8.9 %
Reported Power Factor	0.938
Reported Default Input Wattage	93.9 W
Voltage Range	277-480 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	12194 lm
Tested Efficacy (AC)	129.88 lm/W
Tested CCT	4003 K
Tested CRI (Ra)	85
Tested R9	17
Tested IES Rf	85

Tested IES Rg	95
Tested IES Rcs,h1	-11 %
Tested Duv	0.0003
Tested Backlight (TM-15 BUG)	3
Field Adjustable Light Distribution Setting	straight down
Tested BUG Rating	B3 U2 G3

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	277
Tested Input Wattage	93.89 W
Tested Total Harmonic Distortion	9.2 %
Tested Power Factor	0.936

VERSION HISTORY VIEW DETAILS

2021-11-23	Listed	5.1	Premium
------------	--------	-----	---------